



LOWRANCE®













PRICE LIST
MARINE ELECTRONICS













HDS-16 PRO

Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15991-001	 Lowrance HDS-16 PRO with ActiveImaging™ HD 3-in-1 transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	24250.10	29827.62
000-16006-001	 Lowrance HDS-16 PRO, No Transducer. 16" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	23270.10	28622.22

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-16064-001	Ghost Active Imaging HD 3-in-1 Nosecone	2347.10	2886.93
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, High-Wide Transducers. Support for high-frequency ActiveImaging HD transducers	4405.10	5418.27



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2445.10	3007.47
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7942.90	9769.77
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2690.10	3308.82
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11010-001	 HDS Video Adapter Cable	333.10	409.72

Spare Parts









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-14585-001	 HDS-16 LIVE/PRO Suncover	166.55	204.86
000-14589-001	 HDS-16 LIVE/PRO Bracket and Knobs	289.05	355.53
000-0127-49	 Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	181.25	222.94














HDS-12 PRO

Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15988-001	 Lowrance HDS-12 PRO with ActiveImaging™ HD 3-in-1 transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	16410.10	20184.42
000-16003-001	 Lowrance HDS-12 PRO, No Transducer. 12" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	15430.10	18979.02



Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-16064-001	 Ghost Active Imaging HD 3-in-1 Nosecone	2347.10	2886.93
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, High-Wide Transducers. Support for high-frequency ActiveImaging HD transducers	4405.10	5418.27
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2445.10	3007.47
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7942.90	9769.77
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2690.10	3308.82
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11010-001	 HDS Video Adapter Cable	333.10	409.72



Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-14584-001	 HDS-12 LIVE/PRO Suncover	156.75	192.80













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14588-001	 HDS-12 LIVE/PRO Bracket and Knobs	289.05	355.53
000-0127-49	 Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	181.25	222.94














HDS-10 PRO

Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15985-001	 Lowrance HDS-10 PRO with ActiveImaging™ HD 3-in-1 transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	13715.10	16869.57
000-16000-001	 Lowrance HDS-10 PRO, No Transducer. 10" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worldwide basemap (chart card required).	12735.10	15664.17

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-16064-001	Ghost Active Imaging HD 3-in-1 Nosecone	2347.10	2886.93
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, High-Wide Transducers. Support for high-frequency ActiveImaging HD transducers	4405.10	5418.27
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2445.10	3007.47
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7942.90	9769.77
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2690.10	3308.82
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11010-001	 HDS Video Adapter Cable	333.10	409.72

Spare Parts











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-0127-49	 Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	181.25	222.94














HDS-9 PRO

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15982-001	 Lowrance HDS-9 PRO with ActiveImaging™ HD 3-in-1 transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	10285.10	12650.67
000-15997-001	 Lowrance HDS-9 PRO, No Transducer. 9" SolarMAX HD IPS display, Dual 1kW sonar with CHIRP, ActiveImaging™ HD ready. Networkable to Lowrance performance sonars (ActiveTarget™ and ActiveTarget™2), Radars, Trolling Motors, and Autopilots along with waypoint, chart, and sonar sharing. Worlwide basemap (chart card required).	9305.10	11445.27


Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-16064-001	Ghost Active Imaging HD 3-in-1 Nosecone	2347.10	2886.93
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, High-Wide Transducers. Support for high-frequency ActiveImaging HD transducers	4405.10	5418.27
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2445.10	3007.47
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7942.90	9769.77
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2690.10	3308.82
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11010-001	 HDS Video Adapter Cable	333.10	409.72



Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-14583-001	 HDS-9 LIVE/PRO Suncover	156.75	192.80
000-14587-001	 HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	166.55	204.86


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-49	 A black power cable with a connector at one end and a power plug at the other.	181.25	222.94








HDS-16 LIVE

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14436-001	 The Lowrance HDS-16 LIVE No Transducer unit offers compatibility to the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	19105.10	23499.27
000-14437-001	 The Lowrance HDS-16 LIVE with Active Imaging 3-1 Transducer offers the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	19595.10	24101.97

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11010-001	 HDS Video Adapter Cable	333.10	409.72

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14585-001	 HDS-16 LIVE/PRO Suncover	166.55	204.86
000-14589-001	 HDS-16 LIVE/PRO Bracket and Knobs	289.05	355.53
000-14593-001	HDS-16 LIVE Bezel and SD Card Door	235.15	289.24
000-0127-49	 Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	181.25	222.94








HDS-12 LIVE

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14430-001	 The Lowrance HDS-12 LIVE No Transducer unit offers compatibility to the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	12245.10	15061.47
000-14431-001	 The Lowrance HDS-12 LIVE with Active Imaging 3-1 Transducer offers the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	13225.10	16266.87

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11010-001	 HDS Video Adapter Cable	333.10	409.72

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14584-001	 HDS-12 LIVE/PRO Suncover	156.75	192.80
000-14588-001	 HDS-12 LIVE/PRO Bracket and Knobs	289.05	355.53
000-14592-001	HDS-12 LIVE Bezel and SD Card Door	235.15	289.24
000-0127-49	 Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	181.25	222.94








HDS-9 LIVE

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14424-001	 The Lowrance HDS-9 LIVE No Transducer unit offers compatibility to the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	7345.10	9034.47
000-14425-001	 The Lowrance HDS-9 LIVE with Active Imaging 3-1 Transducer offers the best collection of innovative sonar features available, including Active Imaging™, StructureScan® 3D with Active Imaging, FishReveal™ and LiveSight™ sonar – plus exciting functionality like C-MAP® Genesis Live mapping and LiveCast™ smartphone integration.	8325.10	10239.87

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11010-001	 HDS Video Adapter Cable	333.10	409.72

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14583-001	 HDS-9 LIVE/PRO Suncover	156.75	192.80
000-14587-001	 HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	166.55	204.86
000-14591-001	HDS-9 LIVE Bezel and SD Card Door	235.15	289.24
000-0127-49	 Lowrance Power/0183 Cable for HDS, EliteTi/Ti2 and HOOK Gen1 series.	181.25	222.94





Elite-9 FS

Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15706-001	 ELITE FS 9 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4650.10	5719.62
000-15693-001	 ELITE FS 9 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	5385.10	6623.67

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-15786-001	FLUSH MOUNT KIT: ELITE FS 9	107.75	132.53
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-10029-001	 NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1514.10	1862.34

Spare Parts













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15777-001	 CNR CLIP KIT: ELITE-7+9 FS	83.20	102.34
000-14587-001	 HDS-9 LIVE/PRO / Elite FS9 Bracket and Knobs	166.55	204.86
000-14041-001	 2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	161.65	198.83
000-0127-50	 When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	92.66	113.98






Elite-7 FS

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15702-001	 ELITE FS 7 with No Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4160.10	5116.92
000-15697-001	 ELITE FS 7 with xSonic HDI M/H 455/800 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4405.10	5418.27
000-15689-001	 ELITE FS 7 with Active Imaging 3-in-1 Transducer (ROW) The new Elite™ Fishing System (FS) gives you access to the full line-up of Lowrance fishfinding tools – including ActiveTarget™ live sonar, Active Imaging™, FishReveal™ and preloaded C-MAP® Contour™ + charts – all at a more affordable price than other fishfinder/chartplotters in its category	4895.10	6020.97

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-15959-001	 ActiveTarget™2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-12395-001	 StructureScan® 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit, Standby-Auto button and Micro-C network components.	8080.10	9938.52
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-15785-001	FLUSH MOUNT KIT: ELITE FS 7	100.89	124.10






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14505-001	 LOWRANCE REMOTE CONTROLLER LR-1 Bluetooth Remote controller for HDS Live and HDS Carbon	600.59	738.73
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-10029-001	 NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1514.10	1862.34

Spare Parts









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15778-001	 SUNCOVER: ELITE-7 FS	109.03	134.10
000-15777-001	 CNR CLIP KIT: ELITE-7+9 FS	83.20	102.34
000-14586-001	 HDS-7 LIVE Bracket and Knobs	166.55	204.86
000-14041-001	 2-Wire POWER ONLY cable for Mark, Elite, Hook, Elite Ti, HDS.	161.65	198.83
000-0127-50	 When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	92.66	113.98

HDI



Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15502-001	 HOOK Reveal 5, five-inch display with 50/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	1714.95	2109.39
000-15504-001	 HOOK Reveal 5, five-inch display with 83/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	1567.95	1928.58
000-15516-001	 HOOK Reveal 7, seven-inch display with 50/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	2253.95	2772.36
000-15518-001	 HOOK Reveal 7, seven-inch display with 83/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	2106.95	2591.55
000-15527-001	 HOOK Reveal 9, nine-inch display with 50/200 HDI CHIRP transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, DownScan Imaging™, improved deep water performance and now FishReveal. World base map.	2890.95	3555.87

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14089-001	 Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 83/200kHz	538.95	662.91
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	269.45	331.42
000-14068-001	 7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	161.65	198.83
000-14069-001	 xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in description!	161.65	198.83
000-14411-001	 SPLITSHOT Inline temperature sensor: Hook2/Reveal	269.45	331.42
000-14174-001	 HOOK2 / HOOK Reveal 5" Sun Cover	107.75	132.53
000-14175-001	 HOOK2 7" Sun Cover	107.75	132.53
000-14176-001	 HOOK2 9" Sun Cover	117.55	144.59



Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001	 HDI Skimmer® transducer 83/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	573.25	705.10
000-15639-001	 HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (*50 kHz / Low CHIRP frequency options are not available on Hook2)	1180.85	1452.45












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-50	 <p>When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder</p>	92.66	113.98
000-11019-001	 <p>Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP *Not for use with Elite-7 Ti</p>	210.65	259.10
000-14170-001	 <p>HOOK2 4"/5", HOOK Reveal 5", Cruise 5" Quick Release Bracket</p>	107.75	132.53
000-14172-001	 <p>Power Cable for Hook2, Hook Reveal & Cruise</p>	107.75	132.53
000-14191-001	 <p>HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips</p>	68.55	84.32
000-14171-001	 <p>Gimbal Bracket for Hook2/Hook Reveal 9"</p>	244.95	301.29

TripleShot




Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15520-001	 HOOK Reveal 7, seven-inch display with TripleShot transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, SideScan and DownScan Imaging™, improved deep water performance and now FishReveal. U.S Inland mapping.	2547.95	3133.98
000-15531-001	 HOOK Reveal 9, nine-inch display with TripleShot transducer, makes fishing easier, delivering powerful performance with proven fish-finding tools including, Autotuning Sonar, SideScan and DownScan Imaging™, improved deep water performance and now FishReveal. U.S Inland mapping.	3184.95	3917.49

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14089-001	 Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 83/200kHz	538.95	662.91
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	269.45	331.42
000-14412-001	 Hook2 Transducer Y-Cable Allows an Active Imaging 2 in 1 or LSS-2 and HST-WSBL to be connected to a Hook2 TripleShot Display.	302.77	372.41
000-14029-001	 TripleShot Skimmer Transducer	891.75	1096.85
000-14193-001	 TripleShot Transom Bracket	68.55	84.32
000-14068-001	 7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	161.65	198.83
000-14069-001	 xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in description!	161.65	198.83
000-14411-001	 SPLITSHOT Inline temperature sensor: Hook2/Reveal	269.45	331.42
000-14174-001	 HOOK2 / HOOK Reveal 5" Sun Cover	107.75	132.53
000-14175-001	 HOOK2 7" Sun Cover	107.75	132.53
000-14176-001	 HOOK2 9" Sun Cover	117.55	144.59



Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-50	 When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	92.66	113.98
000-11019-001	 Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP *Not for use with Elite-7 Ti	210.65	259.10
000-14172-001	 Power Cable for Hook2, Hook Reveal & Cruise	107.75	132.53







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14191-001	 HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	68.55	84.32
000-14171-001	 Gimbal Bracket for Hook2/Hook Reveal 9"	244.95	301.29

4x




Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14013-001	 HOOK2-4x Bullet Skimmer CE ROW The world's easiest fishfinder, HOOK2 4x Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x features wide-angle, Broadband sonar coverage. Just plug it in and fish, it's that easy.	587.95	723.18
000-14015-001	 HOOK2-4x GPS Bullet Skimmer ROW The world's easiest fishfinder, HOOK2 4x GPS Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x GPS features wide-angle, Broadband sonar coverage, plus a simple and accurate GPS Plotter. Just plug it in and fish, it's that easy.	685.95	843.72

Accessories
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14088-001	 HOOK2-4x Ice Transducer with power lead.	538.95	662.91
000-12292-001	 Portable Kayak Kit -Kayak anglers desire a quick and easy method of mounting electronics, transducers, and batteries. The portable kayak kit allows them to mount all of their electronics in one place, with a quick disconnect for easy removal. Cable management is key for kayak anglers.	803.55	988.37
000-14610-001	RAM QR BRACKET FOR 4/5" HOOK2 1.5" BALL	328.06	403.51
000-14969-001	ROKK MINI MOUNT: HOOK2-4X/4XGPS/5X/5	302.82	372.47
000-14413-001	 Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	269.45	331.42
000-14192-001	 Bullet/SplitShot Transom Bracket	68.55	84.32
000-14070-001	 HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	161.70	198.89
000-14173-001	 HOOK2 4x Sun Cover	107.75	132.53

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-50	 When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	92.66	113.98
000-14027-001	 Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	244.95	301.29
000-14192-001	 Bullet/SplitShot Transom Bracket	68.55	84.32
000-14170-001	" data-bbox="214 848 258 874"/> HOOK2 4"/5", HOOK Reveal 5", Cruise 5" Quick Release Bracket	107.75	132.53


Accessories

Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	269.45	331.42
000-14413-001	 Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable	269.45	331.42
000-14412-001	 Hook2 Transducer Y-Cable Allows an Active Imaging 2 in 1 or LSS-2 and HST-WSBL to be connected to a Hook2 TripleShot Display.	302.77	372.41
000-14027-001	 Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	244.95	301.29
000-14028-001	 SplitShot Skimmer Transducer	485.05	596.61
000-14029-001	 TripleShot Skimmer Transducer	891.75	1096.85
000-14192-001	 Bullet/SplitShot Transom Bracket	68.55	84.32
000-14193-001	 TripleShot Transom Bracket	68.55	84.32
000-14410-001	 HOOK2-4X INLINE TEMP SENSOR	252.30	310.33
000-14070-001	 HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable	161.70	198.89
000-14173-001	 HOOK2 4x Sun Cover	107.75	132.53
000-14170-001	"5", HOOK Reveal 5", Cruise 5" Quick Release Bracket" data-bbox="208 661 268 691"/> HOOK2 4"/>"5", HOOK Reveal 5", Cruise 5" Quick Release Bracket	107.75	132.53
000-14068-001	 7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!	161.65	198.83
000-14069-001	 xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in description!	161.65	198.83
000-14172-001	 Power Cable for Hook2, Hook Reveal & Cruise	107.75	132.53
000-14191-001	"9"/"12", Hook Reveal 7"/>"9" corner clips" data-bbox="208 866 268 896"/> HOOK2 7"/>"9"/"12", Hook Reveal 7"/>"9" corner clips	68.55	84.32
000-14411-001	 SPLITSHOT Inline temperature sensor: Hook2/Reveal	269.45	331.42

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14174-001	 HOOK2 / HOOK Reveal 5" Sun Cover	107.75	132.53
000-14175-001	 HOOK2 7" Sun Cover	107.75	132.53
000-14176-001	 HOOK2 9" Sun Cover	117.55	144.59
000-14171-001	 Gimbal Bracket for Hook2/Hook Reveal 9"	244.95	301.29
000-14177-001	 HOOK2 12" Sun Cover	117.55	144.59

Accessories





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	269.45	331.42

Spare Parts










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14192-001	 Bullet/SplitShot Transom Bracket	68.55	84.32
000-14193-001	 TripleShot Transom Bracket	68.55	84.32






Ice / All season

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14183-001	 <p>HOOK2-4x All Season Pack (EU)</p> <p>The world's easiest fishfinder, HOOK2 4x Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x features wide-angle, Broadband sonar coverage. Just plug it in and fish, it's that easy.</p>	1322.95	1627.23
000-14184-001	 <p>HOOK2-4x GPS All Season Pack (EU)</p> <p>The world's easiest fishfinder, HOOK2 4x GPS Bullet offers simple menus, easy access to key functions and Autotuning sonar. Powered by proven Lowrance® performance, HOOK2 4x GPS features wide-angle, Broadband sonar coverage, plus a simple and accurate GPS Plotter. Just plug it in and fish, it's that easy.</p>	1469.95	1808.04
000-15544-001	 <p>HOOK REVEAL 5 ROW ICEMACHINE: Hook Reveal 5/ Ice Transducer / Ice Bag</p>	2264.68	2785.56
000-15543-001	 <p>HOOK REVEAL 7 SPLITSHOT ROW ICEMACHINE</p>	4117.62	5064.67

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14088-001	 <p>HOOK2-4x Ice Transducer with power lead.</p>	538.95	662.91
000-14089-001	" data-bbox="208 453 263 478"/> <p>Hook Reveal and Hook2 5"/>" data-bbox="208 453 263 478"/> <p>Hook Reveal and Hook2 5"/>" data-bbox="208 453 263 478"/> </p> </p>	538.95	662.91
000-12292-001	 <p>Portable Kayak Kit</p> <p>-Kayak anglers desire a quick and easy method of mounting electronics, transducers, and batteries. The portable kayak kit allows them to mount all of their electronics in one place, with a quick disconnect for easy removal. Cable management is key for kayak anglers.</p>	803.55	988.37
000-14414-001	 <p>8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer</p>	269.45	331.42
000-14413-001	 <p>Hook2 Bullet Skimmer Transducer 10 Ft Extension Cable</p>	269.45	331.42
000-14028-001	 <p>SplitShot Skimmer Transducer</p>	485.05	596.61
000-14192-001	 <p>Bullet/SplitShot Transom Bracket</p>	68.55	84.32
000-14070-001	 <p>HOOK2-4X to 7pin Blue Transducer Adapter & Power Cable</p>	161.70	198.89
000-14173-001	 <p>HOOK2 4x Sun Cover</p>	107.75	132.53
000-14170-001	" data-bbox="213 843 258 878"/> <p>HOOK2 4"/>" data-bbox="213 843 258 878"/> <p>HOOK2 4"/>" data-bbox="213 843 258 878"/> </p> </p>	107.75	132.53
000-14068-001	 <p>7-pin Transducer to HOOK2/Reveal/Cruise Adapter Cable. Check Transducer compatability in description!</p>	161.65	198.83




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14069-001	 xSONIC Transducer to HOOK2/Reveal/Cruise Adapter cable. Check Transducer compatability in description!	161.65	198.83
000-14172-001	 Power Cable for Hook2, Hook Reveal & Cruise	107.75	132.53
000-14411-001	 SPLITSHOT Inline temperature sensor: Hook2/Reveal	269.45	331.42
000-14174-001	 HOOK2 / HOOK Reveal 5" Sun Cover	107.75	132.53
000-14175-001	 HOOK2 7" Sun Cover	107.75	132.53

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14089-001	" data-bbox="201 391 268 418"/> Hook Reveal and Hook2 5"/7"/9"/12" Ice Transducer. 83/200kHz	538.95	662.91
000-0127-50	 When shipped with a product in "Comes With" this is 1 ea. fuse and fuse holder. When ordered as 000-0127-50 this is 3 ea. fuse and fuse holder	92.66	113.98
000-11019-001	 Gimbal mounting bracket with knobs for 7" HDS Gen2 Touch/HDS Gen3/HDS Carbon/Hook/Hook2/Hook Reveal/Elite-HDI-CHIRP *Not for use with Elite-7 Ti	210.65	259.10
000-14027-001	 Bullet Skimmer Transducer for Hook2-4X, with built in power cable.	244.95	301.29
000-14192-001	 Bullet/SplitShot Transom Bracket	68.55	84.32
000-14170-001	" data-bbox="201 622 268 649"/> HOOK2 4"/5", HOOK Reveal 5", Cruise 5" Quick Release Bracket	107.75	132.53
000-14172-001	 Power Cable for Hook2, Hook Reveal & Cruise	107.75	132.53
000-14191-001	" data-bbox="201 722 268 749"/> HOOK2 7"/9"/12", Hook Reveal 7"/9" corner clips	68.55	84.32




Premium Ice

Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15954-001	 <p>Explorer Ice Bag & Transducer Pole</p> <p>Comes With:</p> <ul style="list-style-type: none"> - Premium Explorer Bag and Shuttle Frame - Custom wiring harness and master power switch - Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout 	2204.95	2712.09
000-15953-001	 <p>Explorer Ice Bag</p> <p>Comes With:</p> <ul style="list-style-type: none"> - Premium Explorer Bag and Shuttle Frame - Custom wiring harness and master power switch 	1469.95	1808.04
000-15955-001	 <p>Explorer Ice Pole</p> <p>Comes With:</p> <ul style="list-style-type: none"> - Premium Ice Transducer Pole for ActiveTarget™ Down/Forward or Scout 	832.95	1024.53

GHOST™

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14937-001	 Ghost® freshwater trolling motor 47", HDI Transducer, Compass	15870.33	19520.50
000-14938-001	 Ghost™ freshwater trolling motor 52", HDI Transducer, Compass	17206.70	21164.24
000-15480-001	 Ghost™ freshwater trolling motor 60", HDI Transducer, Compass and remote	18182.64	22364.64

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14900-001	 ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone	1659.96	2041.75
000-15468-001	 TMR-1: Remote control for the Ghost trolling motor.	636.68	783.12
000-15723-001	 The Prop Shaft Anode for the Lowrance Ghost® trolling motor allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed on the back of the propeller, replacing the propeller nut supplied from the factory. The anode prevents corrosion that could result from using the trolling motor in brackish water	112.65	138.56
000-15582-001	 GHOST Trolling motor compass extension cable, 6 m (20')	171.45	210.88
000-15325-001	 Replacement trolling motor compass (TMC-1)	685.95	843.72
000-15327-001	 SONAR ADAPTER CABLE 9P MINI TO 9P	244.95	301.29
000-15237-001	Propeller kit: 1x Thrust washer, 1x Propeller pin, 1x M10 Propeller washer, 1x M10 Nylock nut, 1 x Propeller	220.26	270.91


Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15235-001	360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20	9.75	11.99
000-15238-001	Propeller hardware kit: 1x Thrust washer, 1x Propeller pin 1x M10 Propeller washer 1x M10 Nylock nut	34.25	42.13
000-15239-001	1x Column, inner shaft, 47"	244.95	301.29
000-15240-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 47"/lower unit (pre-assembled)	4899.95	6026.94
000-15241-001	Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm	48.95	60.21
000-15242-001	Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit	195.95	241.02
000-15243-001	Bearing cup: 1x Bearing cup	73.45	90.34
000-15244-001	Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex	97.95	120.48

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15246-001	1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	832.95	1024.53
000-15247-001	Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm	9.75	11.99
000-15248-001	Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx	48.95	60.21
000-15249-001	1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1469.95	1808.04
000-15250-001	Indicator assembly 1x Indicator w/magnet, 1x Indicator ring	97.95	120.48
000-15251-001	Housing hardware 14x Screw, torx, no. 6 x 3/4	73.45	90.34
000-15252-001	Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4	195.95	241.02
000-15253-001	Lowrance label 1x Head decal	48.95	60.21
000-15254-001	Case seal 1x Seal, case	73.45	90.34
000-15255-001	GPS PCBA 1x PCB Test Assembly: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)	73.45	90.34
000-15256-001	PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx	979.95	1205.34
000-15257-001	Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx	58.75	72.26
000-15258-001	Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit (not shown in the illustration)	161.65	198.83
000-15259-001	12x Screw, M3 x 20, torx	34.25	42.13
000-15260-001	1x Motor belt	39.15	48.16
000-15261-001	1x Indicator belt	34.25	42.13
000-15262-001	1x Indicator pulley assembly	48.95	60.21
000-15263-001	1x Idler, gear, pully, assembly	293.95	361.56
000-15264-001	Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx	156.75	192.80
000-15265-001	Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt	979.95	1205.34
000-15266-001	Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring	9.75	11.99
000-15267-001	Thermal pad, steering motor: 1x Motor thermal pad	48.95	60.21
000-15268-001	Thermal pad, PCBA: 1x PCBA thermal pad	44.05	54.18
000-15269-001	Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad	44.05	54.18
000-15270-001	Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx	195.95	241.02
000-15271-001	Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316	58.75	72.26
000-15272-001	Shaft seal: 1x Seal, shaft	39.15	48.16
000-15273-001	Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5"	14.65	18.02
000-15277-001	Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm	132.25	162.67
000-15278-001	Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap	195.95	241.02
000-15279-001	Stabilizer, rubber foot: 1x Foot, stabilizer	14.65	18.02
000-15280-001	Pull cable kit: 1x Pull cable, 1x Handle bottom, 1x Handle top, 1x Barrel, pull cable, 2x Set screw, M4.0 x 0.7 x 6	122.45	150.61





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15281-001	Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut	58.75	72.26
000-15282-001	Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8	73.45	90.34
000-15283-001	Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS	220.45	271.15
000-15284-001	Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"	63.65	78.29
000-15285-001	Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS	73.45	90.34
000-15286-001	Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension	137.15	168.70
000-15287-001	Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot	171.45	210.88
000-15288-001	Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS	587.95	723.18
000-15289-001	Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"	979.95	1205.34
000-15290-001	Head adapter kit: 1x Head adapter with bushing	636.95	783.45
000-15291-001	Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS	73.45	90.34
000-15292-001	Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"	1224.95	1506.69
000-15293-001	Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer	171.45	210.88
000-15294-001	Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS	78.35	96.37
000-15295-001	Front latch block: 1x Front latch block	97.95	120.48
000-15296-001	Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch	156.75	192.80
000-15297-001	Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"	83.25	102.40
000-15298-001	Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip	93.05	114.45
000-15299-001	Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2", 2x Washer, M10, 316SS, 2x Jam nut, M10	244.95	301.29
000-15300-001	Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"	1322.95	1627.23
000-15303-001	Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR	1224.95	1506.69
000-15304-001	Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal	127.35	156.64
000-15305-001	PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8	195.95	241.02
000-15306-001	Label, battery: 1x Label status panel w/adhesive, pedal	44.05	54.18
000-15307-001	Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper	97.95	120.48
000-15308-001	Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss	195.95	241.02
000-15309-001	Housing, lower, pedal kit, 47": 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit	146.95	180.75
000-15310-001	 GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	122.45	150.61
000-15311-001	 GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m	122.45	150.61

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15312-001	 GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	122.45	150.61
000-15313-001	 GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	122.45	150.61
000-15314-001	Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm, hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal	137.15	168.70
000-15315-001	Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth	97.95	120.48
000-15316-001	Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4", 1x D-clip, 1/4" shaft	73.45	90.34
000-15317-001	Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)	195.95	241.02
000-15318-001	Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS	39.15	48.16
000-15319-001	Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS	68.55	84.32
000-15320-001	Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS	73.45	90.34
000-15321-001	Pivot pin: 1x Pivot pin, pedal	44.05	54.18
000-15322-001	Pedal, upper: 1x Upper, pedal	220.45	271.15
000-15323-001	Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex	186.15	228.97
000-15387-001	Lower unit rotor assembly: 1x Rotor assembly	1469.95	1808.04
000-15388-001	Lower unit rear cap kit: 1x Rear cap 2x Shaft seal, greased 1x O-ring, 85x3 mm 1x Bearing-shim washer	489.95	602.64
000-15395-001	Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1	342.95	421.83
000-15476-001	Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing	73.45	90.34
000-15477-001	Lower extrusion bushing kit 4x 1/2" Shaft bushing	166.55	204.86
000-15478-001	Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts	225.35	277.18
000-15479-001	Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2	68.55	84.32
000-15576-001	Magnobond Epoxy: 1x Magnobond Epoxy 63-1 50 ml	244.95	301.29
000-15581-001	Lift assist crutch: 1x Lift assist crutch	48.95	60.21
000-15668-001	1x Lower housing assy with outer column, GHOST 52", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	936.71	1152.16
000-15669-001	1x Lower housing assy with outer column, GHOST 60", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	963.48	1185.08
000-15670-001	1x Cable, head to pedal, GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1728.95	2126.60
000-15671-001	1x Cable, head to pedal, GHOST GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1819.95	2238.53
000-15672-001	1x Column, inner shaft, 52"	294.36	362.06
000-15673-001	1x Column, inner shaft, 60"	299.71	368.65
000-15674-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52"/lower unit (pre-assembled)	5674.06	6979.10
000-15675-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60"/lower unit (pre-assembled)	5727.59	7044.94

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15676-001	Upper extrusion kit, GHOST GHOST 52"/GHOST 60": 1x Upper extrusion assembly, GHOST GHOST 52"/GHOST 60"	1552.30	1909.33
000-15677-001	Pushrod kit, GHOST 52"/GHOST 60": 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52"/GHOST 60"	1199.01	1474.78
000-15678-001	Latch trigger, GHOST 52"/GHOST 60" 2x Latch trigger, GHOST 52"/GHOST 60"	107.01	131.62
000-15679-001	Lift assist kit, GHOST 52"/GHOST 60": 1x Gas spring, compression/traction, GHOST 52"/60", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS	690.48	849.29
000-15680-001	Wear bearing kit, GHOST 52"/GHOST 60": 2x Wear bearing, GHOST 52"/GHOST 60"	112.36	138.20
000-15681-001	Lower extrusion kit, GHOST 52"/GHOST 60": 1x Lower extrusion, with bushing, , GHOST 52"/GHOST 60"	1552.30	1909.33
000-15682-001	Side plate kit, GHOST 52"/GHOST 60": 1x Cover mount RH, GHOST 52"/GHOST 60" 1x Cover mount LH, GHOST 52"/GHOST 60" 6x Screw, SHCS M4 x 0.7 x14, SS	342.53	421.32
000-15237-001	Propeller kit: 1x Thrust washer, 1x Propeller pin, 1x M10 Propeller washer, 1x M10 Nylock nut, 1 x Propeller	220.26	270.91
000-15828-001	 TIE DOWN STRAP KIT	68.55	84.32

Accessories


Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16064-001	Ghost Active Imaging HD 3-in-1 Nosecone	2347.10	2886.93
000-14900-001	 ACTIVE IMAGING 3-IN-1 Trolling Motor Nosecone	1659.96	2041.75
000-15914-001	GHOST MOUNT HARDWARE KIT	96.30	118.45
000-15468-001	 TMR-1: Remote control for the Ghost trolling motor.	636.68	783.12
000-15723-001	 The Prop Shaft Anode for the Lowrance Ghost® trolling motor allows for use in brackish water without voiding the Lowrance Ghost trolling motor warranty. The Prop Shaft Anode is a ring-shaped fitting that is installed on the back of the propeller, replacing the propeller nut supplied from the factory. The anode prevents corrosion that could result from using the trolling motor in brackish water	112.65	138.56
000-15582-001	 GHOST Trolling motor compass extension cable, 6 m (20')	171.45	210.88

Spares


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15235-001	360 Head HW kit: 2x Screw, SHCS M8 x 1.25 x 20	9.75	11.99
000-15238-001	Propeller hardware kit: 1x Thrust washer, 1x Propeller pin 1x M10 Propeller washer 1x M10 Nylock nut	34.25	42.13
000-15239-001	1x Column, inner shaft, 47"	244.95	301.29
000-15240-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 47"/lower unit (pre-assembled)	4899.95	6026.94
000-15241-001	Nose cone O-ring kit: 1x O-ring, 41x2.62mm, 1x O-ring, 15x3.53mm, 2x O-ring, 84x4.10mm	48.95	60.21
000-15242-001	Bearing, sealed kit: 2x Bearing sealed, 2x Bearing wedge, 1x Seal, shaft, 1x Cable tie/heat shrink kit	195.95	241.02
000-15243-001	Bearing cup: 1x Bearing cup	73.45	90.34
000-15244-001	Lower bearing clamp kit: 2x Collar, lower, 2x Screw, M5x20 mm, hex	97.95	120.48
000-15245-001	OUTER SHAFT	171.45	210.88
000-15246-001	1x Lower housing assy with outer column, GHOST 47", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	832.95	1024.53
000-15247-001	Lower unit hardware kit: 1x Seal washer, 5x9x1, 1x Screw, M5x8, 4x Screw, M3, 5x10, 1x Bearing-shim washer, 1x O-ring, 85x3 mm, 1x O-ring, 80x3 mm	9.75	11.99
000-15248-001	Lower bezel kit: 1x Bezel, lower, 2x Screw, M3 x 10, torx	48.95	60.21
000-15249-001	1x Cable, head to pedal, GHOST 47", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1469.95	1808.04
000-15250-001	Indicator assembly 1x Indicator w/magnet, 1x Indicator ring	97.95	120.48
000-15251-001	Housing hardware 14x Screw, torx, no. 6 x 3/4	73.45	90.34
000-15252-001	Top housing assembly 1x Housing, upper assembly (including head decal and indicator decal ring), 14x Screw, torx, no. 6 x 3/4	195.95	241.02
000-15253-001	Lowrance label 1x Head decal	48.95	60.21
000-15254-001	Case seal 1x Seal, case	73.45	90.34
000-15255-001	GPS PCBA 1x PCB Test Assembly: 2x Screw, torx, no. 6 x 3/8, 1x GPS PCBA cable (not shown in the illustration)	73.45	90.34
000-15256-001	PCBA, main head kit: 1x PCB TST ASY head controller CC, 1x Thermal pad, 6x Screw, torx, no. 6 x 3/8, 1x Screw, M3 x 10, torx	979.95	1205.34
000-15257-001	Thermal spreader kit, 1x Spreader, thermal, 1x Thermal pad, 3x Screw, M3 x 10, torx	58.75	72.26
000-15258-001	Gear cover kit: 1x Cover, gear drive, 8x Screw, M3 x 18, hex, 1x Cable tie/heat shrink kit (not shown in the illustration)	161.65	198.83
000-15259-001	12x Screw, M3 x 20, torx	34.25	42.13
000-15260-001	1x Motor belt	39.15	48.16
000-15261-001	1x Indicator belt	34.25	42.13
000-15262-001	1x Indicator pulley assembly	48.95	60.21
000-15263-001	1x Idler, gear, pulley, assembly	293.95	361.56
000-15264-001	Head sensor assy: 1x Sensor assembly, 2x Screw, M3 x 10, torx	156.75	192.80
000-15265-001	Steering motor kit: 1x Motor assembly, 1x Motor thermal pad, 1x PCBA thermal pad, 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring, 4x Screw, M3 x 10, torx, 1x Motor belt	979.95	1205.34
000-15266-001	Tensioning bolt kit: 1x Screw, M5x20 mm, hex, socket, SS316, 1x Seal, adjusting screw, O-ring	9.75	11.99


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15267-001	Thermal pad, steering motor: 1x Motor thermal pad	48.95	60.21
000-15268-001	Thermal pad, PCBA: 1x PCBA thermal pad	44.05	54.18
000-15269-001	Steering motor thermocouple kit: 1x Cable assembly thermistor 150 mm, 1x Thermocouple adhesive, 1x PCBA thermal pad	44.05	54.18
000-15270-001	Slip gear assembly: 1x Gear assembly, 2x Screw, M3 x 20, torx	195.95	241.02
000-15271-001	Upper clamp kit: 1x Collar, plain, upper, 1x Collar threaded, upper, 2x Screw, M4x25 mm, hex, socket, SS316	58.75	72.26
000-15272-001	Shaft seal: 1x Seal, shaft	39.15	48.16
000-15273-001	Cable tie/heat shrink kit: 6x Cable tie anchored, 12x Cable tie small, 2x Heat shrink tubing 1.5"	14.65	18.02
000-15274-001	NOSECONE,NOXD	293.95	361.56
000-15275-001	 HDI Nose cone transducer: Traditional 200 kHz High Chirp, 83 kHz Medium Chirp and DownScan 455 kHz, 800 kHz	783.95	964.26
000-15277-001	Nose cone hardware kit: 1x O-ring, 15x3.53mm, 1x O-ring, 41x2.62mm, 1x Nose cone cap, 1x Bolt, transducer, 2x O-ring, 84x4.10mm	132.25	162.67
000-15278-001	Rod, stabilizer kit: 1xRod, stabilizer, 1x Nut, 3/4"-10, nylon, 1x Foot, stabilizer, 1x Top cap	195.95	241.02
000-15279-001	Stabilizer, rubber foot: 1x Foot, stabilizer	14.65	18.02
000-15280-001	Pull cable kit: 1x Pull cable, 1x Handle bottom, 1x Handle top, 1x Barrel, pull cable, 2x Set screw, M4.0 x 0.7 x 6	122.45	150.61
000-15281-001	Cable management clip kit: 2x Cable management clips, 2x M4 x 8 socket screw with patch, 2x M4 round base weld nut	58.75	72.26
000-15282-001	Kicker kit: 1x Front kicker, 2x Screw, SHCS M6 x 1 x 8	73.45	90.34
000-15283-001	Side plate kit, GHOST 47": 1x Cover mount RH, GHOST 47", 1x Cover mount LH, GHOST 47", 6x Screw, SHCS M4 x 0.7 x14, SS	220.45	271.15
000-15284-001	Wear bearing kit, GHOST 47": 2x Wear bearing, GHOST 47"	63.65	78.29
000-15285-001	Upper dressing cap kit: 1x Upper dressing cap, 1x Lock pin upper extrusion, 1x Screw, M6x16, hex, flat, SS	73.45	90.34
000-15286-001	Lower dressing cap kit: 1x Lower dressing cap, 1x Spring, latch extension	137.15	168.70
000-15287-001	Rear latch kit: 1x Mount rear latch 1x Pin, rear latch pivot	171.45	210.88
000-15288-001	Lift assist spring kit, GHOST 47": 1x Gas spring, compression/traction, GHOST 47", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS	587.95	723.18
000-15289-001	Pushrod kit, GHOST 47" 1x Clevis bracket 4x Screw, M5x8mm, hex, button, SS 1x Pushrod, finish machine with bushing, GHOST 47"	979.95	1205.34
000-15290-001	Head adapter kit: 1x Head adapter with bushing	636.95	783.45
000-15291-001	Upper head adapter pin kit: 1x Pin, upper head, 2x E-clip, 1/2", 15-7 PH SS	73.45	90.34
000-15292-001	Upper extrusion kit with bushing, GHOST 47": 1x Upper extrusion assembly, GHOST 47"	1224.95	1506.69
000-15293-001	Secondary latch kit: 1x Secondary latch, 1x Spring, secondary latch torsion, 2x Washer, 1/2", nylon, 1x C-ring, 1/2", 15-7 PH SS, 1x Pull cable spacer	171.45	210.88
000-15294-001	Lower head adapter pin kit: 1x Pin bracket/bow arm, 1x Set screw, M6 x 8, SS	78.35	96.37
000-15295-001	Front latch block: 1x Front latch block	97.95	120.48
000-15296-001	Front latch guide kit: 1x Guide, front latch, 1x Spring, extension, front latch	156.75	192.80
000-15297-001	Latch trigger kit, GHOST 47": 2x Latch trigger, GHOST 47"	83.25	102.40
000-15298-001	Pushrod pin kit: 1x Pushrod pin 2x Pushrod pin clip	93.05	114.45

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15299-001	Lower extrusion hardware kit: 2x Bolt, rear hinge, 4x Bushing, 1/2", 2x Washer, M10, 316SS, 2x Jam nut, M10	244.95	301.29
000-15300-001	Lower extrusion kit, GHOST 47": 1x Lower extrusion, with bushing, GHOST 47"	1322.95	1627.23
000-15301-001	MISC. HARDWARE,MOUNT KIT	83.25	102.40
000-15303-001	Pedal PCBA, potted assembly kit: 1x Potted main controller assembly, pedal, 1xCable tie/heat shrink kit, 6x Screw M2.5 x 10 T8 PT THR	1224.95	1506.69
000-15304-001	Bottom plate, pedal kit: 1x Bottom plate, pedal, 2x Screw, M5x10 mm, hex, button, SS316, 8x Screw, no. 6x3/4, torx, pan, SS, 4x Rubber foot pedal	127.35	156.64
000-15305-001	PCBA, battery kit, 1x PCB TST ASY power/battery potted, 1x Cable tie/heat shrink kit, 3x Screw 7 mm torx T8	195.95	241.02
000-15306-001	Label, battery: 1x Label status panel w/adhesive, pedal	44.05	54.18
000-15307-001	Damper kit: 1x Damper, pedal, 1xScrew M4X8 socket cap head S/S 304, 1x Washer M4 flat OD 12mm SST, 1x PSA washer damper	97.95	120.48
000-15308-001	Damper gear assembly kit: 1x Damper gear assembly, 1x Screw, cap, M4x16, 1x Screw, no. 6x3/4, torx, pan, ss	195.95	241.02
000-15309-001	Housing, lower, pedal kit, 47": 1x Base, pedal, 1x Wiper seal, pedal, 3x Grommet wires pedal, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Misc. hardware, pedal kit	146.95	180.75
000-15310-001	 GHOST foot pedal Configurable button 1 kit. 1 x Front left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	122.45	150.61
000-15311-001	 GHOST foot pedal anchor button kit (front right button): Kit contains 1 x front right "Anchor" button assembly, 1x Spring, compression, 7mm ID x 15mm x 1m	122.45	150.61
000-15312-001	 GHOST foot pedal Configurable button 2 kit. 1 x Back left button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	122.45	150.61
000-15313-001	 GHOST foot pedal Configurable button 3.1 x Back right button assembly, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m.	122.45	150.61
000-15314-001	Momentary switch kit: 1x Momentary switch, pedal, 2x Screw, M3x18mm. hex, button, 304SS, 1xScrew, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 2x Nylock SS nut M3, 1x Momentary button, pedal, 1x Spring, compression, 7mm ID x 15mm x 1m, 1x Momentary pin, pedal	137.15	168.70
000-15315-001	Bluetooth module kit: 4x Screw 7mm torx T8, 1x Screw, no. 6x3/8, Phillips, pan, SS, 2x Cable tie, anchored, 1x Bluetooth seal, pedal, 1x Bluetooth cover, pedal, 1x Bluetooth cable grommet, pedal, 1x PCB TST assembly Bluetooth	97.95	120.48
000-15316-001	Speed knob kit: 1x Speed knob, pedal: 1x Spring, Compression, speed knob, 1x E-clip 3/4", 1x D-clip, 1/4" shaft	73.45	90.34
000-15317-001	Potentiometer kit: 1x Potentiometer, pedal, 1x Lock washer, 3/8", internal tooth, SS, 1x Nut, 3/8-32, SS, 1x Screw, no. 6x3/8, Phillips, pan, SS (not shown in the illustration), 2x Cable tie, anchored (not shown in the illustration)	195.95	241.02
000-15318-001	Switch housing kit: 1x Switch housing, pedal, 2x Screw, no. 6x3/8, Phillips, pan, SS	39.15	48.16
000-15319-001	Center cover kit: 1x Center cover, pedal, 1x Screw, no. 6x3/8, Phillips, pan, SS	68.55	84.32
000-15320-001	Driving gear kit: 1x Driving gear, pedal, 2x Screw, no. 6x3/4, torx, pan, SS	73.45	90.34
000-15321-001	Pivot pin: 1x Pivot pin, pedal	44.05	54.18
000-15322-001	Pedal, upper: 1x Upper, pedal	220.45	271.15
000-15323-001	Battery power cable kit: 1x Power cable, 2x Screw, M5 x 10 mm, hex	186.15	228.97
000-15324-001	MISC. HARDWARE,PEDAL KIT	97.95	120.48
000-15325-001	 Replacement trolling motor compass (TMC-1)	685.95	843.72

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15327-001	 SONAR ADAPTER CABLE 9P MINI TO 9P	244.95	301.29
000-15387-001	Lower unit rotor assembly: 1x Rotor assembly	1469.95	1808.04
000-15388-001	Lower unit rear cap kit: 1x Rear cap 2x Shaft seal, greased 1x O-ring, 85x3 mm 1x Bearing-shim washer	489.95	602.64
000-15395-001	Lower unit front cap kit: 1x Front cap, 1x O-ring, 80x3 mm, 4x Screw, M3, 5x10 1x Screw, M5x8, 1x Seal washer, 5x9x1	342.95	421.83
000-15476-001	Upper extrusion bushing kit: 2x Upper sleeve bushing 4x Rear pivot bushing	73.45	90.34
000-15477-001	Lower extrusion bushing kit 4x 1/2" Shaft bushing	166.55	204.86
000-15478-001	Head adapter bushing kit: 4x Head adaptor bushing, 2x Threaded inserts	225.35	277.18
000-15479-001	Pushrod bushing kit: 2x Bushing bronze 5/8 x 1/2	68.55	84.32
000-15576-001	Magnobond Epoxy: 1x Magnobond Epoxy 63-1 50 ml	244.95	301.29
000-15577-001	TROLLING MOTOR SERVICE FIXTURE	2204.95	2712.09
000-15578-001	SLIDE HAMMER ADAPTOR	122.45	150.61
000-15579-001	M32 HOLLOW TAP	636.95	783.45
000-15580-001	TM PRELOAD WEIGHT - 10LBS	176.35	216.91
000-15581-001	Lift assist crutch: 1x Lift assist crutch	48.95	60.21
000-15631-001	GHOST 47" MOUNT ASSEMBLY KIT	3572.10	4393.68
000-15668-001	1x Lower housing assy with outer column, GHOST 52", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	936.71	1152.16
000-15669-001	1x Lower housing assy with outer column, GHOST 60", 1x Cable tie/heat shrink kit (not shown in the illustration), 2x Screw, M3 x 10, torx, 1x PCBA thermal pad	963.48	1185.08
000-15670-001	1x Cable, head to pedal, GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1728.95	2126.60
000-15671-001	1x Cable, head to pedal, GHOST GHOST 52", 2x Screw, M3 x 10, torx, 1x Seal, strain relief, 1x Cable tie/heat shrink kit, 1x PCBA thermal pad	1819.95	2238.53
000-15672-001	1x Column, inner shaft, 52"	294.36	362.06
000-15673-001	1x Column, inner shaft, 60"	299.71	368.65
000-15674-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 52"/lower unit (pre-assembled)	5674.06	6979.10
000-15675-001	2x Nose cone O-ring, 1x Cable tie/heat shrink kit (not shown in the illustration), 1x Column, inner, GHOST 60"/lower unit (pre-assembled)	5727.59	7044.94
000-15676-001	Upper extrusion kit, GHOST GHOST 52"/GHOST 60": 1x Upper extrusion assembly, GHOST GHOST 52"/GHOST 60"	1552.30	1909.33
000-15677-001	Pushrod kit, GHOST 52"/GHOST 60": 1x Clevis bracket, 4x Screw, M5x8mm, hex, button, SS, 1x Pushrod, finish machine with bushing, GHOST 52"/GHOST 60"	1199.01	1474.78
000-15678-001	Latch trigger, GHOST 52"/GHOST 60" 2x Latch trigger, GHOST 52"/GHOST 60"	107.01	131.62
000-15679-001	Lift assist kit, GHOST 52"/GHOST 60": 1x Gas spring, compression/traction, GHOST 52"/60", 2x Binding barrel, 5/16 x 1", Pan, PH, SS, 2x Screw, 1/4-20 x 5/16", Pan, PH, SS	690.48	849.29
000-15680-001	Wear bearing kit, GHOST 52"/GHOST 60": 2x Wear bearing, GHOST 52"/GHOST 60"	112.36	138.20
000-15681-001	Lower extrusion kit, GHOST 52"/GHOST 60": 1x Lower extrusion, with bushing, , GHOST 52"/GHOST 60"	1552.30	1909.33
000-15682-001	Side plate kit, GHOST 52"/GHOST 60": 1x Cover mount RH, GHOST 52"/GHOST 60" 1x Cover mount LH, GHOST 52"/GHOST 60" 6x Screw, SHCS M4 x 0.7 x14, SS	342.53	421.32












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15237-001	Propeller kit: 1x Thrust washer, 1x Propeller pin, 1x M10 Propeller washer, 1x M10 Nylock nut, 1 x Propeller	220.26	270.91
000-15828-001	 TIE DOWN STRAP KIT	68.55	84.32

Accessories



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15582-001	 GHOST Trolling motor compass extension cable, 6 m (20')	171.45	210.88

ActiveTarget™










Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15959-001	 ActiveTarget™ 2 kit Includes Module, Transducer with 7.62 m (25 ft) cable, and Mounts	9305.10	11445.27
000-15961-001	 ActiveTarget™ 2 Module Only - Replacement part	4895.10	6020.97
000-15962-001	 ActiveTarget™ 2 Transducer only with 7.62 m (25 ft) cable	6365.10	7829.07
000-15960-001	 The ActiveTarget® 2 Scout™ wide bracket	440.95	542.37
000-15593-001	 ActiveTarget kit: Includes ActiveTarget transducer, network module, Trolling mounting kits, 4.5 m (15 ft) Ethernet cable	6610.10	8130.42
000-16069-001	Extension Cable for Active Target	489.95	602.64
000-15595-001	 ActiveTarget™ Black Box Only - Replacement	3425.10	4212.87
000-15594-001	 ActiveTarget™ Transducer Only - Replacement. w/7.62 m (25 ft) cable	7100.10	8733.12
000-15773-001	 ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	244.95	301.29
000-15770-001	 ActiveTarget trolling motor shaft mounting kit	259.65	319.37
000-15771-001	 ActiveTarget trolling motor mounting kit. Forward / down view	259.65	319.37
000-15772-001	 Replacement - ActiveTarget Trolling Motor Scout Mount Kit	259.65	319.37

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15960-001	 The ActiveTarget® 2 Scout™ wide bracket	440.95	542.37
000-16069-001	Extension Cable for Active Target	489.95	602.64
000-15773-001	 ActiveTarget Transom Mount Kit (Not included in the ActiveTarget Kit)	244.95	301.29

Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15961-001	 ActiveTarget™ 2 Module Only - Replacement part	4895.10	6020.97
000-15962-001	 ActiveTarget™ 2 Transducer only with 7.62 m (25 ft) cable	6365.10	7829.07
000-15595-001	 ActiveTarget™ Black Box Only - Replacement	3425.10	4212.87
000-15594-001	 ActiveTarget™ Transducer Only - Replacement. w/7.62 m (25 ft) cable	7100.10	8733.12
000-15770-001	 ActiveTarget trolling motor shaft mounting kit	259.65	319.37
000-15771-001	 ActiveTarget trolling motor mounting kit. Forward / down view	259.65	319.37
000-15772-001	 Replacement - ActiveTarget Trolling Motor Scout Mount Kit	259.65	319.37
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51

Active Imaging™


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-16063-001	 ActiveImaging™ HD 2-in-1 Transducer.Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	1808.10	2223.96
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2445.10	3007.47
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2690.10	3308.82
000-14489-001	 ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 7.6m (25ft) cable with 9 pin connector.	1773.75	2181.71
000-14814-001	 ActiveImaging™ 3-IN-1 combines the new Active Imaging sonar with traditional Medium/High CHIRP sonar for easy single transducer installation. 1.8m (6ft) cable with 9 pin connector.	1773.75	2181.71
000-14490-001	 ActiveImaging™ 2-IN-1 Transducer - Provides Active Imaging technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	1504.25	1850.23
000-15812-001	 ActiveImaging™ 2-in-1 Transducer with 83/200 Skimmer Transducer and Y-Cable	1773.75	2181.71
000-15813-001	 ActiveImaging 2-IN-1 Transducer with 83/200 in-hull puck (Depth only) and 9 Pin Y cable.	1773.75	2181.71

Accessories


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12602-001	 Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	323.35	397.72
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	426.25	524.29

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12603-001	 Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	323.35	397.72

LiveSight™


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001	 PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	2013.85	2477.04

Accessories


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14899-001	 PSI-1 Performance Sonar Interface - Enable LiveSight Sonar on your HDS Carbon or NSS / NSOevo3 display by adding the PSI-1 Performance Sonar Interface to your system.	2013.85	2477.04


Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14959-001	 Replacement Mounts for LiveSight Transducer.	391.95	482.10
















StructureScan


















Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12395-001	 StructureScan [®] 3D Module and Transom mount Transducer kit.	5292.00	6509.16
000-12397-001	 StructureScan [®] 3D module only. Transom mount and Through-Hull transducers available separately.	3175.20	3905.50
000-12396-001	 StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2156.00	2651.88
000-14254-001	 StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan [®] 3D Module sold separately.	7555.80	9293.63
000-14255-001	 StructureScan [®] 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan [®] 3D Module sold separately.	7555.80	9293.63
000-13559-001	 StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7555.80	9293.63
000-13560-001	 StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12955.60	15935.39
000-12752-001	 Transducer Extension Cables for StructureScan [®] 3D - 10ft (3m)	538.95	662.91
000-12568-001	 TotalScan [™] Transducer with Medium/High Chirp and 455/800kHz Down and SideScan. 7m (24ft) Cable.	1773.80	2181.77
000-14259-001	 TotalScan [™] Through-Hull Transducer with Low/High Chirp and 455/800kHz Down and SideScan.	3773.00	4640.79
000-14257-001	 TotalScan [™] Through-Hull Transducer with Medium/High Chirp and 455/800kHz Down and SideScan.	3773.00	4640.79
000-13522-001	 TotalScan and StructureScan 3D Plastic Replacement Bracket	318.45	391.69
000-10802-001	 StructureScan [™] HD Skimmer Transom Mount Transducer	1518.95	1868.31
000-11459-001	 Stainless steel StructureScan [™] HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	4748.10	5840.16
000-11460-001	 Stainless steel StructureScan [™] HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	7835.10	9637.17
000-12603-001	 Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	323.35	397.72
000-12602-001	 Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	323.35	397.72

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	426.25	524.29










Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001	 SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	3175.20	3905.50
000-12396-001	 StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2156.00	2651.88
000-0106-72	 HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	377.25	464.02
000-0106-77	 HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	759.45	934.12
000-14254-001	 StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7555.80	9293.63
000-14255-001	 StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7555.80	9293.63
000-0106-73	 PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	445.85	548.40
000-0106-74	 PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable.	485.05	596.61
000-13559-001	 StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7555.80	9293.63
000-13560-001	 StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12955.60	15935.39
000-0106-89	 PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	445.85	548.40
000-0106-94	 PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	485.05	596.61
000-12752-001	 Transducer Extension Cables for StructureScan® 3D - 10ft (3m)	538.95	662.91
000-11040-001	 Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	533.61	656.34
000-10046-001	 7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	122.45	150.61

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10976-001	 HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	710.45	873.85
000-0099-93	 XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	240.05	295.26
000-0099-94	 XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	240.05	295.26
000-13522-001	 TotalScan and StructureScan 3D Plastic Replacement Bracket	318.45	391.69
000-10977-001	 HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1396.45	1717.63
000-10802-001	 StructureScan™ HD Skimmer Transom Mount Transducer	1518.95	1868.31
000-11459-001	 Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	4748.10	5840.16
000-11460-001	 Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	7835.10	9637.17
000-12603-001	 Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	323.35	397.72
000-12602-001	 Flat Mount Bracket for Active Imaging, TotalScan and StructureScan 3D skimmer transducers.	323.35	397.72
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	426.25	524.29
000-13581-001	 Fairing Block only for StructureScan 3D Through-Hull transducers.	534.05	656.88
000-10874-001	 LSS-HD Skimmer Mount Transducer Bracket	323.35	397.72
000-10978-001	 HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	127.35	156.64
000-0127-51	 Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	186.20	229.03
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51
000-0127-30	 Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	387.10	476.13
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-37	 Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	534.10	656.94
















Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12396-001	 StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2156.00	2651.88
000-14256-001	 Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	534.05	656.88
000-14260-001	 TotalScan™ Through-Hull Transducer Fairing Block Only	534.10	656.94
000-10802-001	 StructureScan™ HD Skimmer Transom Mount Transducer	1518.95	1868.31
000-12603-001	 Replacement Metal Bracket for Active Imaging, TotalScan, StructureScan 3D and HD skimmer transducers.	323.35	397.72
000-13581-001	 Fairing Block only for StructureScan 3D Through-Hull transducers.	534.05	656.88
000-10874-001	 LSS-HD Skimmer Mount Transducer Bracket	323.35	397.72
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51













XSONIC Transducers

Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15918-001	 S3100 High-performance sonar module. Two independent 1kW channels supporting 1 kW Low, Med, High, High-Wide Transducers. Support for high-frequency ActiveImaging HD transducers	4405.10	5418.27
000-13260-001	 S5100 High-performance CHIRP sonar module. Three fully independent channels able to deliver high-resolution sonar coverage across multiple depth ranges, precision-focused for offshore sportfishing anglers.	7942.90	9769.77
000-12571-001	 Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	161.70	198.89
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	161.65	198.83
000-13942-001	 P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	730.10	898.02
000-13919-001	 P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 10m cable.	857.50	1054.73
000-13944-001	 TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	1710.10	2103.42
000-15482-001	 TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	3425.10	4212.87
000-13998-001	 TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	6365.10	7829.07
000-13997-001	 TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	6365.10	7829.07
000-13904-001	 TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	6610.10	8130.42
000-13770-001	 TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. 9-pin connector and 10m cable.	11265.10	13856.07
000-14804-001	 B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3278.10	4032.06
000-13946-001	 B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1563.10	1922.61
000-13964-001	 B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	4160.10	5116.92
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13783-001	 SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	6855.10	8431.77
000-13771-001	 B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	10530.10	12952.02
000-14561-001	 B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	9452.10	11626.08
000-14562-001	 B285H-W - Bronze 1kW Through Hull High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	12054.00	14826.42
000-13915-001	 P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	828.10	1018.56
000-13920-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2592.10	3188.28
000-13921-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2592.10	3188.28
000-13922-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	2592.10	3188.28
000-13784-001	 SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2200.10	2706.12
000-13785-001	 SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2200.10	2706.12
000-13786-001	 SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2200.10	2706.12
000-13916-001	 SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6610.10	8130.42
000-13917-001	 SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6610.10	8130.42
000-13918-001	 SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6610.10	8130.42
000-13905-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2788.05	3429.30

















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13906-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2788.05	3429.30
000-13907-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2788.10	3429.36
000-13908-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4895.10	6020.97
000-13909-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4895.10	6020.97
000-13910-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4993.10	6141.51
000-13911-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4459.00	5484.57
000-13912-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4459.00	5484.57
000-13913-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4405.10	5418.27
000-13774-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13775-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13776-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13777-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7100.10	8733.12
000-13778-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7100.10	8733.12
000-13779-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7100.10	8733.12
000-13780-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13781-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8668.10	10661.76
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13782-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13914-001	 M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	5875.10	7226.37
000-13773-001	 R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	26210.10	32238.42
000-13940-001	 PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	11510.10	14157.42
000-13772-001	 CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	11020.10	13554.72
000-13941-001	 CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	23858.10	29345.46
000-13262-001	 Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	965.25	1187.26
000-14884-001	 High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	450.75	554.42
000-14885-001	 9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	764.35	940.15
000-14886-001	 9-Pin 83/200kHz Pod-Style Shoot-Through Transducer. Depth only.	450.75	554.42
000-14887-001	 9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	450.75	554.42
000-14888-001	 9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	494.85	608.67
















Accessories








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16062-001	 ActiveImaging™ HD 3-IN-1 delivers the highest-definition views of CHIRP, SideScan™ and DownScan Imaging™ in one transducer. Comes with a 7.6m (25ft) cable with 9 pin connector.	2200.10	2706.12
000-16063-001	 ActiveImaging™ HD 2-in-1 Transducer. Provides ActiveImaging HD technology for SideScan and DownScan while leaving you free to select other transducer options for for Traditional/Chirp Sonar. 7.6m (25 ft) cable with 9 pin connector.	1808.10	2223.96

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	161.65	198.83
000-16060-001	 ActiveImaging™ HD 3-in-1 (Medium/High)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2445.10	3007.47
000-16061-001	 ActiveImaging™ HD 3-in-1 (High/Wide)– SideScan Fish Reveal. Delivers the highest-definition views of CHIRP, SideScan™, and DownScan Imaging™ in one transducer + SideScan Fish Reveal when connected to an S3100 sonar module.	2690.10	3308.82
000-12571-001	 Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	161.70	198.89
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	161.65	198.83
000-0106-73	 PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	445.85	548.40
000-0106-74	 PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in temp sensor and 7-pin blue connector. 6m (20ft) cable.	485.05	596.61
000-13942-001	 P79 - Plastic 600 W In-Hull 50/200 kHz Depth Only. Black 9 pin connector with 10m cable. (33ft)	730.10	898.02
000-0106-89	 PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	445.85	548.40
000-13919-001	 P66 - Plastic 600W 50/200kHz Transom Mount Depth and Temperature transducer. 9pin connector and 10m cable.	857.50	1054.73
000-13944-001	 TM150M - Plastic 300W Transom Mount Medium-Chirp Transducer. 9pin connector and 10m cable.	1710.10	2103.42
000-15482-001	 TM165HW - Plastic 600W Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 9m cable.	3425.10	4212.87
000-0099-95	 TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	398.11	489.67
000-13998-001	 TM185M - Plastic 1kW Transom-Mounted Medium Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	6365.10	7829.07
000-13997-001	 TM185HW - Plastic 1kW Transom-Mounted High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	6365.10	7829.07




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13904-001	 TM260 - Plastic 1kW Transom-Mounted 50/200kHz Depth and Temperature transducer. 9-pin connector and 10m cable.	6610.10	8130.42
000-13770-001	 TM275LH-W - Plastic 1kW Transom-Mounted Low/High-Wide Depth and Temperature transducer. 9-pin connector and 10m cable.	11265.10	13856.07
000-14804-001	 B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3278.10	4032.06
000-13946-001	 B45 - Bronze 600W Through-Hull 50/200 kHz Depth and Temperature transducer. Black 9 pin connector with 10m cable. (33ft)	1563.10	1922.61
000-13964-001	 B258 - Bronze 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	4160.10	5116.92
000-13783-001	 SS260 - Stainless Steel 1kW Fairing-Block Through-Hull 50/200 kHz Depth/Temperature Transducer. Black 9pin connector and 10m (33ft) cable.	6855.10	8431.77
000-13771-001	 B275LH-W - Bronze 1kW Through Hull Low/High-Wide Chirp Depth and Temperature transducer. Dual 9-pin connectors and 10m cable.	10530.10	12952.02
000-14561-001	 B285M - Bronze 1kW Through Hull Medium-Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	9452.10	11626.08
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	426.25	524.29
000-14562-001	 B285H-W - Bronze 1kW Through Hull High-Wide Chirp Depth and Temperature transducer. 9-pin connector and 10m cable.	12054.00	14826.42
000-13915-001	 P319 - Plastic 600W Thru-Hull 50/200kHz Depth/Temperature. Black 9-pin connector and 10m (33ft) cable.	828.10	1018.56
000-13920-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2592.10	3188.28
000-13921-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2592.10	3188.28
000-13922-001	 B150M - Bronze 300W Medium-Chirp Thru-Hull Depth/TemperatureTransducer. 9pin connector with 10m (33ft) cable.	2592.10	3188.28
000-13784-001	 SS60 (0°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2200.10	2706.12
000-13785-001	 SS60 (12°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2200.10	2706.12

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13786-001	 SS60 (20°) - Stainless Steel 600 W Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	2200.10	2706.12
000-13916-001	 SS164 (0°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6610.10	8130.42
000-13917-001	 SS164 (12°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6610.10	8130.42
000-13918-001	 SS164 (20°) - Stainless Steel 1kW Through-Hull 50/200 kHz Depth/Temperature Sonar Transducer. Black 9pin connector and 10m (33ft) cable.	6610.10	8130.42
000-13905-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2788.05	3429.30
000-13906-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2788.05	3429.30
000-13907-001	 Through-Hull Bronze HDI Transducer. 50/200kHz 455/800 kHz DownScan. Black 9 Pin pin connector and 10m (33ft) cable.	2788.10	3429.36
000-13908-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4895.10	6020.97
000-13909-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4895.10	6020.97
000-13910-001	 SS75M - Stainless Steel 600W Thru Hull Medium-CHIRP (80-130kHz) Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	4993.10	6141.51
000-13911-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4459.00	5484.57
000-13912-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4459.00	5484.57
000-13913-001	 SS75H - Stainless Steel 600W Thru Hull High CHIRP (130-210kHz) Depth/Temperature Transducer. 9pin connector with 10m (33ft) cable.	4405.10	5418.27
000-13774-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13775-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13776-001	 SS175L - Stainless Steel 1kW Low-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13777-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7100.10	8733.12
000-13778-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7100.10	8733.12
000-13779-001	 SS175M - Stainless Steel 1kW Medium-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	7100.10	8733.12
000-13780-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13781-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8668.10	10661.76
000-13782-001	 SS175H-W - Stainless Steel 1kW High-Wide-CHIRP Through Hull Depth/Temperature Transducer. 9pin connector and 10m (33ft) cable.	8570.10	10541.22
000-13914-001	 M260 - 1kW In-Hull Tank Mount 50/200 kHz Depth Transducer. Black 9pin connector and 10m (33ft) cable.	5875.10	7226.37
000-13773-001	 R509LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	26210.10	32238.42
000-13940-001	 PM275LH-W - 1kW Pocket-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	11510.10	14157.42
000-13772-001	 CM275LH-W - 1kW Cavity-Mount Low/High-Wide Chirp Depth/Temperature Transducer. Dual black 9pin connectors and 10m (33ft) cable. NSSevo3S or S5100 Sonar Module required.	11020.10	13554.72
000-13941-001	 CM599LH-W - 3kW Low Chirp / 1kW High Chirp Depth/Temperature Transducer. Dual 9pin connector and 10m (33ft) cable. NSSevo3S or S5100 Sonar module required.	23858.10	29345.46
000-13262-001	 Dual 9-Pin Wiring Block Sonar Adapter, to connect a bare-wire transducer to a 9pin sonar module or display.	965.25	1187.26
000-14884-001	 High speed skimmer 83/200 kHz transom-mount skimmer depth/temp - Black 9 pin connector	450.75	554.42
000-14885-001	 9 Pin 50/200 kHz transom-mount skimmer depth/temp - black 9 pin connector	764.35	940.15
000-14886-001	 9-Pin 83/200kHz Pod-Style Shoot-Through Transducer. Depth only.	450.75	554.42













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14887-001	 9-Pin 83/200kHz Pod-Style Shoot-Through-Hull or Trolling Motor Mount Transducer w/Temp	450.75	554.42
000-14888-001	 9-Pin 83/200kHz Trolling-Motor Pod Transducer w/Temp	494.85	608.67
000-0051-45	 TMB-S Trolling-motor mount bracket for standard Skimmer® transducer	97.95	120.48
000-0051-52	 Suction Cup Kit - Suction cup kit for portable skimmer transducers	97.95	120.48
000-10392-001	 50/200kHz Skimmer™ transducer mounting kit	122.45	150.61
000-0106-98	 Epoxy transducer mounting adhesive. NOTE: THIS PACK CONTAINS SIX SACHETS AND PRICE IS PER SACHET. Please Multiply price by six.	53.85	66.24
000-0099-06	Mounting kit for transom mount 83/200 kHz skimmer transducers.	122.45	150.61
000-10606-001	 KAYAK SCUPPER HOLE TRANSDUCER MOUNT	259.65	319.37

Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10392-001	 50/200kHz Skimmer™ transducer mounting kit	122.45	150.61
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51







Blue

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001	 SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	3175.20	3905.50
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	161.65	198.83
000-0106-72	 HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	377.25	464.02
000-0106-77	 HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	759.45	934.12
000-0106-73	 PD-WBL 83/200 kHz shoot-thru or trolling-motor mount transducer. Depth only. Cable Length 6m (20ft)	445.85	548.40
000-0106-74	 PDT-WBL 83/200 kHz Pod-Style / Trolling-Motor mount with built-in tempsensor and 7-pin blue connector. 6m (20ft) cable.	485.05	596.61
000-0106-89	 PDRT-WBL 83/200 kHz shoot-thru or trolling-motor mount Skimmer® with remote temp sensor with blue connector. Cable Length 6 m (20 ft)	445.85	548.40
000-0106-94	 PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	485.05	596.61
000-0099-95	 TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	398.11	489.67
000-10046-001	 7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	122.45	150.61
000-0099-93	 XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	240.05	295.26
000-0099-94	 XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	240.05	295.26

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	161.65	198.83
000-12571-001	 Connects a non-CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with transducers that have an analog temperature sensor.	161.70	198.89








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	161.65	198.83
000-10046-001	 7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	122.45	150.61
000-0099-93	 XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	240.05	295.26
000-0099-94	 XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	240.05	295.26
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	426.25	524.29
000-0106-98	 Epoxy transducer mounting adhesive. NOTE: THIS PACK CONTAINS SIX SACHETS AND PRICE IS PER SACHET. Please Multiply price by six.	53.85	66.24

Spare Parts






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10392-001	 50/200kHz Skimmer™ transducer mounting kit	122.45	150.61
000-0099-06	Mounting kit for transom mount 83/200 kHz skimmer transducers.	122.45	150.61
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51






HDI™

Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15640-001	 HDI Skimmer® transducer 83/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (*83 kHz / Mid CHIRP frequency options are not available on Hook2)	573.25	705.10
000-15639-001	 HDI Skimmer® transducer 50/200/455/800kHz for Hook2* and Hook Reveal, with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft). Connector: 8 pin push fit. (* 50 kHz / Low CHIRP frequency options are not available on Hook2)	1180.85	1452.45
000-14267-001	 HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing with 2 m (6ft) transducer cable.	710.45	873.85
000-12570-001	 HDI Skimmer MED/HIGH 455/800 transducer. 9 pin Black xSonic Connector in Lowrance branded blue housing. 4.5 m (15 ft) cable	700.70	861.86
000-12728-001	 HDI Skimmer med/high (455/800 kHz) transducer. 9 pin Black X-Sonic Connector. Cable Length 6 m (20 ft)	710.50	873.92
000-13888-001	 HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8 m (6ft)	665.95	819.12
000-12569-001	 HDI Skimmer L/H 455/800 xSonic 9-pin - Black - 6m (20 ft) Cable	1396.50	1717.70
000-13889-001	 HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8m (6ft). Blue Lowrance branded body.	710.45	873.85
000-10976-001	 HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	710.45	873.85
000-10977-001	 HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1396.45	1717.63

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13313-001	 Connects older 7 pin blue plug transducers to displays with 9pin transducer ports.	161.65	198.83
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	161.65	198.83
000-0099-95	 TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	398.11	489.67
000-12292-001	 Portable Kayak Kit -Kayak anglers desire a quick and easy method of mounting electronics, transducers, and batteries. The portable kayak kit allows them to mount all of their electronics in one place, with a quick disconnect for easy removal. Cable management is key for kayak anglers.	803.55	988.37
000-0099-93	 XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	240.05	295.26




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0099-94	 XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	240.05	295.26
000-0051-52	 Suction Cup Kit - Suction cup kit for portable skimmer transducers	97.95	120.48
000-10606-001	 KAYAK SCUPPER HOLE TRANSDUCER MOUNT	259.65	319.37
000-10978-001	 HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	127.35	156.64
000-14414-001	 8 pin 10 Ft Extension Cable: This extension cable is only for Hook2 / Hook Reveal / Cruise 8 pin compatible transducers such as Splitshot, TripleShot, Cruise Skimmer	269.45	331.42

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10262-001	 Replacement mount for Skimmer and top housing.	181.25	222.94

Uniplug

Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-48	 HST-WSU 83/200kHz Skimmer Transducer with Temp Sensor. 20ft Cable and UniPlug.	362.55	445.94
000-0106-69	 PDRT-WSU - 83/200kHz Pod style transducer with Remote Temp sensor. 20ft cable.	417.03	512.95
000-0106-68	 PTI-WSU - 83/200kHz Ice Transducer with 7ft cable and UniPlug connector.	543.85	668.94

Spare Parts




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0099-06	Mounting kit for transom mount 83/200 kHz skimmer transducers.	122.45	150.61

DSI™

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10260-001	 Dual frequency DSI DownScan Skimmer® transducer 455/800kHz with built in temp. Includes 20ft cable, mounting bracket and hardware.	445.85	548.40

Accessories







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0051-52	 Suction Cup Kit - Suction cup kit for portable skimmer transducers	97.95	120.48
000-0099-06	Mounting kit for transom mount 83/200 kHz skimmer transducers.	122.45	150.61
000-10261-001	 Low profile trolling motor mount for use with DSI Skimmer transducer. Includes trolling motor snap on mount, stainless steel trolling motor clamp, and 2 zip ties.	127.35	156.64
000-10606-001	 KAYAK SCUPPER HOLE TRANSDUCER MOUNT	259.65	319.37

Halo



Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14543-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious boaters with small sportfishing vessels and dayboats.	10045.00	12355.35
000-14542-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14541-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90

Accessories








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	318.50	391.76
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	583.10	717.21
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	877.10	1078.83
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1171.10	1440.45
000-10795-001	 SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	1906.10	2344.50

Spare Parts





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001	 Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	205.80	253.13
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	377.30	464.08

Autopilot Kits




Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15952-001	 Outboard Pilot Hydraulic Pack: Includes Point-1 AP Heading and GPS Sensor, NAC-1 Autopilot Computer, PUMP-1 MKII – 0.8L reversible hydraulic pump, hydraulic fitting kit, Standby-Auto button and Micro-C network components.	6463.10	7949.61
000-15951-001	 NAC-1 Precision Hydraulic Autopilot pack: Includes Precision-9 Heading Sensor, NAC-1 Autopilot Computer, PUMP-1 (MKII) Hydraulic Pump – 0.8L reversible hydraulic pump, Standby-Auto button and Micro-C network components.	9158.10	11264.46
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-11749-001	 Outboard Pilot Cable steer Pack: Includes Point-1 Heading and GPS Sensor, NAC-1 Autopilot Computer, HELM-1 cable-steer helm drive unit , Standby-Auto button and Micro-C network components.	8080.10	9938.52

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1563.10	1922.61
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2347.10	2886.93
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	132.30	162.73


















Spare Parts





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12930-002	 Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	1367.10	1681.53
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-11770-002	 PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	3229.10	3971.79

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	828.10	1018.56
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	235.20	289.30
000-11769-001	 NAC-1 Autopilot Computer – The brains behind the Outboard Pilot and Drive Pilot systems. It contains the steering computer and electronics for the drive unit motor and clutch.	3572.10	4393.68









Autopilot Accessories

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4601.10	5659.35
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	8080.10	9938.52
000-11770-002	 PUMP-1: Hydraulic Pump – 0.8L reversible hydraulic pump, compatible with SeaStar manual helm pumps up to 14ci. Includes 3 x ORB-5 to 9/16 UNF fittings.	3229.10	3971.79
000-15444-002	 PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	3523.10	4333.41
000-15445-002	 PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	4307.10	5297.73
000-15446-002	 PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cu) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	6267.10	7708.53
000-15447-002	 PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cu) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	6267.10	7708.53
000-10756-001	 RF25N Rudder Feedback Unit With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable and T joiner.	1563.10	1922.61
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1406.30	1729.75
20188074	 LF3000 Linear Feedback - For use with outboard system if a rudder angle is desired. Also requires LFI3000MK2 priced/ordered separately.	1955.10	2404.77
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	828.10	1018.56
20188082	 LFI3000MK2 Linear Feedback Interface box - Required for use on outboard application with LF3000 Linear Feedback.	695.31	855.23
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1563.10	1922.61
000-15944-001	 Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	245.00	301.35
000-15949-001	 ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	2788.10	3429.36
000-15950-001	 Autopilot fitting kit for MKII Pumps 2, 3, 4 &5 for use with Verado systems. Includes SteadySteer	4018.00	4942.14
000-15943-001	 Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 &5	2058.00	2531.34



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15734-001	 SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	2102.10	2585.58
000-11771-001	 The HELM-1 is a complete autopilot drive unit for cable-steered vessels, and replaces your existing manual helm drive behind the dash. Designed for easy installation and retrofit, the HELM-1 features an integrated rudder feedback sensor and is plug-and-play compatible with NAC-1 and NAC-2 autopilot computers.	5924.10	7286.64
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2347.10	2886.93
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	235.20	289.30

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	828.10	1018.56
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1563.10	1922.61
000-15944-001	 Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	245.00	301.35
000-15949-001	 ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	2788.10	3429.36
000-15950-001	 Autopilot fitting kit for MKII Pumps 2, 3, 4 & 5 for use with Verado systems. Includes SteadySteer	4018.00	4942.14
000-15943-001	 Verado autopilot fitting kit for MKII Pumps 1, 2, 3, 4 & 5	2058.00	2531.34
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2347.10	2886.93
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	132.30	162.73




Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12359-001	 WR10 BT-1 Base Station Only	1318.10	1621.26
000-12358-001	 WR10 Wireless Remote for Autopilot.	1024.10	1259.64
000-15858-001	 PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-1,2,3,4 & 5. 2Pcs.	318.50	391.76













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15734-001	 SteadySteer™ Flow Switch Only. Enjoy increased convenience without sacrificing safety with SteadySteer - a new functionality for autopilot systems that enables immediate, manual control of a vessel through turns without disengaging the autopilot.	2102.10	2585.58
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	186.20	229.03
000-14463-001	NAC-1 & NAC-2 Spare Drive Cable - 2m	186.20	229.03






Fixed VHF

Main Products









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14472-001	 Lowrance LINK-9 marine VHF radio with DSC and AIS receiver.	2298.10	2826.66
000-14493-001	 Lowrance Link-6S Marine DSC VHF Radio. With built in GPS.	1171.10	1440.45
000-15651-001	 SP100 Speaker only for RS100, RS100-B, V100 and V100-B Blackbox VHF Systems. Up to 4 speakers can be added to one system.	465.50	572.57

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	409.15	503.25
000-15859-001	 VHF ANTENNA,1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	382.20	470.11
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	269.50	331.49
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	215.60	265.19
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	431.20	530.38
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	730.10	898.02
000-14065-001	 Bracket mount knobs for Link-6 VHF radio (White)	75.65	93.06
000-14063-001	 VHF,MIC CLIP FOR LINK-6W	40.33	49.60
000-14061-001	 Mounting Bracket for Link 6 VHF (White)	151.36	186.17
000-14058-001	VHF,FLUSH MOUNT KIT,LINK-6W	55.47	68.22
000-14057-001	 LINK-6 Flush Mount Kit	58.75	72.26
000-14060-001	 LINK-6 Mounting Bracket	161.70	198.89
000-14064-001	 LINK-6 Mounting Bracket Knobs	78.40	96.43

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14062-001	 LINK-6 Mic Clip	44.10	54.24
000-14054-001	 LINK-6 Suncover	107.75	132.53
AA000352	 Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	254.80	313.40
AA000223	 Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	176.40	216.97
AA000224	 Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	357.70	439.97
AA000355	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	367.50	452.03
AA000358	 Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	200.90	247.11
AA000400	 VHF extension cable 5 m (16 ft)	142.10	174.78




Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14911-001	 LINK-9 VHF Suncover	107.75	132.53
000-14920-001	 Lowrance Link-9 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	377.25	464.02
000-14918-001	 LINK-9 Fist Mic mounting clip	44.05	54.18
000-14916-001	 Link-9 VHF Mounting bracket with Knobs and Screws	137.15	168.70
000-14914-001	 Link-9 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	58.75	72.26
000-14060-001	 LINK-6 Mounting Bracket	161.70	198.89
000-14064-001	 LINK-6 Mounting Bracket Knobs	78.40	96.43
000-14062-001	 LINK-6 Mic Clip	44.10	54.24












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10002-001	 Missing Image Sun Cover for Link-8	148.28	182.39

AIS Class B


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13609-001	 NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	4062.10	4996.38
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1318.10	1621.26

Accessories



















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1318.10	1621.26
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	409.15	503.25
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	382.20	470.11
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	431.20	530.38
AA000352	 Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	254.80	313.40
AA000223	 Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	176.40	216.97
AA000224	 Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	357.70	439.97
AA000355	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	367.50	452.03
AA000358	 Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	200.90	247.11
AA000400	 VHF extension cable 5 m (16 ft)	142.10	174.78
AA000401	 VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	343.00	421.89

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13959-001	 NAIS500/400 & Naviop OP-BOX Power & Serial Cable	289.10	355.59

NMEA2000

Main Products
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0124-69	 NMEA 2000® starter kit - Backbone required to install one or more NMEA 2000® devices includes Network power cable, 0.6 m (2 ft) N2K cable, 4.5 m (15 ft) N2K cable, 2 x T-connectors, 2 x network terminators	441.00	542.43
000-0119-79	 N2K-T-RD - Micro-C T-connector for connection of an additional network device	107.80	132.59
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	264.60	325.46
000-0119-88	 N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	156.80	192.86
000-0127-53	 N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	245.00	301.35
000-0119-86	 N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	274.40	337.51
000-0119-83	 N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	387.10	476.13
000-14376-001	 NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	308.70	379.70
000-14377-001	 NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	347.90	427.92
000-14378-001	 NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	485.10	596.67
000-14379-001	 NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	583.10	717.21
000-0127-52	 TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	107.80	132.59
000-0119-75	 N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	296.51	364.71
000-12259-001	 Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	196.00	241.08
000-0127-04	 NAC-MRD2MBL - Adapter cable to enable connection of a legacy blue NMEA 2000® device to a red or black Micro-C network	227.17	279.41
000-0127-05	 NAC-FRD2FBL - Adapter cable to enable connection of a red or black Micro-C NMEA 2000® device to a legacy blue network.	227.17	279.41
000-0127-45	 SimNet to N2K Adapter Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	580.71	714.27
24005729	 SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	186.20	229.03

Spare Parts









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005729		SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone.	186.20 229.03

Sensors


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15940-001	 NMEA 2000 [®] Remote MOB Button. An emergency Man-Over-Board (MOB) button, which will trigger alerts across the NMEA2000 [®] network	818.30	1006.51
000-15939-001	 NMEA 0183 [®] - NMEA 2000 [®] converter. 1.8 m (6 ft) Micro-C to bare wire cable	896.70	1102.94
000-12930-002	 Point-1 AP GPS and Heading antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass with accuracy and tuning specific for Lowrance Autopilots also provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds.	1367.10	1681.53
000-11047-002	 Point-1 GPS antenna provides extremely accurate and rapid boat position and speed updates to the network. Built in magnetic compass provides chart stabilization and radar overlay, plus accurate course over ground even at low speeds. Note: For Autopilot, use Point-1AP or Precision9!	1367.10	1681.53
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000 [®] network.	3278.10	4032.06
000-15735-001	 DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	1906.10	2344.50
000-11517-001	 Fuel Flow Sensor - For gasoline engines. In-line sensor for 3/8" (9.5 mm) Inside Diameter fuel line. Comes with 10ft cable and T-connector.	1171.10	1440.45
000-0120-62	 Evinrude engine interface cable 4.5 m (15 ft) and T-connector	583.10	717.21
000-0120-37	 Yamaha engine interface cable 4.5 m (15 ft) and T-connector	583.10	717.21
000-11518-001	 Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	534.10	656.94
000-11519-001	 Speed Through Water Sensor - Transom-mount paddle wheel sensor, ideal for slow trolling speeds where GPS is not as accurate. 3.1m (10ft) cable with Micro-C connector.	583.10	717.21
000-11520-001	 Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	583.10	717.21
000-11521-001	 Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	533.61	656.34
000-11522-001	 Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	583.10	717.21
000-11523-001	 Pressure Sensor - Configurable Pressure Sensor for various engine pressures. Max pressure 100PSI.	583.10	717.21

Accessories







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	264.60	325.46
000-0119-88	 N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	156.80	192.86
000-0127-53	 N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	245.00	301.35
000-0119-86	 N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	274.40	337.51
000-11522-001	 Fuel Data Manager - Monitors Fuel Rate/Fuel Flow from NMEA 2000 engines and fuel flow sensors, and accumulates Fuel Rate into Fuel Used. Outputs seasonal, trip and total fuel used.	583.10	717.21
000-0127-45	 SimNet to N2K Adapter Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	580.71	714.27
000-11148-001	 Pole Mount for GS25 / ZG100 / POINT-1	147.00	180.81
000-10568-001	 Accessory plug assembly for DST800	117.60	144.65

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10568-001	 Accessory plug assembly for DST800	117.60	144.65

Ethernet



Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10029-001	 NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1514.10	1862.34
000-0127-51	 Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	186.20	229.03
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51
000-0127-30	 Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	387.10	476.13
000-0127-37	 Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	534.10	656.94
000-0127-56	 Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	205.80	253.13

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-51	 Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	186.20	229.03
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51
000-0127-30	 Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	387.10	476.13
000-0127-37	 Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	534.10	656.94

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-11447-001	 Spare WIFI-1 Power Cable.	151.41	186.23

Cameras

Main Products


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15876-001	 <p>The IP CAM-1 is a Marine grade 316 Stainless Steel IP camera with 12V DC or PoE installation options.</p>	2739.10	3369.09



Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001	 <p>Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.</p>	205.80	253.13

REVEAL COASTAL™


















Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y209-MS	 REVEAL: M-AF-Y209-MS South & East Africa	975.10	1199.37
M-AF-Y210-MS	 REVEAL: M-AF-Y210-MS West Africa	975.10	1199.37
M-EM-Y076-MS	 REVEAL: M-EM-Y076-MS South-West European Coasts	975.10	1199.37
M-EM-Y111-MS	 REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	975.10	1199.37
M-EN-Y070-MS	 REVEAL: M-EN-Y070-MS Central Europe Inland	975.10	1199.37
M-EN-Y299-MS	 C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	975.10	1199.37
M-EN-Y300-MS	 C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	975.10	1199.37
M-EN-Y326-MS	 C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	975.10	1199.37
M-EN-Y580-MS	 C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	975.10	1199.37
M-EW-Y065-MS	 REVEAL: M-EW-Y065-MS France Coastal & Inland	975.10	1199.37
M-EW-Y226-MS	 REVEAL: M-EW-Y226-MS United Kingdom	975.10	1199.37
M-EW-Y227-MS	 REVEAL: M-EW-Y227-MS North-West European Coasts	975.10	1199.37
M-EW-Y228-MS	 REVEAL: M-EW-Y228-MS West European Coasts	975.10	1199.37
M-ME-Y204-MS	 REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	975.10	1199.37
M-RS-Y013-MS	 REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	975.10	1199.37
M-RS-Y202-MS	 REVEAL: M-RS-Y202-MS Russian Federation – North West	975.10	1199.37
M-RS-Y203-MS	 REVEAL: M-RS-Y203-MS Russian Federation – North Central	975.10	1199.37











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)	
M-RS-Y204-MS		REVEAL: M-RS-Y204-MS Russian Federation – North East	975.10	1199.37
M-RS-Y207-MS		REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	975.10	1199.37

C-MAP Discover

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y200-MS 	DISCOVER: M-AF-Y200-MS Cameroon to South Africa	632.10	777.48
M-AF-Y201-MS 	DISCOVER: M-AF-Y201-MS South Africa to Mozambique	632.10	777.48
M-AF-Y220-MS 	DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	632.10	777.48
M-EM-Y040-MS 	DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	632.10	777.48
M-EM-Y200-MS 	DISCOVER: M-EM-Y200-MS West Mediterranean	632.10	777.48
M-EM-Y201-MS 	DISCOVER: M-EM-Y201-MS Central Mediterranean	632.10	777.48
M-AF-Y214-MS 	DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	632.10	777.48
M-EM-Y202-MS 	DISCOVER: M-EM-Y202-MS Mediterranean South Central	632.10	777.48
M-EM-Y203-MS 	DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	632.10	777.48
M-EM-Y204-MS 	DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	632.10	777.48
M-EM-Y205-MS 	DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	632.10	777.48
M-EM-Y206-MS 	DISCOVER: M-EM-Y206-MS Mediterranean South East	632.10	777.48
M-EN-Y200-MS 	C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	632.10	777.48
M-EN-Y201-MS 	DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	632.10	777.48
M-EN-Y202-MS 	DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	632.10	777.48
M-EN-Y203-MS 	DISCOVER: M-EN-Y203-MS Farsund to Måløy	632.10	777.48
M-EN-Y204-MS 	DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	632.10	777.48

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EN-Y205-MS	 DISCOVER: M-EN-Y205-MS Karlskrona to Emden	632.10	777.48
M-EN-Y206-MS	 DISCOVER: M-EN-Y206-MS Torekov to Larvik	632.10	777.48
M-EN-Y207-MS	 DISCOVER: M-EN-Y207-MS Malmö to Valdemarsvik	632.10	777.48
M-EN-Y208-MS	 DISCOVER: M-EN-Y208-MS Västervik to Valdemarsvik	632.10	777.48
M-EN-Y209-MS	 DISCOVER: M-EN-Y209-MS Gulf of Bothnia	632.10	777.48
M-EN-Y210-MS	 DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	632.10	777.48
M-EN-Y211-MS	 DISCOVER: M-EN-Y211-MS Finland Lakes	632.10	777.48
M-EN-Y212-MS	 DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	632.10	777.48
M-EN-Y213-MS	 DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	632.10	777.48
M-EN-Y214-MS	 DISCOVER: M-EN-Y214-MS Polish Coast & Inland	632.10	777.48
M-EN-Y215-MS	 DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	632.10	777.48
M-EN-Y216-MS	 DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	632.10	777.48
M-EN-Y217-MS	 DISCOVER: M-EN-Y217-MS Central Europe Inland	632.10	777.48
M-EN-Y218-MS	 DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	632.10	777.48
M-EN-Y630-MS	 DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	632.10	777.48
M-EW-Y206-MS	 DISCOVER: M-EW-Y206-MS French Inland Waters	632.10	777.48
M-EW-Y207-MS	 DISCOVER: M-EW-Y207-MS Bay of Biscay	632.10	777.48
M-EW-Y208-MS	 DISCOVER: M-EW-Y208-MS Portugal & Galicia	632.10	777.48

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EW-Y209-MS	 DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	632.10	777.48
M-ME-Y200-MS	 DISCOVER: M-ME-Y200-MS Red Sea	632.10	777.48
M-ME-Y201-MS	 DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	632.10	777.48
M-RS-Y009-MS	 DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	632.10	777.48
M-RS-Y221-MS	 DISCOVER: M-RS-Y221-MS White Sea	632.10	777.48
M-EW-Y060-MS	 DISCOVER: M-EW-Y060-MS Central & West Europe	906.50	1115.00
M-RS-Y240-MS	 DISCOVER: M-RS-Y240-MS Tauyskaya Bay	406.70	500.24
M-AF-Y003-MS	 DISCOVER: M-AF-Y003-MS Antarctica	906.50	1115.00
M-AF-Y050-MS	 DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	906.50	1115.00
M-EM-Y045-MS	 DISCOVER: M-EM-Y045-MS Southern Europe	906.50	1115.00
M-EN-Y040-MS	 DISCOVER: M-EN-Y040-MS Greenland	906.50	1115.00
M-EN-Y050-MS	 DISCOVER: M-EN-Y050-MS Northern & Central Europe	906.50	1115.00
M-EN-Y055-MS	 DISCOVER: M-EN-Y055-MS Baltic Sea	906.50	1115.00
M-EW-Y200-MS	 DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	739.24	909.26





C-MAP Max-N+ (W)

Main Products












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-NA-M035-MS	NA-M035 - Pacific Coast And Central America - MAX-N+ - AMER - Megawide	1407.71	1731.49











Naviop Kits

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14666-001	 Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	5339.73	6567.86
000-14665-001	 Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	9225.92	11347.88
000-14664-001	 Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	8266.99	10168.39
000-14663-001	 Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	13112.11	16127.89

















Accessories










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
31M-316-0	 Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
31M-335-0	 Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
31M-336-0	 Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4263.00	5243.49
31M-337-0	 Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
000-14844-001	 Naviop EGON+ 12VDC Replacement Relay	121.03	148.86
C-EGON-01	 Naviop EGON Power and CAN Cable - CAN ID 2	382.20	470.11
C-EGON-02	 Naviop EGON Power and CAN Cable - CAN ID 2	382.20	470.11
C-EGON-03	 Naviop EGON Power and CAN Cable - CAN ID 3	382.20	470.11
C-EGON-04	 Naviop EGON Power and CAN Cable - CAN ID 4	382.20	470.11
000-14901-001	 Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	176.65	217.27
000-15212-001	 Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	5042.10	6201.78

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BERMINI-USAA-1M 	Naviop OP-BOX USB Cable	315.32	387.84
C-28576 	Naviop CAN Drop Cable NA30	289.10	355.59
C-28574 	Naviop CAN Drop Cable for NOVA+ - 1.2m	274.40	337.51
C-34686 	Axial DB9 Male Cable for RS323/485 - 2m	149.45	183.82
C-DAU-CABLE 	Naviop Wiring Harness for DAU Units - 2m	514.50	632.84
DAU-B-128 	Naviop DAU Bridge - CAN ID 128	5145.00	6328.35
DAU-E-136 	Naviop DAU Easy - CAN ID 136	5145.00	6328.35
DAU-E-137 	Naviop DAU Easy - CAN ID 137	5145.00	6328.35
NA05-0003 	Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4557.00	5605.11
NA05-0003-H 	Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4655.00	5725.65

Naviop Parts







Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15756-001	 Naviop OP-BOX Programmable 1GHz	6247.50	7684.43
000-15897-001	 OP-BOX 1GHz, Programmable, with Power cable	4846.10	5960.70
000-14991-001	 Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	1367.10	1681.53
31M-316-0	 Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
31M-335-0	 Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
31M-336-0	 Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4263.00	5243.49
31M-337-0	 Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
000-14844-001	 Naviop EGON+ 12VDC Replacement Relay	121.03	148.86
C-EGON-01	 Naviop EGON Power and CAN Cable - CAN ID 2	382.20	470.11
C-EGON-02	 Naviop EGON Power and CAN Cable - CAN ID 2	382.20	470.11
C-EGON-03	 Naviop EGON Power and CAN Cable - CAN ID 3	382.20	470.11
C-EGON-04	 Naviop EGON Power and CAN Cable - CAN ID 4	382.20	470.11
000-14901-001	 Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	176.65	217.27
000-15212-001	 Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	5042.10	6201.78
BERMINI-USAA-1M	 Naviop OP-BOX USB Cable	315.32	387.84
C-28576	 Naviop CAN Drop Cable NA30	289.10	355.59











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
C-28574	 Naviop CAN Drop Cable for NOVA+ - 1.2m	274.40	337.51
C-34686	 Axial DB9 Male Cable for RS323/485 - 2m	149.45	183.82
C-DAU-CABLE	 Naviop Wiring Harness for DAU Units - 2m	514.50	632.84
DAU-B-128	 Naviop DAU Bridge - CAN ID 128	5145.00	6328.35
DAU-E-136	 Naviop DAU Easy - CAN ID 136	5145.00	6328.35
DAU-E-137	 Naviop DAU Easy - CAN ID 137	5145.00	6328.35
NA05-0003	 Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4557.00	5605.11
NA05-0003-H	 Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4655.00	5725.65
000-13959-001	 NAIS500/400 & Naviop OP-BOX Power & Serial Cable	289.10	355.59









Service Parts

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14040-001	 Caterpillar J1939 Adapter Harness - For TRACK systems and IS42J instruments.	479.47	589.74
000-12359-001	 WR10 BT-1 Base Station Only	1318.10	1621.26
000-12358-001	 WR10 Wireless Remote for Autopilot.	1024.10	1259.64
000-14256-001	 Replacement fairing block for combined StructureScan® 3D L/H and M/H Through-Hull Transducers.	534.05	656.88
000-14260-001	 TotalScan™ Through-Hull Transducer Fairing Block Only	534.10	656.94
000-11040-001	 Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	533.61	656.34
000-14503-001	LINKPRO SERVICE TOOL	1073.10	1319.91

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0106-72	 HST - WSBL 83/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector . Cable Length 6 m (20 ft)	377.25	464.02
000-0106-77	 HST-DFSBL 50/200 kHz transom-mount skimmer depth/temp - blue 7 pin connector. Cable Length 6 m (20 ft)	759.45	934.12
000-0106-94	 PTI-WBL - Ice transducer with 7-pin blue connector. 7ft Cable.	485.05	596.61
000-0099-95	 TS-1BL Temperature sensor (non-networked) Cable Length 6 m (20 ft).	398.11	489.67
000-10046-001	 7pin adapter cable to bare wires. To connect a bare-wire transducer to a display with 7pin sonar port.	122.45	150.61
000-0099-93	 XT-12BL 12ft blue 7 pin transducer extension Cable: 3.65 m (12 ft)	240.05	295.26
000-10976-001	 HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6m (20 ft)	710.45	873.85
000-0099-94	 XT-20BL 20ft blue 7 pin transducer extension cable: 6 m (20 ft)	240.05	295.26
000-10977-001	 HDI Skimmer® transducer 50/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 6 m (20 ft)	1396.45	1717.63
000-0051-45	 TMB-S Trolling-motor mount bracket for standard Skimmer® transducer	97.95	120.48

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0099-44	 AC-CAF - AC power adapter to female cigarette lighter socket for power from 120V wall socket	227.47	279.79
000-0119-10	 CA-8 - Cigarette plug power cable for all 5" and above Lowrance products except X-96	318.45	391.69
000-10027-001	 Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	132.25	162.67
000-10909-001	 RAM QUICK RELEASE BRACKET 1" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	194.31	239.00
000-10910-001	 RAM QUICK RELEASE BRACKET 1.5" BALL: Mark 4 & 5 Elite 3, 4 & 5 Elite Ti 5 & 7 Go5	277.59	341.43
000-10978-001	 HDI TROLLING MOTOR ADAPTOR FOR SKIMMER (*only for 83/200/455/800 HDI Skimmer transducer)	127.35	156.64
000-11307-001	 SUNCOVER: 4" MARK/ELITE/HOOK	117.55	144.59
000-11308-001	 FLUSH MOUNT KIT: 4" MARK/ELITE/HOOK	92.66	113.98