











B&G

PRICE LIST







SAILING ELECTRONICS


















Zeus³ GH













Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15129-001	 B&G Zeus ³ S Glass Helm 16" System Pack. Includes Zeus ³ S 16" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	38151.40	46926.22
000-15130-001	 B&G Zeus ³ S Glass Helm 19" System Pack. Includes Zeus ³ S 19" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	47157.60	58003.85
000-15131-001	 B&G Zeus ³ S Glass Helm 24" System Pack. Includes Zeus ³ S 24" Multifunction display, MI10 card reader and ZC2 controller: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	57756.30	71040.25
000-15048-001	 B&G Zeus ³ S GH 16" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	34971.30	43014.70
000-15050-001	 B&G Zeus ³ S GH 19" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	43977.50	54092.33
000-15052-001	 B&G Zeus ³ S GH 24" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	54576.20	67128.73
000-12365-001	 B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	2156.00	2651.88
000-12513-001	 B&G ZC2 Remote controller. (Landscape mount) For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions..	2401.00	2953.23





Accessories









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000@ network.	3278.10	4032.06
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2523.50	3103.91
000-11548-001	 The H5000 Hydra Base Pack. Includes H5000 Hydra CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	13347.60	16417.55
000-11674-001	 ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	3768.10	4634.76
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7712.60	9486.50
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1636.60	2013.02

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2690.10	3308.82
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2876.30	3537.85
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4606.00	5665.38
000-15876-001	 The IP CAM-1 is a Marine grade 316 Stainless Steel IP camera with 12V DC or PoE installation options.	2739.10	3369.09
000-11549-001	 The H5000 Hercules Base Pack. Includes H5000 Hercules CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	17591.00	21636.93
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6992.30	8600.53
000-11550-001	 The H5000 Performance Base Pack. Includes H5000 Performance CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	24990.00	30737.70
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3229.10	3971.79
000-11542-001	 H5000 Graphic Display - A 5-inch colour display with a straightforward user interface packed with unique sailing features including SailSteer and Start Line.	5243.00	6448.89
000-11543-001	 H5000 Race Display features large, clear custom display to deliver essential race data at a glance. A unique bar graph adjacent to the numbers provides an immediate visual indicator of target data and trends.	3987.13	4904.17
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailers with smaller vessels.	10045.00	12355.35
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
24005729	 SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	186.20	229.03

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11469-001	 HALO-3 - 3ft Open-Array 25W Solid-State Radar, up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	29134.58	35835.54
000-11470-001	 HALO-4 - 4ft Open-Array 25W Solid-State Radar, up to 64nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	31788.75	39100.16
000-11471-001	 HALO-6 - 6ft Open-Array 25W Solid-State Radar, up to 72nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	34442.92	42364.79
000-14488-001	 Missing Image Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	252.30	310.33
000-12397-001	 StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	3175.20	3905.50
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-10029-001	 NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1514.10	1862.34
000-0127-51	 Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	186.20	229.03
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51
000-0127-30	 Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	387.10	476.13
000-0127-37	 Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	534.10	656.94






Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15050-001	 B&G Zeus³S GH 19" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	43977.50	54092.33
000-15052-001	 B&G Zeus³S GH 24" Display Only: Designed specifically for blue water sailing, multihulls and superyachts, this premium, super-fast, large-screen, multifunction display sits at the heart of your fully integrated navigation system, and provides easy-to-use touchscreen and remote control options.	54576.20	67128.73
000-12365-001	 B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS²³, ZEUS³³ Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	2156.00	2651.88
000-14358-001	 B&G Suncover for 19" Monitor	529.94	651.82










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14357-001	 B&G Suncover for 16" Monitor	454.23	558.70
000-14359-001	 B&G Suncover for 24" Monitor	656.11	807.02
000-11618-001	 MO, NSO evo3 16/19/24 Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	308.70	379.70
000-13892-001	 MI10 Dashmount microSD card reader: Provides a dual Chart Card reader for use with NSO and Zeus MFD / MPU systems.	1073.10	1319.91
000-12743-001	 OP50 / ZC2 Suncover	68.60	84.38
000-12744-001	 OP50 / ZC2 Dash Mounting Kit	68.60	84.38
000-11614-001	 MO, NSO evo3 16/19/24 Cable retention bracket	134.91	165.93
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	117.60	144.65


















Zeus^{2/3} GH MPU



















Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15125-001	 Zeus ³ S MPU 1 x 16" Multi-Touch Monitor System base kit. Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more. Includes MPU, ZC2 Remote, MI10 Card Reader & ZG100 GPS Antenna.	42311.21	52042.78
000-11736-001	 B&G ZM16-T 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	18921.20	23273.08
000-11737-001	 B&G ZM19-T. 19" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	27753.45	34136.75
000-15046-001	 Zeus ³ S MPU - Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more.	27679.95	34046.34
000-15104-001	 Zeus ³ S MPU - Expand and integrate to build your preferred system including instrumentation, navigation, radar, sonar, autopilot, and more.	28946.75	35604.50










Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11674-001	 ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	3768.10	4634.76
000-11548-001	 The H5000 Hydra Base Pack. Includes H5000 Hydra CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	13347.60	16417.55
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2523.50	3103.91
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1636.60	2013.02
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2690.10	3308.82
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7712.60	9486.50
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4606.00	5665.38
000-15876-001	 The IP CAM-1 is a Marine grade 316 Stainless Steel IP camera with 12V DC or PoE installation options.	2739.10	3369.09

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2876.30	3537.85
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	5287.92	6504.14
000-11549-001	 The H5000 Hercules Base Pack. Includes H5000 Hercules CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	17591.00	21636.93
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6992.30	8600.53
000-11550-001	 The H5000 Performance Base Pack. Includes H5000 Performance CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	24990.00	30737.70
000-11736-001	 B&G ZM16-T 15.6" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	18921.20	23273.08
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3229.10	3971.79
000-11737-001	 B&G ZM19-T. 19" Multi-Touch monitor with 1366x768 resolution. The 1000 nit peak brightness gives you a clear display even in direct sunlight, and the minimum brightness is extremely dim for night operation without blinding. Multiple video inputs and low-profile glass bridge design.	27753.45	34136.75
000-11542-001	 H5000 Graphic Display - A 5-inch colour display with a straightforward user interface packed with unique sailing features including SailSteer and Start Line.	5243.00	6448.89
000-11543-001	 H5000 Race Display features large, clear custom display to deliver essential race data at a glance. A unique bar graph adjacent to the numbers provides an immediate visual indicator of target data and trends.	3987.13	4904.17
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-11248-001	 HDMI monitor video cable 3 m (9.8 ft)	117.55	144.59
000-11249-001	 HDMI monitor video cable 10 m (33 ft)	274.84	338.05
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailers with smaller vessels.	10045.00	12355.35





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
24005729	 SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	186.20	229.03
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11469-001	 HALO-3 - 3ft Open-Array 25W Solid-State Radar, up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	29134.58	35835.54
000-11470-001	 HALO-4 - 4ft Open-Array 25W Solid-State Radar, up to 64nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	31788.75	39100.16
000-11471-001	 HALO-6 - 6ft Open-Array 25W Solid-State Radar, up to 72nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	34442.92	42364.79
000-14488-001	 Missing Image Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	252.30	310.33
000-11247-001	 NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	102.90	126.57
000-13892-001	 MI10 Dashmount microSD card reader: Provides a dual Chart Card reader for use with NSO and Zeus MFD / MPU systems.	1073.10	1319.91
000-11142-001	 SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	3175.20	3905.50
000-12397-001	 StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	3175.20	3905.50
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-10029-001	 NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1514.10	1862.34
000-0127-51	 Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	186.20	229.03
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51
000-0127-30	 Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	387.10	476.13
000-0127-37	 Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	534.10	656.94
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	117.60	144.65

Spare Parts












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14358-001	 B&G Suncover for 19" Monitor	529.94	651.82
000-14357-001	 B&G Suncover for 16" Monitor	454.23	558.70
000-11618-001	 MO, NSO evo3 16/19/24 Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	308.70	379.70
000-11247-001	 NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	102.90	126.57
000-13892-001	 MI10 Dashmount microSD card reader: Provides a dual Chart Card reader for use with NSO and Zeus MFD / MPU systems.	1073.10	1319.91
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-11614-001	 MO, NSO evo3 16/19/24 Cable retention bracket	134.91	165.93
000-00139-001	 NSE/OP40/NSS Rotary Knob	78.40	96.43
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	117.60	144.65


















Zeus³/³S














Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13245-001	 B&G Zeus ³ -7 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 7-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. Includes World basemap chart.	7938.00	9763.74
000-15411-001	 B&G Zeus ³ S-9 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 9-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. world base map charts.	12838.00	15790.74
000-15412-002	 B&G Zeus ³ S-12 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 12-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. World basemap charts	20570.20	25301.35
000-15413-001	 B&G Zeus ³ S-16 is an easy-to-use chartplotter navigation system for blue water cruisers and regatta racers, incorporating a 16-inch touchscreen display, high-performance electronics, and a wide range of functionality designed specifically for sailors. World base map.	31727.50	39024.83




Accessories

















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7712.60	9486.50
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1636.60	2013.02
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2690.10	3308.82
000-14471-001	 B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	2641.10	3248.55
000-11674-001	 ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	3768.10	4634.76
000-11548-001	 The H5000 Hydra Base Pack. Includes H5000 Hydra CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	13347.60	16417.55
000-13294-001	 Triton² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2523.50	3103.91
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-11549-001	 The H5000 Hercules Base Pack. Includes H5000 Hercules CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	17591.00	21636.93
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2876.30	3537.85
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4606.00	5665.38

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14474-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	5140.10	6322.32
000-15876-001	 The IP CAM-1 is a Marine grade 316 Stainless Steel IP camera with 12V DC or PoE installation options.	2739.10	3369.09
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6992.30	8600.53
000-14819-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	5630.10	6925.02
000-15648-001	 B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	1827.70	2248.07
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3229.10	3971.79
000-11550-001	 The H5000 Performance Base Pack. Includes H5000 Performance CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	24990.00	30737.70
000-11542-001	 H5000 Graphic Display - A 5-inch colour display with a straightforward user interface packed with unique sailing features including SailSteer and Start Line.	5243.00	6448.89
000-11543-001	 H5000 Race Display features large, clear custom display to deliver essential race data at a glance. A unique bar graph adjacent to the numbers provides an immediate visual indicator of target data and trends.	3987.13	4904.17
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailers with smaller vessels.	10045.00	12355.35
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-00129-001	 Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	137.20	168.76
000-12742-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	264.60	325.46

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005729	 SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	186.20	229.03
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-12741-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	426.30	524.35
000-11469-001	 HALO-3 - 3ft Open-Array 25W Solid-State Radar, up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	29134.58	35835.54
000-11470-001	 HALO-4 - 4ft Open-Array 25W Solid-State Radar, up to 64nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	31788.75	39100.16
000-11471-001	 HALO-6 - 6ft Open-Array 25W Solid-State Radar, up to 72nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	34442.92	42364.79
000-12397-001	 StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	3175.20	3905.50
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-10029-001	 NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1514.10	1862.34
000-0127-51	 Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	186.20	229.03
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51
000-0127-30	 Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	387.10	476.13
000-0127-37	 Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	534.10	656.94



Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13748-001	 NSSevo3 & ZEUS® Chart Card Door	68.60	84.38
000-13749-001	 NSSevo3 & ZEUS® 7" Edge Bezels	78.40	96.43
000-13750-001	 NSSevo3/3S & ZEUS® 9" Edge Bezels	88.20	108.49













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13751-001	 NSSevo3/3S & ZEUS ³ /S 12" Edge Bezels	98.00	120.54
000-13752-001	 NSSevo3/3S & ZEUS ³ /S 16" Edge Bezels	122.50	150.68
000-13753-001	 NSSevo3 & ZEUS ³ 7" Dash Mount Kit	98.00	120.54
000-13754-001	 NSSevo3/3S & ZEUS ³ /S 9" Dash Mount Kit	112.70	138.62
000-13755-001	 NSSevo3/3S & ZEUS ³ /S 12" Dash Mount Kit	132.30	162.73
000-13756-001	 NSSevo3/3S & ZEUS ³ /S 16" Dash Mount Kit	176.40	216.97
000-13758-001	 NSSevo3/3S & ZEUS ³ /S 9" Mounting Bracket (Plastic)	176.40	216.97
000-13759-001	 NSSevo3/3S & ZEUS ³ /S 12" Mounting Bracket	323.40	397.78
000-14317-001	 Replacement Rotary knob for Simrad NSS evo3 & Zeus ³ MFDs	107.80	132.59
000-13744-001	 B&G Zeus ³ 7" Sun cover	127.40	156.70
000-13745-001	 B&G Zeus ³ /S 9" Sun cover	142.10	174.78
000-13746-001	 B&G Zeus ³ /S 12" Sun cover	156.80	192.86
000-13747-001	 B&G Zeus ³ /S 16" Sun cover	171.50	210.95
000-13702-001	 Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3,, and B&G Vulcan9, Zeus3 7 (Plastic)	161.70	198.89
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-10467-001	 Gimbal Bracket Knobs for Lowrance, Simrad, B&G MFDs	73.50	90.41















Vulcan

Main Products



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14082-001	 B&G Vulcan 7R 7-inch chartplotter and radar display with global basemap	3780.20	4649.65
000-13214-001	 B&G Vulcan 9 FS: 9' Multifunction display. Super high-bright multi touch screen with built in NMEA 2000, GPS, Wi-Fi and ForwardScan (optional transducer required). Integrates to 3G/4G or Halo20/20+ radars. No transducer included. Global basemap chart	4939.20	6075.22






Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7712.60	9486.50
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000 network.	2690.10	3308.82
000-11674-001	 ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	3768.10	4634.76
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000 network.	3278.10	4032.06
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	5287.92	6504.14
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4606.00	5665.38
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6992.30	8600.53
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000 networks. For masts up to 25m in height.	3229.10	3971.79
000-11738-001	 DT800 Depth Sensor. Plastic thru-hull housing.	1710.10	2103.42
000-13296-001	 Triton² Pilot Controller. This intuitive keypad can be combined with a B&G Triton² Display to create a fully-featured autopilot controller.	1690.50	2079.32
22098586	 ST850 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560))	573.30	705.16
000-11852-001	 Airmar IDST800L 235F B-122-RETR 6M	3228.61	3971.19

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12365-001	 B&G ZC2 Remote controller. (Portrait mount). For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions.	2156.00	2651.88
000-12513-001	 B&G ZC2 Remote controller. (Landscape mount) For use with ZEUS ^{2/3} , ZEUS ^{2/3} Glass Helm and Vulcan MFD systems and brings simple and precise MFD control in even the roughest sea conditions..	2401.00	2953.23
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13714-001	 Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	2107.00	2591.61
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	235.20	289.30
000-12374-001	 Flush mount O'ring type seal for use with the Flush mount kit for GO7 & Vulcan 7 displays.	107.80	132.59
000-12373-001	 Replacement panel / dashboard gasket for GO7 & Vulcan 7 displays	53.90	66.30
000-12370-001	SUNCOVER, VULCAN 7 FLUSH MOUNT	111.03	136.57
000-12366-001	 FLUSH MOUNT KIT, GO7 & VULCAN 7 Note: If flush mounting the Go7 or Vulcan 7 you may need the specific sun cover for the flush mount installation method. For GO7 please order 000-12368-001 or for Vulcan order 000-12370-001).	149.90	184.37
000-11520-001	 Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.	583.10	717.21
000-11521-001	 Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.	533.61	656.34
000-11518-001	 Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	534.10	656.94




Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13171-001	 GO5 & Vulcan-5 Power & N2K Cable	186.20	229.03
000-10027-001	 Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	132.25	162.67










Part Number		Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13170-001		Edge Bezel for P2005, I3005, GO5 & Vulcan-5	53.90	66.30
000-13172-001		Vulcan-5 Suncover	73.45	90.34
000-13169-001		Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	68.60	84.38
000-13700-001		Replacement bezel for Simrad GO9 or B&G Vulcan9.	88.20	108.49
000-00128-001		4-pin Power Cable for modules and MFDs.	196.00	241.08

Nemesis

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15611-001	 B&G Nemesis™ 9" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	14802.90	18207.57
000-15612-001	 B&G Nemesis™ 12" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	22216.60	27326.42
000-15683-001	 B&G Nemesis™ Hub allows compact and straightforward connection of up to 3 Nemesis™ displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	1837.50	2260.13

Accessories









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15683-001	 B&G Nemesis™ Hub allows compact and straightforward connection of up to 3 Nemesis™ displays at a key location (mast, helm etc) with a single Power/Ethernet cable run, and a simple interconnect cable from the hub to each display.	1837.50	2260.13
000-15893-001	 B&G Nemesis™ 9 Mast Bracket	1372.00	1687.56
000-15894-001	 B&G Nemesis™ 12 Mast Bracket	1592.50	1958.78
000-15740-001	 Nemesis™ Power & Ethernet Hub Interconnect cable. 60cm (2 ft). One required per display to be connected to the Hub.	338.10	415.86
000-15739-001	 NMEA 2000 cable 0.6 m (2 ft) Micro-C straight connector / 90 degree female connector.	166.60	204.92
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	583.10	717.21
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	877.10	1078.83
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1171.10	1440.45
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	377.30	464.08

Triton²


Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13294-001	 Triton ² Digital Display - Multi-purpose 4.1 inch colour sailing instrument and autopilot display.	2523.50	3103.91
000-14955-002	 Triton ² Speed / Depth / Wind Instrument pack. Includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature sensor, WS310 Wired Wind Sensor and a NMEA 2000® starter kit.	6909.00	8498.07
000-14956-002	 Triton ² Speed / Depth / Wireless Wind Instrument pack. Includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer, WS320 Wireless Wind Sensor and a NMEA2000 starter kit.	7345.10	9034.47
000-14957-002	 Dual Triton ² Speed / Depth / Wireless Wind Instrument pack. Includes 2x Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer, WS320 Wireless Wind Sensor and a NMEA2000 starter kit.	9937.20	12222.76
000-13298-002	 Triton ² Speed / Depth instrument pack. Pack includes Triton ² Instrument Display, DST810 Depth/Speed/Temperature transducer and a NMEA2000 starter kit.	4934.30	6069.19

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2690.10	3308.82
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6992.30	8600.53
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3229.10	3971.79
000-13296-001	 Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	1690.50	2079.32
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4601.10	5659.35
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	8080.10	9938.52
000-10614-001	 NMEA2000 Cable with 90 degree connector on one end. For use on instruments mounted in tight spaces etc where normal cables run too deep behind the unit.	117.60	144.65














Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13722-001	 Suncover for B&G Triton ² Display	73.50	90.41


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13950-001	 IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	68.60	84.38










H5000

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11548-001	 The H5000 Hydra Base Pack. Includes H5000 Hydra CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	13347.60	16417.55
000-11549-001	 The H5000 Hercules Base Pack. Includes H5000 Hercules CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	17591.00	21636.93
000-11550-001	 The H5000 Performance Base Pack. Includes H5000 Performance CPU, H5000 Graphic Display and N2K Backbone Starter Kit.	24990.00	30737.70
000-11542-001	 H5000 Graphic Display - A 5-inch colour display with a straightforward user interface packed with unique sailing features including SailSteer and Start Line.	5243.00	6448.89
000-11543-001	 H5000 Race Display features large, clear custom display to deliver essential race data at a glance. A unique bar graph adjacent to the numbers provides an immediate visual indicator of target data and trends.	3987.13	4904.17
000-11545-001	 The H5000 Hydra CPU is the brains behind the ultimate bluewater or cruiser/racer system. Its ultrafast dual ARM processors deliver data in an instant and the browser based setup allows straight-forward configuration and settings backup.	7889.00	9703.47
000-11546-001	 The H5000 CPU with Hercules software is geared for success on the race course. Hercules builds on the Hydra level and adds race focused features including Polar Tables for performance targets, 3D Motion correction support for the ultimate in wind data accuracy.	12152.00	14946.96
000-11547-001	 The powerful H5000 CPU with Performance software is designed for larger racing yachts and Superyachts. It offers the ability to run and monitor complex sailing systems with enhanced sensor options and up to 16 user defined functions.	19551.00	24047.73
000-11725-001	 Allows expansion of an H5000 system to include additional analogue and pulse signals from compatible 3rd party sensors. H5000 provides options for these inputs to be assigned to a known function type or to be set up as a custom input with name defined by the user.	4189.50	5153.09
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	4189.50	5153.09
000-11551-001	 H5000 3D Motion Sensor Enables Motion Correction for Wind data on H5000 Hercules/Performance systems	4802.00	5906.46
000-11553-001	 H5000 Audible Alarm Module provides a configurable audible alarm connected anywhere on the network.	1004.50	1235.54
000-13323-001	 The H5000 Fastnet Interface provides a B&G supported solution for customers wishing to progressively upgrade H3000 systems and/or replace displays on an H3000 system with the latest H5000 Graphic displays.	955.50	1175.27

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2690.10	3308.82

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15611-001	 B&G Nemesis™ 9" Sailing Display. The Ultimate sailing display providing visibility & versatility, complete customization and total integration.	14802.90	18207.57
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6992.30	8600.53
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3229.10	3971.79
000-11725-001	 Allows expansion of an H5000 system to include additional analogue and pulse signals from compatible 3rd party sensors. H5000 provides options for these inputs to be assigned to a known function type or to be set up as a custom input with name defined by the user.	4189.50	5153.09
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	4189.50	5153.09
000-11552-001	 H5000 Barometric Pressure Sensor provides High-Resolution measurement of Barometric Pressure to the system.	1484.70	1826.18
000-11760-001	 H5000 CPU UNLOCK CODE HYDRA TO PERF	11662.00	14344.26
000-11759-001	 H5000 CPU UNLOCK CODE HERC TO PERF	7399.00	9100.77
000-11758-001	 H5000 CPU UNLOCK CODE HYDRA TO HERC	4263.00	5243.49




Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11542-001	 H5000 Graphic Display - A 5-inch colour display with a straightforward user interface packed with unique sailing features including SailSteer and Start Line.	5243.00	6448.89
000-11545-001	 The H5000 Hydra CPU is the brains behind the ultimate bluewater or cruiser/racer system. Its ultrafast dual ARM processors deliver data in an instant and the browser based setup allows straight-forward configuration and settings backup.	7889.00	9703.47
000-11546-001	 The H5000 CPU with Hercules software is geared for success on the race course. Hercules builds on the Hydra level and adds race focused features including Polar Tables for performance targets, 3D Motion correction support for the ultimate in wind data accuracy.	12152.00	14946.96
000-11547-001	 The powerful H5000 CPU with Performance software is designed for larger racing yachts and Superyachts. It offers the ability to run and monitor complex sailing systems with enhanced sensor options and up to 16 user defined functions.	19551.00	24047.73
000-15545-001	 Gasket for H5000 Graphic/Race Displays 5-pack	73.50	90.41
000-12614-001	H5000 Displays - Edge Cover Set	39.20	48.22
000-12899-001	USB PORT COVER,H5000 GRAPHIC DISPLAY	49.00	60.27



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12892-001	SUN COVER,H5000 DISPLAYS	98.00	120.54
000-12897-001	GROMMET PACK,H5000 MODULES	80.75	99.32
000-12896-001	GROMMET PACK,H5000 CPU	80.75	99.32
000-12898-001	CONN PACK,H5000 EXPANSION MODULES	116.08	142.78
000-12894-001	CONN PACK,H5000 CPU	318.50	391.76

WTP3









Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10313-001	 WTP3 provides data acquisition and eliminates the effects of boat motion to provide the most powerful and flexible instrument system available to the Grand Prix user. Wave Technology uses avionics grade axial rate sensors to measure and eliminate the effects of boat motion from wind data.	55370.00	68105.10
000-10316-001	 WTP3 Analogue Module - Provides analogue data acquisition, and includes a range of input and output options to support a wide variety of sensors.	5243.00	6448.89
000-10308-001	 WTP3 Serial Module - Provides serial data acquisition, and includes a range of input and output options to support a wide variety of sensors.	5243.00	6448.89

Accessories





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10396-001	 Cable, MICRO-C, Metal, 0.4 m	144.34	177.54
BGH182002	 3D Rate Gyro Sensor	12985.00	15971.55

Spare Parts







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10403-001	 T-Joiner, Micro-C, Metal	177.65	218.51
BGH214015	 H3000 Sun Cover (GFD, GPD, 20/20HV)	122.50	150.68
000-10314-001	 WTP3 Processor	51388.55	63207.92
000-10310-001	 WTP3 Power Cable - 5m (16ft)	823.20	1012.54
000-10311-001	 WTP3 FastNet Cable - 2m (6.6ft)	565.26	695.27
000-10309-001	 WTP3 Ethernet Cable - 3m (10ft)	563.50	693.11
000-10404-001	 Field Attachable Micro-C Connector - Female	133.24	163.89
288-00-001	 Junction Box 7 Terminal	205.80	253.13

HVision




Main Products








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11087-001	 10/10HV display for H5000 or Triton systems.	2937.35	3612.95
000-11088-001	 20/20HV display for H5000 or Triton systems.	4199.10	5164.90
000-11089-001	 30/30HV display for H5000 or Triton systems.	8327.55	10242.89
000-11090-001	 40/40HV display for H5000 or Triton systems.	15090.53	18561.35

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH220013	 20/20HV Mast Bracket - 3 way	1078.00	1325.94
BGH220014	 20/20HV Mast Bracket - 4 way	1519.00	1868.37
BGH220015	 20/20HV Mast Bracket - 5 way	1852.20	2278.21
BGH291017	 20/20HV Bezel (White)	298.90	367.65
BGH291018	 20/20HV Bezel (Red)	298.90	367.65
BGH291019	 20/20HV Bezel (Green)	298.90	367.65












Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15546-001	 Gasket for 20/20 HV Display 5-pack	83.30	102.46
000-15547-001	 Gasket for 30/30 HV Display 5-pack	235.20	289.30
000-15548-001	 Gasket for 40/40 HV Display 5-pack	421.40	518.32



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH281011	 Missing Image 40/40HV Bezel (black)	323.40	397.78
BGH284014	 Missing Image 40/40HV Sun Cover	181.30	223.00
BGH241011	 Missing Image 30/30HV Bezel (black)	294.00	361.62
BGH244014	 Missing Image 30/30HV Sun Cover	176.40	216.97
BGH291011	 Missing Image 20/20HV Bezel (black)	220.50	271.22
BGH324014	 Missing Image 10/10HV Sun Cover	98.00	120.54
BGH214015	 H3000 Sun Cover (GFD, GPD, 20/20HV)	122.50	150.68

Analog

Main Products




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11714-001	 H5000 ANALOGUE AWA 360	3381.00	4158.63
000-11715-001	 H5000 ANALOGUE TWA 360	3381.00	4158.63
000-11716-001	 H5000 ANALOGUE AWS 0-50KT	3381.00	4158.63
000-11717-001	 H5000 ANALOGUE TWS 0-50KT	3381.00	4158.63
000-11718-001	 H5000 ANALOGUE MAG AWA	3381.00	4158.63
000-11719-001	 H5000 ANALOGUE BOAT SPEED 12.5KT	3381.00	4158.63
000-11721-001	 H5000 ANALOGUE BOAT SPEED 25KT	3381.00	4158.63
000-11720-001	 H5000 ANALOGUE DEPTH 200M	3381.00	4158.63
000-11724-001	 H5000 ANALOGUE FT/FATH DEPTH	3381.00	4158.63
000-11722-001	 H5000 ANALOGUE HEADING	3381.00	4158.63
000-11723-001	 H5000 ANALOGUE RUDDER ANGLE	3381.00	4158.63

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005729	 SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	186.20	229.03
BGH301035	 B&G SimNet cable 0.35m (RA-RA)	176.40	216.97


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH234017	 H3000 Sun Cover (Analogue)	88.20	108.49

Spare Parts







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH301035	 B&G SimNet cable 0.35m (RA-RA)	176.40	216.97
BGH231021	 H3000 Analogue Bezel (Black)	137.20	168.76
BGH234017	 H3000 Sun Cover (Analogue)	88.20	108.49

Sensor packs

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15974-001	 Sail Performance sensor pack. Includes WS320 wind pack, IDST-850 transducer, ZG100 GPS antenna, and Micro-C backbone kit and cables.	6992.30	8600.53

Spare Parts







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11048-002	 The ZG100 GPS Antenna with Integrated Compass sensor providing Heading, Heel and Trim.	1367.10	1681.53
000-15735-001	 DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	1906.10	2344.50
000-10760-001	 NMEA 2000 Micro-C Network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, 2 x network terminators	441.00	542.43
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3229.10	3971.79
000-0127-53	 N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	245.00	301.35
000-0119-86	 N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	274.40	337.51

700 Series Wind








Main Products










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14384-001	 WS710 (0.8m) Vertical Wind Sensor Pack: Comes with 35m mast cable and junction box.	11221.00	13801.83
000-14385-001	 WS720 (1050mm) Vertical Wind Sensor Pack: Comes with 35m mast cable and junction box	13524.00	16634.52
000-14386-001	 WS730 (1450mm) Vertical Wind Sensor Pack. Comes with 35m mast cable and junction box.	15827.00	19467.21
000-14392-001	 WS710 Vertical Wind Sensor Only (0.8m)	10486.00	12897.78
000-14393-001	 WS720 Vertical Wind Sensor Only (1050mm)	12764.50	15700.34
000-14983-001	 WS720S Ocean Spec Vertical Wind Sensor Only (1050mm)	14038.50	17267.36
000-14394-001	 WS730 Vertical Wind Sensor Only (1450mm)	15092.00	18563.16
000-14984-001	 WS730S Ocean Spec Vertical Wind Sensor Only (1450mm)	16562.00	20371.26
000-14395-001	 WS740S Ocean Spec Vertical Wind Sensor Only (1800mm)	19306.00	23746.38

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	416.50	512.30
000-14397-001	 35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	627.20	771.46
000-14398-001	 50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	2573.97	3165.98
000-14399-001	 80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	3987.13	4904.17
000-15090-001	WS700/310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	612.50	753.38
BGH030008	 VMHU Top Mount Bracket	970.20	1193.35
BGH030009	 VMHU Face Mount Bracket	906.50	1115.00










Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15144-001	 Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	235.20	289.30
000-15143-001	 WS300/700 Support Moulding inc. O-Ring	83.30	102.46
000-15142-001	 Replacement wind angle bearing for the WS300/700 series wind sensors.	406.70	500.24
000-14392-001	 WS710 Vertical Wind Sensor Only (0.8m)	10486.00	12897.78
000-14393-001	 WS720 Vertical Wind Sensor Only (1050mm)	12764.50	15700.34
000-15140-001	 Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	151.90	186.84
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	416.50	512.30







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14397-001	 35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	627.20	771.46
000-14394-001	 WS730 Vertical Wind Sensor Only (1450mm)	15092.00	18563.16
000-15139-001	 Replacement PCB for WS700/310 series wind sensors.	1460.20	1796.05
000-14398-001	 50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	2573.97	3165.98
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	450.80	554.48
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	98.00	120.54
000-14399-001	 80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	3987.13	4904.17
BGH030008	 VMHU Top Mount Bracket	970.20	1193.35
BGH030009	 VMHU Face Mount Bracket	906.50	1115.00

Wind

Main Products

















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14382-001	 WS310 Wired Wind Sensor with 20m (65.5ft) mast cable and interface for connection to the NMEA 2000® network.	2690.10	3308.82
000-14843-001	 WS310 Wired Wind Sensor with 35m (115ft) mast cable and interface for connection to the NMEA 2000® network.	2876.30	3537.85
000-14383-001	 WS320 Wireless Wind Sensor including Wireless Interface for connection to NMEA 2000® networks. For masts up to 25m in height.	3229.10	3971.79
000-14391-001	 WS310 Wired Wind Sensor only.	2224.60	2736.26
000-14390-001	 WS320 Wireless Wind Sensor only.	2641.10	3248.55
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	416.50	512.30
000-14397-001	 35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	627.20	771.46
000-14398-001	 50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	2573.97	3165.98
000-14399-001	 80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	3987.13	4904.17

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	416.50	512.30
000-14397-001	 35m (115') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	627.20	771.46
000-14398-001	 50m (164') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	2573.97	3165.98
000-14399-001	 80m (262') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	3987.13	4904.17
000-14388-001	 The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	891.80	1096.91
000-14389-001	 WS700/310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	485.10	596.67






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15090-001	WS700/310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	612.50	753.38

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15144-001	 Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	235.20	289.30
000-15143-001	 WS300/700 Support Moulding inc. O-Ring	83.30	102.46
000-15142-001	 Replacement wind angle bearing for the WS300/700 series wind sensors.	406.70	500.24
000-14391-001	 WS310 Wired Wind Sensor only.	2224.60	2736.26
000-15140-001	 Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	151.90	186.84
000-15141-001	 Replacement battery for WS320 wireless wind sensor.	107.80	132.59
000-14396-001	 20m (65') mast cable with pre-molded connectors for the WS310 and WS700 series wired wind sensors.	416.50	512.30
000-15139-001	 Replacement PCB for WS700/310 series wind sensors.	1460.20	1796.05
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	450.80	554.48
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	98.00	120.54
000-14388-001	 The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	891.80	1096.91
000-14389-001	 WS700/310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	485.10	596.67
000-13715-001	 608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	931.00	1145.13
213-10-004	 MHU Angle Bearing	406.70	500.24
213-10-056	 MHU Vane	205.80	253.13
000-10573-001	 Mast Bracket kit with rubber gasket and screws for the WS310/320, 608/508, and IS20 Wind Sensors.	323.01	397.30

Speed/Depth

Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15735-001	 DST-810 Depth/Speed/Temp Sensor. Plastic thru-hull housing.	1906.10	2344.50
000-15736-001	 DST-810 Depth/Speed/Temp Sensor. Bronze thru-hull housing	2445.10	3007.47
000-11738-001	 DT800 Depth Sensor. Plastic thru-hull housing.	1710.10	2103.42
22098586	 ST850 passive S/T sensor TH plastic with 1 m (7 ft) Pigtail (Connects speed to D800 (22098560))	573.30	705.16
000-11852-001	 Airmar IDST800L 235F B-122-RETR 6M	3228.61	3971.19

Spare Parts





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10567-001	 P617V DST HSG VLV KIT	264.60	325.46

Heading





Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06

Accessories




Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-45	 SimNet to N2K Adapter Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	580.71	714.27
000-10640-001	 HS70 NMEA0183 & Power Cable - 15m	1700.30	2091.37
000-10641-001	 HS70 Programming Cable	2028.60	2495.18
000-10937-001	 HS70 Serial to NMEA2000 adapter.	700.70	861.86

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
AA010212	 Scanner connection cable - 20 m (66 ft) for 3G, 4G and HALO (open array)	877.10	1078.83
BGH063001	 HGSC Cable	1068.20	1313.89
000-10641-001	 HS70 Programming Cable	2028.60	2495.18
000-10937-001	 HS70 Serial to NMEA2000 adapter.	700.70	861.86



Environment

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11552-001	 <p>H5000 Barometric Pressure Sensor provides High-Resolution measurement of Barometric Pressure to the system.</p>	1484.70	1826.18
000-11520-001	 <p>Temperature Sensor - Can be mounted anywhere you want to monitor the temperature. Can be configured to output a variety of different temperature types.</p>	583.10	717.21
000-11521-001	 <p>Through-Hull Temperature Sensor - Mount through the hull of the vessel or wall of a tank you want to monitor the temperature inside. Can be configured to output a variety of different temperature types.</p>	533.61	656.34

GPS


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11048-002	 The ZG100 GPS Antenna with Integrated Compass sensor providing Heading, Heel and Trim.	1367.10	1681.53
000-11571-002	 The ZG100 Antenna provides high accuracy position at a 10Hz update rate. Built in rate compass is perfect for for providing heading data for Radar Chart Overlay and for orienting charts in Head Up Mode. - Boatbuilder 6-pack.	1367.10	1681.53

Accessories


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11148-001	 Pole Mount for GS25 / ZG100 / POINT-1	147.00	180.81

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11148-001	 Pole Mount for GS25 / ZG100 / POINT-1	147.00	180.81









Other

Main Products








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11518-001		Fluid Level Sensor - Connects to a standard suitable tank level sensor and transmits the tank level on the the NMEA 2000 network.	534.10 656.94

Wind









Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH030003	 Vertical Masthead Unit Pack 1450mm. Contains 1450mm VMHU, 36m Mast Cable, 9m Wind Cable and Junction box. Analog Wind Sensor for WPT3, H3000 and H5000.	14504.00	17839.92
BGH031001	 Vertical Masthead Unit 810mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	10486.00	12897.78
BGH031002	 Vertical Masthead Unit 1050mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	12764.50	15700.34
BGH031002/S	 Vertical Masthead Unit Ocean Spec 1050mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	14210.00	17478.30
BGH031003	 Vertical Masthead Unit 1450mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	15092.00	18563.16
BGH031003/S	 Vertical Masthead Unit Ocean Spec 1450mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	16562.00	20371.26
BGH031010	 Vertical Masthead Unit 1800mm Only. Analog Wind Sensor for WPT3, H3000 and H5000.	19355.00	23806.65
213-00-002	 The 213 Masthead unit is an ocean-proven high performance wind sensor, providing raw wind speed and angle data to the instrument system. For H5000 and H3000.	5096.00	6268.08

Accessories






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH030006	 VMHU Mast Cable 36m	2107.00	2591.61
BGH030007	 VMHU Mast Cable 50m	2920.40	3592.09
BGH030008	 VMHU Top Mount Bracket	970.20	1193.35
BGH030009	 VMHU Face Mount Bracket	906.50	1115.00
178-0B-001	 213 Mast Cable, 24 m	1646.40	2025.07
178-0D-001	 213 Mast Cable, 36 m	2156.00	2651.88
178-0X-001	 213 Mast Cable, 50 m	2793.00	3435.39

Spare Parts











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	450.80	554.48
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	98.00	120.54
178-30-023	 213 Cable Nut	308.70	379.70
213-10-003	 213 Spar (Standard)	2352.00	2892.96
213-10-004	 MHU Angle Bearing	406.70	500.24
213-10-056	 MHU Vane	205.80	253.13
213-10-101	 213 Masthead Unit PCB	1759.10	2163.69
MHU-MLDGS	 MHU Mouldings	303.80	373.67

Speed/Depth

Main Products









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
SEN-SPD-HM	 H3000 Speed Sensor Bronze Flanged	1813.00	2229.99
SEN-SPD-HP	 H3000 Speed Sensor Plastic Flanged	931.00	1145.13
SEN-SPD-HPF	 H3000 Speed Sensor Plastic Flush	931.00	1145.13
SEN-DPT-A2M	 NMEA Depth Sensor Bronze Flanged	3062.50	3766.88
SEN-DPT-A2P	 NMEA Depth Sensor Plastic Flanged	2376.50	2923.10

Spare Parts









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
SEN-HSG-M	 Housing Bronze Flanged	1176.00	1446.48
SEN-HSG-P	 Housing Plastic Flanged	470.40	578.59
SEN-HSG-PF	 Housing Plastic Flush	470.40	578.59
SEN-INSRT-SP2	 Speed Sensor Valve (screw version)	372.40	458.05
SEN-PLUG-SP2	 Housing Plug Speed (screw version)	240.10	295.32
SEN-SPEED-H	 H3000 Speed Sensor only	784.00	964.32
SEN-SPRS-SPD	 Paddlewheel Speed Sensor Spare (1996 >)	240.10	295.32
SEN-DEPTH-A2	 Depth Sensor NMEA only	1911.00	2350.53
SEN-DEPTH-H	 H3000 Depth Sensor only	784.00	964.32
SEN-PLUG-DPT	 Housing Plug (Depth)	240.10	295.32










Triton².

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13296-001	 Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	1690.50	2079.32
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2347.10	2886.93
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4601.10	5659.35
000-13335-001	 NAC-2 Autopilot Core Pack - Comes with NAC-2 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	7942.08	9768.76
000-13337-001	 NAC-2 VRF Autopilot Core Pack - Comes with NAC-2 Autopilot Computer and Precision-9 Compass.	6635.42	8161.56
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	8080.10	9938.52
000-13336-001	 NAC-3 Autopilot Core Pack - Comes with NAC-3 Autopilot Computer, Precision-9 Compass and RF-25N Rudder Feedback unit.	11657.92	14339.24
000-13338-001	 NAC-3 VRF Autopilot Core Pack - Comes with NAC-3 Autopilot Computer and Precision-9 Compass.	10330.83	12706.92

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000 [®] network.	3278.10	4032.06
000-13296-001	 Triton ² Pilot Controller. This intuitive keypad can be combined with a B&G Triton ² Display to create a fully-featured autopilot controller.	1690.50	2079.32
000-12316-001	 WR10 Wireless Autopilot Remote. Includes NMEA2000 connected Bluetooth base station.	2347.10	2886.93
000-13249-001	 The low-current NAC-2 autopilot computer is ideal for smaller vessels, designed to run small hydraulic drives and mechanical drives for vessels up to 10 metres (33 feet) in length. Also provides solenoid output.	4601.10	5659.35
RAM-T1-12V	 Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	8330.00	10245.90
RAM-T2-12V	 Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	10143.00	12475.89
RAM-T2-24V	 Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	10143.00	12475.89
000-13250-001	 The high-current NAC-3 autopilot computer is designed for vessels over 10 metres (33 feet) in length, with the ability to run heavy-duty hydraulic drive pumps & linear rams, and also provides solenoid output.	8080.10	9938.52



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
RAM-T3-24V	 Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	13622.00	16755.06
000-10614-001	 NMEA2000 Cable with 90 degree connector on one end. For use on instruments mounted in tight spaces etc where normal cables run too deep behind the unit.	117.60	144.65
RAM-T4-24V	 Hydraulic Ram T4 24V Twin ram, Constant Running. High power efficient drive units for maximum power with minimum consumption.	42473.20	52242.04
21119896	 DD15 Direct Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (NAC-3 / H5000 required)	11025.00	13560.75
000-13697-001	 SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Drive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	7002.10	8612.58
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	132.30	162.73
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1563.10	1922.61
000-10756-001	 RF25N Rudder Feedback Unit With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable and T joiner.	1563.10	1922.61
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1406.30	1729.75

Spare Parts












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14463-001	NAC-1 & NAC-2 Spare Drive Cable - 2m	186.20	229.03
000-12359-001	 WR10 BT-1 Base Station Only	1318.10	1621.26
000-12358-001	 WR10 Wireless Remote for Autopilot.	1024.10	1259.64
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	186.20	229.03
000-13725-001	 Suncover for Simrad OP12 and B&G Triton ² Pilot controllers	68.60	84.38
000-13952-001	 Triton2 Pilot & OP12 Installation Kit	68.60	84.38

H5000


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11554-001	 H5000,Pilot Computer: The record-breaking B&G Pilot features dedicated steering modes and sailing algorithms including Gust Response, Recovery and High Wind Response. It's been proven in the toughest conditions and most testing environments and is ideal for short-handed cruisers or racers. Note: An H5000 Hydra, Hercules or Performance CPU is required to steer to wind	11074.00	13621.02
000-11544-001	 H5000 Pilot Controller	2920.40	3592.09

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11544-001	 H5000 Pilot Controller	2920.40	3592.09
000-13902-001	 Hydraulic Ram T0 12V - The RAM T0 Hydraulic linear actuator combines a cylinder, pump, motor, clutch and reservoir in a pre-filled, sealed unit. Designed to be used on vessels fitted with mechanical primary steering that can be back driven.	7546.00	9281.58
RAM-T1-12V	 Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	8330.00	10245.90
RAM-T2-12V	 Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	10143.00	12475.89
RAM-T2-24V	 Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	10143.00	12475.89
000-11726-001	 H5000 Serial Expansion allows expansion of an H5000 system. Provides additional serial interfacing options. Typically used for interfacing B&G HGSC heading sensor, GPS sensors, 3rd party heading sensors and other NMEA 0183 devices.	4189.50	5153.09
000-13788-001	 Hydraulic Ram T3 12V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	13622.00	16755.06
RAM-T3-24V	 Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	13622.00	16755.06
RAM-T4-24V	 Hydraulic Ram T4 24V Twin ram, Constant Running. High power efficient drive units for maximum power with minimum consumption.	42473.20	52242.04
000-10756-001	 RF25N Rudder Feedback Unit With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable and T joiner.	1563.10	1922.61
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1406.30	1729.75




Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12615-001	 H5000 Pilot Controller Edge Cover Set	39.20	48.22
000-12893-001	SUN COVER,H5000 PILOT KEYPAD	88.20	108.49


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12895-001	CONNECTOR PACK (Green),H5000 PILOT CPU	318.50	391.76

Sensors

Main Products











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14439-001	 NAC-1 / NAC-2 ONLY. The RF40 is a medium-duty rudder feedback unit designed specific for use with NAC-1 and NAC-2 autopilot computers. 3pin 15m (50ft) cable.	1563.10	1922.61
000-10756-001	 RF25N Rudder Feedback Unit With transmission link and 5 m (16.5 ft) NMEA2000 Micro-C cable and T joiner.	1563.10	1922.61
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1406.30	1729.75

Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
20193678	 Missing Image RF300 Transmission Lever Assembly	338.10	415.86





Drives

Main Products












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15444-002	 PUMP-2: 12V DC: Reversible hydraulic gear pump. 0.8L (49 cu.in) / min. For cylinder displacement of 80 cc - 250 cc (4.9 - 15.2 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-2 / AC12 required).	3523.10	4333.41
000-15445-002	 PUMP-3: 12V DC: Reversible hydraulic gear pump. 1.6L (98 cu.in) / min. For cylinder displacement of 160-550 cc (9.8 - 33.5 cu.in). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	4307.10	5297.73
000-15446-002	 PUMP-4: 12V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	6267.10	7708.53
000-15447-002	 PUMP-5: 24V DC: Reversible hydraulic gear pump. 3.0L (183 cui) / min. For cylinder displacement of 290 - 960 cc (17.7 - 58.5 cu. in.). O-Ring Boss (ORB) connections. Includes 3 x ORB-5 to 9/16 UNF fittings. SteadySteer compatible. (NAC-3 / AC42 required).	6267.10	7708.53
000-13902-001	 Hydraulic Ram T0 12V - The RAM T0 Hydraulic linear actuator combines a cylinder, pump, motor, clutch and reservoir in a pre-filled, sealed unit. Designed to be used on vessels fitted with mechanical primary steering that can be back driven.	7546.00	9281.58
RAM-T1-12V	 Hydraulic Ram T1 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	8330.00	10245.90
RAM-T2-12V	 Hydraulic Ram T2 12V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	10143.00	12475.89
RAM-T2-24V	 Hydraulic Ram T2 24V High power, efficient drive units for maximum power with minimum consumption. Ram drives allow the Power Steer mode on the Pilot to be used in cases of manual steering failure. Fully Integrated hydraulic system, no external hoses, reservoirs etc.	10143.00	12475.89
000-13788-001	 Hydraulic Ram T3 12V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	13622.00	16755.06
RAM-T3-24V	 Hydraulic Ram T3 24V Hydraulic Steering Systems combine a hydraulic cylinder with clutch, reversing pump and reservoir in a compact installation.	13622.00	16755.06
RAM-T4-24V	 Hydraulic Ram T4 24V Twin ram, Constant Running. High power efficient drive units for maximum power with minimum consumption.	42473.20	52242.04
21119896	 DD15 Direct Drive unit for sailboats 30'-40' with electromagnetic clutch, lever with tiller pin and RF300 Rudder feedback. 12 V power supply (NAC-3 / H5000 required)	11025.00	13560.75
000-13697-001	 SD10 Mechanical Drive unit for NAC-2 Autopilot computers. The Dive will suit sailboats 25'-37' with 6' steering cable with electromagnetic clutch with override function, built in Rudder feedback and 12 V power supply	7002.10	8612.58
21113360	 HLD-2000Mk Long verion :340mm (13") stroke hydraulic linear drive unit (NAC-3 required)	5047.00	6207.81

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5	828.10	1018.56
000-15944-001	 Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	245.00	301.35








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15949-001	 ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 &5, including SteadySteer	2788.10	3429.36
44172096	 DL2030 Draglink for DD15. Length: 200-300 mm. 7.9" – 11.8"	1381.80	1699.61
44172088	 DL3040 Draglink for DD15. Length: 300-400 mm. 11.8" - 15.7".	1381.80	1699.61
44172104	 DL4050 Draglink for DD15. Length: 400-500 mm. 15.7" - 19.7".	1381.80	1699.61

Spare Parts











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15858-001	 PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-1,2,3,4 & 5. 2Pcs.	318.50	391.76
000-13960-001	 Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	406.70	500.24
000-13956-001	 RPU300 Motor - 24V Parvalux	3263.40	4013.98
MOTOR-SPARE-1	 Replacement Motor, T1/T2 12V	2597.00	3194.31
PMP-SPRS-T1	 Pump spares kit, T1/T2 drives	793.80	976.37
PMP-SPRS-T3	 Pump spares kit, T3 drives	793.80	976.37
RAM-BRSH-T2	 Replacement Brushes, T3/T4 drives (order 2 pairs for T4)	274.40	337.51
RAM-SPRS-T1	 Ram spares kit, T1/T2 drives	1744.40	2145.61
RAM-SPRS-T3	 Ram spares kit, T3 drive	2508.80	3085.82
000-10409-001	 SPARES KIT FOR T1/T2 BLACK RAMS	1796.73	2209.98
000-11495-001	ADJUSTABLE ROD END FOR BLUE T1/T2 RAMS	873.13	1073.95
20193744	 RF300 Frequency Rudder Feedback - 10m cable and transmission link assembly.	1406.30	1729.75

















Halo

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14540-001	 HALO20 Radar - A cost-effective compact 20" Radar dome. 24nm range and 24RPM. The perfect radar solution for budget-conscious sailors with smaller vessels.	10045.00	12355.35
000-14539-001	 HALO20+ Radar - A compact 20" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 36nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	11809.00	14525.07
000-14538-001	 HALO24 Radar - A 24" powerful 25W Solid-State Radar, delivering 60RPM at short range and up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and can run dual scale to identify hazards long and far.	13230.00	16272.90
000-11469-001	 HALO-3 - 3ft Open-Array 25W Solid-State Radar, up to 48nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	29134.58	35835.54
000-11470-001	 HALO-4 - 4ft Open-Array 25W Solid-State Radar, up to 64nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	31788.75	39100.16
000-11471-001	 HALO-6 - 6ft Open-Array 25W Solid-State Radar, up to 72nm range. Identify hazards in an instant with VelocityTrack™ Doppler technology and run dual scale to identify hazards both at close and long ranges simultaneously, with precise target definition and minimal clutter.	34442.92	42364.79
000-11468-001	 HALO Radar kit without antenna. Includes RI12 interface module and 10m (33 ft) interconnection cable. A 3ft or 4ft Antenna must be purchased separately.	23315.83	28678.47



Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12607-001	 Precision-9 Compass - Outputs Heading, Rate Of Turn, Roll and Pitch over the NMEA 2000® network.	3278.10	4032.06
SC21	 SC21 Mast mount kit for HALO24 Radars	1960.00	2410.80
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	318.50	391.76
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	583.10	717.21
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	877.10	1078.83
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1171.10	1440.45
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	377.30	464.08
000-11465-001	 HALO Antenna Only - 4ft	6349.58	7809.99
000-11466-001	 HALO Antenna Only - 6ft	8962.92	11024.39
000-11464-001	 HALO Antenna Only - 3ft	3654.58	4495.14












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10905-001	 CABLE,BB RADAR,EXTERNAL,5M	377.30	464.08
000-10904-001	 CABLE,BB RADAR,EXT EXTENSION,2M	323.40	397.78
LMB-A1	 LMB-A1 Self-leveling radar backstay (aft) mount for HALO 20/20+ and Broadband Dome Radars.	8452.50	10396.58
AA010211	 Scanner connection cable - 10 m (33 ft) for 3G, 4G and HALO (open array)	534.10	656.94
AA010213	 Scanner connection cable - 30 m (98 ft) for 3G, 4G and HALO (open array)	1122.10	1380.18
000-14072-001	 VelocityTrack™ technology provides instant visual feedback on the motion of moving radar targets in relation to your boat. This powerful add-on offers yet another way for Halo™ radar to improve your situational awareness and reduce your risk of collision. Using the Doppler effect, the VelocityTrack™ feature is able to detect motion on the first radar sweep for a useful view straight from standby. This feature is available for any new or existing Halo™ radar system via the purchase of a one-time unlock code. Radar system requires a heading sensor with 10 Hz output or greater. This needs to be connected to the RI12	2699.90	3320.88
000-10795-001	 SC20 Mast mount kit for HALO 20/20+ and Broadband Dome Radars.	1906.10	2344.50
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	117.60	144.65
Spare Parts			
Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001	 Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	205.80	253.13
000-12514-001	 HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	323.40	397.78
AA010212	 Scanner connection cable - 20 m (66 ft) for 3G, 4G and HALO (open array)	877.10	1078.83
000-12515-001	 HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	200.90	247.11
000-11465-001	 HALO Antenna Only - 4ft	6349.58	7809.99
000-11466-001	 HALO Antenna Only - 6ft	8962.92	11024.39
000-11464-001	 HALO Antenna Only - 3ft	3654.58	4495.14
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	117.60	144.65

Modules




Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11142-001	 SonarHub Module, with power cable and Ethernet cable 4.5m (15ft). Requires adapter 000-12571-001 or 000-13977-001 adapter cable to use Airmar Non-Chirp or Chirp 9-pin transducers.	3175.20	3905.50
000-12397-001	 StructureScan® 3D module only. Transom mount and Through-Hull transducers available separately.	3175.20	3905.50

Accessories



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	5287.92	6504.14
000-11459-001	 Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	4748.10	5840.16
000-11460-001	 Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	7835.10	9637.17
000-12396-001	 StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2156.00	2651.88
000-13559-001	 StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7555.80	9293.63
000-13560-001	 StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12955.60	15935.39
000-14254-001	 StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7555.80	9293.63
000-14255-001	 StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7555.80	9293.63
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	161.65	198.83
000-10802-001	 StructureScan™ HD Skimmer Transom Mount Transducer	1518.95	1868.31
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	426.25	524.29

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-10802-001	 StructureScan™ HD Skimmer Transom Mount Transducer	1518.95	1868.31
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51

ForwardScan™







Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11674-001	 ForwardScan™ Transducer Kit with Sleeve & Plug. 10m (33ft) Cable	3768.10	4634.76
000-13284-001	 ForwardScan™ Transducer Kit (Long-Stem) with Sleeve & Plug. 10m (33ft) Cable	5287.92	6504.14

Accessories











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	426.25	524.29

Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11675-001	 ForwardScan™ Transducer Only. With 10m (33ft) Cable	2695.00	3314.85
000-12230-001	 ForwardScan™ Plug Only	151.16	185.92
000-12232-001	 ForwardScan™ O-Ring (Color of supplied O-Ring may vary from shown)	31.80	39.12
000-13578-001	 ForwardScan™ Long-Stem Housing Only	1019.15	1253.56
000-13579-001	ForwardScan™ Long-Stem Fairing Block Only	264.55	325.40
000-11669-001	 ForwardScan™ Sleeve and Plug Only (No Transducer)	1073.05	1319.85
000-12231-001	 ForwardScan™ Fairing Block Only	215.55	265.13

Transducers

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14804-001	 B744V - Bronze 600W Smart Thru Hull 50/200 Khz Depth/Temperature Transducer. 9pin sonar connector and 10m cable. NMEA2000 Speed/Temperature paddle wheel insert.	3278.10	4032.06
000-11459-001	 Stainless steel StructureScan™ HD Sonar thru-hull transducer. (Single). Cable length 7.6 m (25 ft)	4748.10	5840.16
000-11460-001	 Stainless steel StructureScan™ HD Sonar thru-hull transducer with Y-cable. (pair). Cable length 7.6 m (25 ft)	7835.10	9637.17
000-12396-001	 StructureScan 3D Transducer Only - The StructureScan 3D transducer produces three-dimensional scans of underwater terrain and fish-holding structure to create a high-resolution view. Cable length 6.0 m (20 ft)	2156.00	2651.88
000-13559-001	 StructureScan 3D Single Stainless Steel Thru-Hull Transducer. Cable length 7.6 m (25 ft)	7555.80	9293.63
000-13560-001	 StructureScan 3D Dual Stainless Steel Thru-Hull Transducers. Cable length 7.6 m (25 ft)	12955.60	15935.39
000-14254-001	 StructureScan 3D Through-Hull Transducer with Low and High CHIRP in one transducer. 7.6 m (25ft) cable. Requires StructureScan® 3D Module sold separately.	7555.80	9293.63
000-14255-001	 StructureScan® 3D Through-Hull Transducer with Medium and High CHIRP in one transducer. 6m (20ft) cable. Requires StructureScan® 3D Module sold separately.	7555.80	9293.63
000-13888-001	 HDI Skimmer® transducer 83/200/455/800kHz with built in temp. Includes mounting bracket and hardware. Cable Length 1.8 m (6ft)	665.95	819.12
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	161.65	198.83

Accessories









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13977-001	 Connects an XID Airmar CHIRP transducer with a 9 Pin black connector to the older 7 pin blue sockets on displays and echosounder modules. For use with Airmar 9pin XID transducers.	161.65	198.83
000-00099-006	 Extension cable for 9-pin transducers. *For optimum performance do not use more than 1 extension per installation.	426.25	524.29












V100

Main Products






Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15793-001	 B&G V100-B Blackbox VHF Radio System - featuring a built-in GPS and Class B AIS transceiver, which allows you to see and be seen by AIS-equipped vessels. Stay connected from anywhere on board with up to 8 handsets (4 wired and 4 wireless) and 4 external speakers.	7712.60	9486.50
000-15644-001	 B&G V100 Blackbox VHF Radio System - Stay safer on the water with the B&G V100 VHF marine radio. With up to 8 connected handsets (4 wired and 4 wireless) and 4 external speakers, stay connected from anywhere on board.	4606.00	5665.38
000-15648-001	 B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	1827.70	2248.07
000-15650-001	 B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	1514.10	1862.34
000-15651-001	 SP100 Speaker only for RS100, RS100-B, V100 and V100-B Blackbox VHF Systems. Up to 4 speakers can be added to one system.	465.50	572.57

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15859-001	 VHF ANTENNA, 1 Meter Back Fiberglass Stainless Steel, Quick fit fitting.	382.20	470.11
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	409.15	503.25
000-15648-001	 B&G H100 wired handset and speaker for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system and 4 wired Speakers.	1827.70	2248.07
000-15657-001	 NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	632.10	777.48
000-15650-001	 B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	1514.10	1862.34
000-14476-001	 B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	1220.10	1500.72
000-15656-001	 HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	534.10	656.94
000-15651-001	 SP100 Speaker only for RS100, RS100-B, V100 and V100-B Blackbox VHF Systems. Up to 4 speakers can be added to one system.	465.50	572.57





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	431.20	530.38
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	269.50	331.49
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	730.10	898.02
AA000355	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	367.50	452.03
AA000358	 Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	200.90	247.11
AA000223	 Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	176.40	216.97
AA000224	 Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	357.70	439.97
AA000352	 Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	254.80	313.40
AA000400	 VHF extension cable 5 m (16 ft)	142.10	174.78
AA000401	 VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	343.00	421.89
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1318.10	1621.26

Spare Parts









Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15642-001	 NRS-2 Marine VHF Radio with built in AIS Class B transceiver. Black box only	6561.10	8070.15
000-15650-001	 B&G H100 wired handset for V100/V100-B VHF radios. Up to 4 wired handsets can be added to one system.	1514.10	1862.34
000-15651-001	 SP100 Speaker only for RS100, RS100-B, V100 and V100-B Blackbox VHF Systems. Up to 4 speakers can be added to one system.	465.50	572.57
000-15641-001	 NRS-1 Marine VHF Radio. Black box only	3670.10	4514.22
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	730.10	898.02










V60

Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14471-001	 B&G V60 fixed-mount DSC VHF Radio - Stay safe and connected with this VHF marine radio featuring a sleek design with removable fist mic, Class D DSC functionality, and built-in GPS.	2641.10	3248.55
000-14474-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels.	5140.10	6322.32
000-14819-001	 B&G V60-B Marine VHF Radio - Stay safer on the water with this VHF marine radio featuring a built-in GPS and a full Class B AIS transmitter and receiver, which allows you to see and be seen by nearby AIS-equipped vessels. Includes GPS-500 GPS antenna for situations where the internal GPS don't get reception.	5630.10	6925.02
000-14476-001	 B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	1220.10	1500.72

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	382.20	470.11
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	409.15	503.25
000-14476-001	 B&G H60 Wireless Handset - Take remote control of your B&G V60 VHF radio, and enjoy the power of a fixed-mount system with the convenience of a handheld. Easily carried and simple to use, this wireless handset gives you total freedom of movement on board your yacht.	1220.10	1500.72
000-15651-001	 SP100 Speaker only for RS100, RS100-B, V100 and V100-B Blackbox VHF Systems. Up to 4 speakers can be added to one system.	465.50	572.57
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	431.20	530.38
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60	431.20	530.38
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	215.60	265.19
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	269.50	331.49


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	730.10	898.02
AA000355	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	367.50	452.03
AA000358	 Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	200.90	247.11
AA000223	 Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	176.40	216.97
AA000224	 Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	357.70	439.97
AA000352	 Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	254.80	313.40
AA000400	 VHF extension cable 5 m (16 ft)	142.10	174.78
AA000401	 VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	343.00	421.89
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1318.10	1621.26

Spare Parts













Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14913-001	 V60 VHF Suncover	107.80	132.59
000-14922-001	 B&G V60 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in seperate locations.	377.30	464.08
000-14919-001	 RS40/V60 Bulkhead Fist Mic Mounting Clip	44.10	54.24
000-14917-001	 RS40/V60 VHF Mounting bracket with Knobs and Screws	132.30	162.73
000-14915-001	 RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	58.80	72.32
000-14925-001	 HS40/H60 VHF Wireless handset Inductive charging cradle	269.50	331.49

V20

Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14492-001	 B&G V20S Class D DSC VHF Radio - The versatile V20S is ideal for a variety of boats from small yachts to larger cruisers and racing boats, and is designed to match the low-profile style of our chartplotters and accessories.	1636.60	2013.02

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	382.20	470.11
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	409.15	503.25
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	431.20	530.38
000-14056-001	 V20 Suncover	100.89	124.09
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60	431.20	530.38
000-14059-001	 RS20/V20 Flush Mount Kit	58.80	72.32
AA000355	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	367.50	452.03
AA000358	 Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	200.90	247.11
AA000223	 Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	176.40	216.97
AA000224	 Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	357.70	439.97
AA000352	 Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	254.80	313.40
AA000400	 VHF extension cable 5 m (16 ft)	142.10	174.78




Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14056-001	 V20 Suncover	100.89	124.09












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14263-001	 RS20/V20 Mounting Bracket Knobs	78.40	96.43
000-14261-001	 RS20/V20 Mounting Bracket	161.70	198.89
000-14262-001	 RS20/V20 Fist Mic Clip	44.10	54.24
151-10553-001	 VHF,FIST MIC ASSY,V20	244.95	301.29

Class B





Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13963-001	 NAIS-500 Class B AIS including NSPL500 VHF/AIS Antenna splitter and GPS500 antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	5385.10	6623.67
000-13609-001	 NAIS-500 class B AIS with GPS-500 GPS antenna. Broadcast your location to anyone nearby with an AIS Receiver. A low cost safety system for recreational vessels and smaller professional vessels in near coastal waters.	4062.10	4996.38
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1318.10	1621.26

Accessories


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15859-001	 VHF ANTENNA, 1Meter Back Fiberglass Stainless Steel, Quick fit fitting.	382.20	470.11
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	409.15	503.25
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	431.20	530.38
AA000355	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB	367.50	452.03
AA000358	 Navico 1770 VHF antenna, 1 m (3 ft) Ultraglass, quickfit @ 3dB	200.90	247.11
AA000223	 Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	176.40	216.97
AA000224	 Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	357.70	439.97
AA000352	 Navico 1720 VHF antenna, 1.1 m (3 ft) stainless masthead whip with bracket @ 3dB	254.80	313.40
AA000400	 VHF extension cable 5 m (16 ft)	142.10	174.78
AA000401	 VHF mast cable 30 m (98 ft) for 1720 whip antenna. With Quick Fit Connector one end and Masthead connector on the other.	343.00	421.89
000-13612-001	 NSPL-500 AIS/VHF Antenna Splitter - Enables use of one VHF antenna on the vessel for both VHF and AIS.	1318.10	1621.26

Spare Parts


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13959-001	 NAIS500/400 & Naviop OP-BOX Power & Serial Cable	289.10	355.59
000-14806-001	 V3100 Power cable, 1.8 m (6ft)	156.80	192.86
000-14807-001	 V3100 NMEA 0183 Cable 1.8 m (6ft)	156.80	192.86
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	730.10	898.02

Cameras

Main Products



















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15876-001	 <p>The IP CAM-1 is a Marine grade 316 Stainless Steel IP camera with 12V DC or PoE installation options.</p>	2739.10	3369.09






Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14552-001	 <p>Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.</p>	205.80	253.13


Micro-C

Main Products





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10760-001	 NMEA 2000 Micro-C Network starter kit: Includes Network power cable, 4.5 m (15 ft) N2K cable, 3 x T-connectors, 2 x network terminators	441.00	542.43
000-0119-79	 N2K-T-RD - Micro-C T-connector for connection of an additional network device	107.80	132.59
000-12612-001	 Low loss NMEA2000 4-way joiner. Connect four NMEA2000 Micro-C devices to the NMEA2000 Network.	264.60	325.46
000-0119-88	 N2KEXT-2RD - 0.61 m (2-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	156.80	192.86
000-0127-53	 N2KEXT-6RD - 1.82 m (6-ft) NMEA 2000® cable for backbone extension or drop cable to connect an additional network device	245.00	301.35
000-0119-86	 N2KEXT-15RD - 4.55 m (15-ft) NMEA 2000® cable for backbone extension or or drop cable to connect an additional network device	274.40	337.51
000-0119-83	 N2KEXT-25RD - 7.58 m (25-ft) NMEA 2000® cable for network backbone extension only	387.10	476.13
000-14376-001	 NMEA 2000 Micro-C Medium duty cable. 2 m (6.5 ft) Low loss 18 gauge cable recommended for network backbone runs	308.70	379.70
000-14377-001	 NMEA 2000 Micro-C Medium duty cable. 6 m (19.7 ft) Low loss 18 gauge cable recommended for network backbone runs	347.90	427.92
000-14378-001	 NMEA 2000 Micro-C Medium duty cable. 10 m (33 ft) Low loss 18 gauge cable recommended for network backbone runs	485.10	596.67
000-14379-001	 NMEA 2000 Micro-C Medium duty cable. 20 m (65.6 ft) Low loss 18-gauge cable recommended for network backbone runs resulting in a more robust network. Cables are identified by orange locking collars.	583.10	717.21
000-10614-001	 NMEA2000 Cable with 90 degree connector on one end. For use on instruments mounted in tight spaces etc where normal cables run too deep behind the unit.	117.60	144.65
000-15739-001	 NMEA 2000 cable 0.6 m (2 ft) Micro-C straight connector / 90 degree female connector.	166.60	204.92
000-10403-001	 T-Joiner, Micro-C, Metal	177.65	218.51
000-10396-001	 Cable, MICRO-C, Metal, 0.4 m	144.34	177.54
000-0127-52	 TR-120-KIT - Set of 1 male and 1 female NMEA 2000® terminators	107.80	132.59
000-0119-75	 N2K-PWR-RD - NMEA 2000® power cable. Includes power cable and 1 x T connector	296.51	364.71
000-10828-001	 CZONE™ Network Bridge Interface - Designed to isolate sections of the NMEA 2000 network to decrease standby current draw. Can be used for Isolation when bridging between two CAN networks.	1612.10	1982.88

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12259-001	 Network power isolator. Separates separately powered sections of the NMEA2000 network while letting data through.	196.00	241.08
000-0127-45	 SimNet to N2K Adapter Kit - Connect a SimNet device with a fixed SimNet cable to a NMEA 2000® network; includes SimNet to N2k male adaptor, Simnet inline Joiner, NMEA2000® T connector.	580.71	714.27
24005729	 SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	186.20	229.03
000-10757-001	 20 m (66 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	470.40	578.59
000-10758-001	 35 m (115 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	651.70	801.59

Accessories








Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
24005729	 SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	186.20	229.03

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13714-001	 Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	2107.00	2591.61
24005729	 SimNet to Micro-C (male) cable that connects a SimNet product to a NMEA 2000® backbone. 0.5 m (1.6 ft)	186.20	229.03
44172260	 SimNet joiner yellow without terminator	88.20	108.49
000-10573-001	 Mast Bracket kit with rubber gasket and screws for the WS310/320, 608/508, and IS20 Wind Sensors.	323.01	397.30

Ethernet



Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-56	 Adapter cable: Ethernet yellow 5 pin male to RJ45 female, 2m (6.5ft)	205.80	253.13
000-10029-001	 NEP-2 Network Expansion Port enables multiple displays to exchange chart data, waypoint and route information, as well as interconnecting radar and echosounder modules.	1514.10	1862.34
000-0127-51	 Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	186.20	229.03
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51
000-0127-30	 Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	387.10	476.13
000-0127-37	 Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	534.10	656.94
000-11246-001	 RJ45-Yellow Round Ethernet adapter cable RJ45 Male / 5 Pin Female 10 cm (6")	117.60	144.65

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-0127-51	 Ethernet Cable -Yellow 5-Pin Male-Male - 1.8 m (6 ft)	186.20	229.03
000-0127-29	 Ethernet Cable -Yellow 5-Pin Male-Male - 4.5 m (15 ft)	274.40	337.51
000-0127-30	 Ethernet Cable -Yellow 5-Pin Male-Male - 7.6 m (25 ft)	387.10	476.13
000-0127-37	 Ethernet Cable -Yellow 5-Pin Male-Male - 15.2 m (50 ft)	534.10	656.94

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00128-001	 4-pin Power Cable for modules and MFDs.	196.00	241.08
000-11447-001	 Spare WIFI-1 Power Cable.	151.41	186.23





Fastnet

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
239-00-099	 Terminator	68.60	84.38
135-0A-170	Fastnet Cable 2m	88.20	108.49





Misc

Main Products












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
047-04525/15M 	6-Core Wind Cable, 15 m	274.40	337.51
135-0A-097 	6-Core Wind Cable 9 m	191.10	235.05
135-0B-096 	Power Supply Cable 15 m 0.5 mm2	235.20	289.30
288-00-001 	Junction Box 7 Terminal	205.80	253.13











Naviop Kits

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14666-001	 Naviop LOOP S Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 8 fused relay controlled channels + 8 fused channels.	5339.73	6567.86
000-14665-001	 Naviop LOOP S+ Digital Switching System Kit - Simple, yet powerful control and monitoring features through an integrated sidebar on an MFD showing dedicated functions. 16 fused relay controlled channels + 16 fused channels.	9225.92	11347.88
000-14664-001	 Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 8 fused relay controlled channels + 8 fused channels.	8266.99	10168.39
000-14663-001	 Naviop LOOP M+ Digital Switching System Kit - A customized monitoring and control system sporting dedicated pages with a clear view of power board status, down to the single fuse or relay. 16 fused relay controlled channels + 16 fused channels.	13112.11	16127.89

















Accessories










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15212-001	 Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	5042.10	6201.78
BERMINI-USAA-1M	 Naviop OP-BOX USB Cable	315.32	387.84
31M-316-0	 Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
31M-335-0	 Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
31M-336-0	 Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4263.00	5243.49
31M-337-0	 Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
000-14844-001	 Naviop EGON+ 12VDC Replacement Relay	121.03	148.86
C-EGON-01	 Naviop EGON Power and CAN Cable - CAN ID 2	382.20	470.11
C-EGON-02	 Naviop EGON Power and CAN Cable - CAN ID 2	382.20	470.11
C-EGON-03	 Naviop EGON Power and CAN Cable - CAN ID 3	382.20	470.11
C-EGON-04	 Naviop EGON Power and CAN Cable - CAN ID 4	382.20	470.11

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14901-001	 <p>Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.</p>	176.65	217.27
C-28576	 <p>Naviop CAN Drop Cable NA30</p>	289.10	355.59
C-28574	 <p>Naviop CAN Drop Cable for NOVA+ - 1.2m</p>	274.40	337.51
C-34686	 <p>Axial DB9 Male Cable for RS323/485 - 2m</p>	149.45	183.82
C-DAU-CABLE	 <p>Naviop Wiring Harness for DAU Units - 2m</p>	514.50	632.84
DAU-B-128	 <p>Naviop DAU Bridge - CAN ID 128</p>	5145.00	6328.35
DAU-E-136	 <p>Naviop DAU Easy - CAN ID 136</p>	5145.00	6328.35
DAU-E-137	 <p>Naviop DAU Easy - CAN ID 137</p>	5145.00	6328.35
NA05-0003	 <p>Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.</p>	4557.00	5605.11
NA05-0003-H	 <p>Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.</p>	4655.00	5725.65

Naviop Parts


















Main Products











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15756-001	 Naviop OP-BOX Programmable 1GHz	6247.50	7684.43
000-15897-001	 OP-BOX 1Ghz, Programmable, with Power cable	4846.10	5960.70
000-15212-001	 Naviop OP-BOX - LOOP M / M+ - Processing and protocols Unit with PLC programming capability.	5042.10	6201.78
BERMINI-USAA-1M	 Naviop OP-BOX USB Cable	315.32	387.84
000-13959-001	 NAIS500/400 & Naviop OP-BOX Power & Serial Cable	289.10	355.59
000-14991-001	 Naviop AT30 Protocol Converter - N2K To Naviop CAN Gateway for bridging the vessels NMEA2000 network to the Naviop Digital Switching system.	1367.10	1681.53
31M-316-0	 Naviop EGON+ 12V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
31M-335-0	 Naviop EGON+ 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
31M-336-0	 Naviop EGON+ Power 12V DC - 8 channels Fuse+Relay	4263.00	5243.49
31M-337-0	 Naviop EGON+ Power - 24V DC 16 Channels - 8 channels Fuse+Relay, 8 channels Fuse only	4263.00	5243.49
000-14844-001	 Naviop EGON+ 12VDC Replacement Relay	121.03	148.86
C-EGON-01	 Naviop EGON Power and CAN Cable - CAN ID 2	382.20	470.11
C-EGON-02	 Naviop EGON Power and CAN Cable - CAN ID 2	382.20	470.11
C-EGON-03	 Naviop EGON Power and CAN Cable - CAN ID 3	382.20	470.11
C-EGON-04	 Naviop EGON Power and CAN Cable - CAN ID 4	382.20	470.11
000-14901-001	 Naviop EGON Plug Set- Includes 1x Blue connector, 1x Green connector, 1x Grey connector, 1x Black Connector, 24x EGON Power Contacts, 24x Cable Seals.	176.65	217.27

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
C-28576	 Naviop CAN Drop Cable NA30	289.10	355.59
C-28574	 Naviop CAN Drop Cable for NOVA+ - 1.2m	274.40	337.51
C-34686	 Axial DB9 Male Cable for RS323/485 - 2m	149.45	183.82
C-DAU-CABLE	 Naviop Wiring Harness for DAU Units - 2m	514.50	632.84
DAU-B-128	 Naviop DAU Bridge - CAN ID 128	5145.00	6328.35
DAU-E-136	 Naviop DAU Easy - CAN ID 136	5145.00	6328.35
DAU-E-137	 Naviop DAU Easy - CAN ID 137	5145.00	6328.35
NA05-0003	 Naviop SE NOVA+ Light Board - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4557.00	5605.11
NA05-0003-H	 Naviop SE NOVA+ Light Board w/ Harness - NOVA+ is a solid state lighting control board designed specifically for use in marine environments, and enables dimmable lighting control of up to 8 separate circuits, each of them being protected by a pull-out fuse. Naviop-CAN connection to the monitoring and control system is available. Only for Naviop LOOP-P Systems.	4655.00	5725.65

REVEAL™
















Main Products
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y209-MS	 REVEAL: M-AF-Y209-MS South & East Africa	975.10	1199.37
M-AF-Y210-MS	 REVEAL: M-AF-Y210-MS West Africa	975.10	1199.37
M-EM-Y076-MS	 REVEAL: M-EM-Y076-MS South-West European Coasts	975.10	1199.37
M-EM-Y111-MS	 REVEAL: M-EM-Y111-MS East Mediterranean, Caspian Seas	975.10	1199.37
M-EN-Y070-MS	 REVEAL: M-EN-Y070-MS Central Europe Inland	975.10	1199.37
M-EN-Y299-MS	 C-MAP REVEAL - M-EN-Y299-MS - Baltic Sea	975.10	1199.37
M-EN-Y300-MS	 C-MAP REVEAL - M-EN-Y300-MS - North Sea & Denmark	975.10	1199.37
M-EN-Y326-MS	 C-MAP REVEAL - M-EN-Y326-MS - Finland Lakes	975.10	1199.37
M-EN-Y580-MS	 C-MAP REVEAL - M-EN-Y580-MS - Scandinavia Inland	975.10	1199.37
M-EW-Y065-MS	 REVEAL: M-EW-Y065-MS France Coastal & Inland	975.10	1199.37
M-EW-Y226-MS	 REVEAL: M-EW-Y226-MS United Kingdom	975.10	1199.37
M-EW-Y227-MS	 REVEAL: M-EW-Y227-MS North-West European Coasts	975.10	1199.37
M-EW-Y228-MS	 REVEAL: M-EW-Y228-MS West European Coasts	975.10	1199.37
M-ME-Y204-MS	 REVEAL: M-ME-Y204-MS Red Sea to The Gulf & Seychelles Islands	975.10	1199.37
M-RS-Y013-MS	 REVEAL: M-RS-Y013-MS Kamchatka Peninsula & Kuril Islands	975.10	1199.37
M-RS-Y202-MS	 REVEAL: M-RS-Y202-MS Russian Federation – North West	975.10	1199.37
M-RS-Y203-MS	 REVEAL: M-RS-Y203-MS Russian Federation – North Central	975.10	1199.37

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-RS-Y204-MS	 REVEAL: M-RS-Y204-MS Russian Federation – North East	975.10	1199.37
M-RS-Y207-MS	 REVEAL: M-RS-Y207-MS Hokkaido and Sakhalin Islands	975.10	1199.37
M-RS-Y210-MS	 REVEAL: M-RS-Y210-MS Volga, Kama, Volgo – Balt and Volgo – Don	815.85	1003.50
M-RS-Y212-MS	 REVEAL: M-RS-Y212-MS Moscow-Tver-Volgo-Balt & Oka River	815.85	1003.50
M-RS-Y217-MS	 REVEAL: M-RS-Y217-MS Baykal and Siberian Lakes	815.85	1003.50
M-RS-Y219-MS	 REVEAL: M-RS-Y219-MS Moskva, Ola, Volga to Onezhskoe Lake	975.10	1199.37
M-RS-Y233-MS	 REVEAL: M-RS-Y233-MS White Sea & Channel	815.85	1003.50
M-RS-Y237-MS	 REVEAL: M-RS-Y237-MS Volga, Kama, Onezhskoe Lake & Channels	975.10	1199.37
M-RS-Y604-MS	 REVEAL: M-RS-Y604-MS Russian North-West Lakes & Rivers	815.85	1003.50
M-EW-Y060-MS	 DISCOVER: M-EW-Y060-MS Central & West Europe	906.50	1115.00









DISCOVER™

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-RS-Y504-MS	DISCOVER-ANGARA	406.70	500.24
M-RS-Y508-MS	DISCOVER-KHABAROVSK AREA	406.70	500.24
M-RS-Y516-MS	DISCOVER-PECHORA	406.70	500.24
M-RS-Y517-MS	DISCOVER-NORTH DVINA LOWER	406.70	500.24
M-AF-Y214-MS	 DISCOVER: M-AF-Y214-MS Cape Verde & Guinea Bissau	632.10	777.48
M-AF-Y200-MS	 DISCOVER: M-AF-Y200-MS Cameroon to South Africa	632.10	777.48
M-AF-Y201-MS	 DISCOVER: M-AF-Y201-MS South Africa to Mozambique	632.10	777.48
M-AF-Y220-MS	 DISCOVER: M-AF-Y220-MS Pemba to Mogadishu	632.10	777.48
M-EM-Y040-MS	 DISCOVER: M-EM-Y040-MS Italian Lakes & Po River	632.10	777.48
M-EM-Y200-MS	 DISCOVER: M-EM-Y200-MS West Mediterranean	632.10	777.48
M-EM-Y201-MS	 Missing image DISCOVER: M-EM-Y201-MS Central Mediterranean	632.10	777.48
M-EM-Y202-MS	 DISCOVER: M-EM-Y202-MS Mediterranean South Central	632.10	777.48
M-EM-Y203-MS	 DISCOVER: M-EM-Y203-MS Adriatic & Ionian Seas	632.10	777.48
M-EM-Y204-MS	 DISCOVER: M-EM-Y204-MS Aegean Sea & Sea of Marmara	632.10	777.48
M-EM-Y205-MS	 DISCOVER: M-EM-Y205-MS Black Sea & Sea of Azov	632.10	777.48
M-EM-Y206-MS	 DISCOVER: M-EM-Y206-MS Mediterranean South East	632.10	777.48
M-EN-Y200-MS	 C-MAP DISCOVER: M-EN-Y200-MS Bodø - Kirkenes	632.10	777.48
M-EN-Y201-MS	 DISCOVER: M-EN-Y201-MS Kristiansund - Finnsnes	632.10	777.48
M-EN-Y202-MS	 DISCOVER: M-EN-Y202-MS Bergen to Brandsfjorden	632.10	777.48


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EN-Y203-MS	 DISCOVER: M-EN-Y203-MS Farsund to Måløy	632.10	777.48
M-EN-Y204-MS	 DISCOVER: M-EN-Y204-MS Fiskebäckskil to Lyndgal	632.10	777.48
M-EN-Y205-MS	 DISCOVER: M-EN-Y205-MS Karlskrona to Emden	632.10	777.48
M-EN-Y206-MS	 DISCOVER: M-EN-Y206-MS Torekov to Larvik	632.10	777.48
M-EN-Y207-MS	 DISCOVER: M-EN-Y207-MS Malmö to Valdemarsvik	632.10	777.48
M-EN-Y208-MS	 DISCOVER: M-EN-Y208-MS Västervik to Valdemarsvik	632.10	777.48
M-EN-Y209-MS	 DISCOVER: M-EN-Y209-MS Gulf of Bothnia	632.10	777.48
M-EN-Y210-MS	 DISCOVER: M-EN-Y210-MS Scandinavia Inland Waters	632.10	777.48
M-EN-Y211-MS	 DISCOVER: M-EN-Y211-MS Finland Lakes	632.10	777.48
M-EN-Y212-MS	 DISCOVER: M-EN-Y212-MS Gulf of Finland & Åland Islands Archipelago	632.10	777.48
M-EN-Y213-MS	 DISCOVER: M-EN-Y213-MS Latvia, Lithuania & Russia	632.10	777.48
M-EN-Y214-MS	 DISCOVER: M-EN-Y214-MS Polish Coast & Inland	632.10	777.48
M-EN-Y215-MS	 DISCOVER: M-EN-Y215-MS Germany & Netherland Inland	632.10	777.48
M-EN-Y216-MS	 DISCOVER: M-EN-Y216-MS Benelux Inland & Coastal	632.10	777.48
M-EN-Y217-MS	 DISCOVER: M-EN-Y217-MS Central Europe Inland	632.10	777.48
M-EN-Y218-MS	 DISCOVER: M-EN-Y218-MS Iceland, Faroe, Shetland & Orkney Islands	632.10	777.48
M-EN-Y630-MS	 DISCOVER: M-EN-Y630-MS Pechenga to Lumbovskiy Gulf	632.10	777.48
M-EW-Y206-MS	 DISCOVER: M-EW-Y206-MS French Inland Waters	632.10	777.48


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-EW-Y207-MS	 DISCOVER: M-EW-Y207-MS Bay of Biscay	632.10	777.48
M-EW-Y208-MS	 DISCOVER: M-EW-Y208-MS Portugal & Galicia	632.10	777.48
M-EW-Y209-MS	 DISCOVER: M-EW-Y209-MS Canary Island to Gibraltar	632.10	777.48
M-ME-Y200-MS	 DISCOVER: M-ME-Y200-MS Red Sea	632.10	777.48
M-ME-Y201-MS	 DISCOVER: M-ME-Y201-MS Persian Gulf to Oman	632.10	777.48
M-RS-Y009-MS	 DISCOVER: M-RS-Y009-MS Kyongsong Man to Plastun	632.10	777.48
M-RS-Y221-MS	 DISCOVER: M-RS-Y221-MS White Sea	632.10	777.48
M-RS-Y222-MS	 DISCOVER: M-RS-Y222-MS Volga : Cheboksary to Balakovo	406.70	500.24
M-RS-Y223-MS	 DISCOVER: M-RS-Y223-MS Volga : Balakovo to Astrakhan & Rostov	406.70	500.24
M-RS-Y225-MS	 DISCOVER: M-RS-Y225-MS Moscow-Kaluga-Uglich, Seliger & Lakes	406.70	500.24
M-RS-Y226-MS	 DISCOVER: M-RS-Y226-MS Volga : Rybinsk to Cheboksary & Oka	406.70	500.24
M-RS-Y228-MS	 DISCOVER: M-RS-Y228-MS Kama & Vyatka	406.70	500.24
M-RS-Y236-MS	 DISCOVER: M-RS-Y236-MS Lake Baykal	406.70	500.24
M-RS-Y238-MS	 DISCOVER: M-RS-Y238-MS Siberian Lakes & Reservoirs	406.70	500.24
M-RS-Y240-MS	 DISCOVER: M-RS-Y240-MS Tauyskaya Bay	406.70	500.24
M-RS-Y607-MS	 DISCOVER: M-RS-Y607-MS Chudskoe Lake & Finnish Gulf East	406.70	500.24
M-RS-Y610-MS	 DISCOVER: M-RS-Y610-MS Lakes Ladoga, Ilmen & Volkhov River	406.70	500.24
M-RS-Y611-MS	 DISCOVER: M-RS-Y611-MS Onezhskoe Lake & Svir	406.70	500.24



















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
M-AF-Y003-MS	 DISCOVER: M-AF-Y003-MS Antarctica	906.50	1115.00
M-AF-Y050-MS	 DISCOVER: M-AF-Y050-MS Africa & Arabian Sea	906.50	1115.00
M-EM-Y045-MS	 DISCOVER: M-EM-Y045-MS Southern Europe	906.50	1115.00
M-EN-Y040-MS	 DISCOVER: M-EN-Y040-MS Greenland	906.50	1115.00
M-EN-Y050-MS	 DISCOVER: M-EN-Y050-MS Northern & Central Europe	906.50	1115.00
M-EN-Y055-MS	 DISCOVER: M-EN-Y055-MS Baltic Sea	906.50	1115.00
M-RS-Y050-MS	 DISCOVER: M-RS-Y050-MS Western Russia	906.50	1115.00
M-EW-Y200-MS	 DISCOVER: M-EW-Y200-MS United Kingdom & Ireland	739.24	909.26

















Displays



















Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15893-001	 B&G Nemesis™ 9 Mast Bracket	1372.00	1687.56
000-15894-001	 B&G Nemesis™ 12 Mast Bracket	1592.50	1958.78
000-15740-001	 Nemesis™ Power & Ethernet Hub Interconnect cable. 60cm (2 ft). One required per display to be connected to the Hub.	338.10	415.86
000-15635-001	 B&G Magnetic Suncover for 16" Monitor	465.50	572.57
000-15636-001	 B&G Magnetic Suncover for 19" Monitor	612.50	753.38
000-15637-001	 B&G Magnetic Suncover for 24" Monitor	931.00	1145.13
000-14358-001	 B&G Suncover for 19" Monitor	529.94	651.82
000-14357-001	 B&G Suncover for 16" Monitor	454.23	558.70
000-14359-001	 B&G Suncover for 24" Monitor	656.11	807.02
000-15545-001	 Gasket for H5000 Graphic/Race Displays 5-pack	73.50	90.41
000-15546-001	 Gasket for 20/20 HV Display 5-pack	83.30	102.46
000-15547-001	 Gasket for 30/30 HV Display 5-pack	235.20	289.30
000-15548-001	 Gasket for 40/40 HV Display 5-pack	421.40	518.32
BGH320001	 10/10HV Display Pack for H3000 and WTP3 systems.	2641.10	3248.55
BGH290001	 20/20HV Display Pack for H3000 and WTP3 systems	5929.00	7292.67
BGH240001	 30/30HV Display Pack for H3000 and WTP3 systems.	11515.00	14163.45
BGH280001	 40/40HV Display Pack for H3000 and WTP3 systems	19061.00	23445.03

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00129-001	 Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	137.20	168.76
000-12742-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	264.60	325.46
000-12741-001	 HDMI Cable with vibration resistant and waterproof connector on one end to connect to Navico MFDs with HDMI port.	426.30	524.35
000-13748-001	 NSSevo3 & ZEUS ³ Chart Card Door	68.60	84.38
000-13749-001	 NSSevo3 & ZEUS ³ 7" Edge Bezels	78.40	96.43
000-13750-001	 NSSevo3/3S & ZEUS ³ /3S 9" Edge Bezels	88.20	108.49
000-13751-001	 NSSevo3/3S & ZEUS ³ /3S 12" Edge Bezels	98.00	120.54
000-13752-001	 NSSevo3/3S & ZEUS ³ /3S 16" Edge Bezels	122.50	150.68
000-13753-001	 NSSevo3 & ZEUS ³ 7" Dash Mount Kit	98.00	120.54
000-13754-001	 NSSevo3/3S & ZEUS ³ /3S 9" Dash Mount Kit	112.70	138.62
000-13755-001	 NSSevo3/3S & ZEUS ³ /3S 12" Dash Mount Kit	132.30	162.73
000-13756-001	 NSSevo3/3S & ZEUS ³ /3S 16" Dash Mount Kit	176.40	216.97
000-13758-001	 NSSevo3/3S & ZEUS ³ /3S 9" Mounting Bracket (Plastic)	176.40	216.97
000-13759-001	 NSSevo3/3S & ZEUS ³ /3S 12" Mounting Bracket	323.40	397.78
000-13760-001	 NSS16evo3/3S & ZEUS ³ /3S 16" Mounting Bracket (Metal)	338.10	415.86
000-14317-001	 Replacement Rotary knob for Simrad NSS evo3 & Zeus ³ MFDs	107.80	132.59
000-13744-001	 B&G Zeus ³ 7" Sun cover	127.40	156.70












Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13745-001	 B&G Zeus³/³S 9" Sun cover	142.10	174.78
000-13746-001	 B&G Zeus³/³S 12" Sun cover	156.80	192.86
000-13747-001	 B&G Zeus³/³S 16" Sun cover	171.50	210.95
000-12204-001	 7" NSS EVO2 & ZEUS-2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	93.10	114.51
000-12205-001	 9" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	112.70	138.62
000-12206-001	 12" NSS EVO2 & ZEUS2 Dash mount kit. Contains mounting template, front mount dash screws, drill guide and dash gasket.	161.70	198.89
000-13547-001	 Extra heavy duty Gimbal bracket for desk-mounting the M5000 IMO Monitors, Simrad MO-Series Touch Monitors, B&G ZM-Series Monitors as well as NSO evo3S MFD and Zeus3S Glass Helm Displays.	1577.80	1940.69
000-11618-001	 MO, NSO evo3 16/19/24,Rear mount bracket kit. Includes: dash seal for 16,19,24" and Bracket kit	308.70	379.70
000-14488-001	 Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24 " displays)	252.30	310.33
000-13722-001	 Suncover for B&G Triton² Display	73.50	90.41
000-13725-001	 Suncover for Simrad OP12 and B&G Triton² Pilot controllers	68.60	84.38
000-13950-001	 IS42 & Triton2 Installation Kit - Includes edge bezel, screws and guide tool.	68.60	84.38
000-13952-001	 Triton2 Pilot & OP12 Installation Kit	68.60	84.38
000-13171-001	 GO5 & Vulcan-5 Power & N2K Cable	186.20	229.03
000-10027-001	 Quick Release Bracket - GO5 / Vulcan5 / P2005 / I3005 / Mark / Elite	132.25	162.67
000-13170-001	 Edge Bezel for P2005, I3005, GO5 & Vulcan-5	53.90	66.30
000-13172-001	 Vulcan-5 Suncover	73.45	90.34
000-13169-001	 Dash Mount kit for P2005, I3005, GO5 & Vulcan-5	68.60	84.38

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14228-001	 Vulcan 7R Suncover	98.00	120.54
000-14230-001	 Edge Bezel for GO7 XSR, Vulcan 7R, I3007 & P3007	83.30	102.46
000-14229-001	 Dash Mount Kit for GO7 XSR, Vulcan 7R, I3007 & P3007	107.80	132.59
000-13701-001	 Vulcan 9 Suncover	132.30	162.73
000-13699-001	 GO9 XSE & Vulcan 9 Dash Mount Kit	107.80	132.59
000-13700-001	 Replacement bezel for Simrad GO9 or B&G Vulcan9.	88.20	108.49
000-13702-001	 Gimbal mounting bracket for Simrad NSX 3009, GO9, NSS7 evo3., and B&G Vulcan9, Zeus3 7 (Plastic)	161.70	198.89
000-14152-001	 Vulcan 12 Suncover	151.36	186.17
000-14247-001	 GO12 & Vulcan 12 Edge Bezel	107.80	132.59
000-14148-001	 GO12 & Vulcan 12 Bracket	161.70	198.89
000-11247-001	 NSOevo2, NSOevo3S, Zeus2 and Zeus3S NMEA0183 and Touch Monitor Serial Cable. 2m (6.5 ft)	102.90	126.57
000-13892-001	 MI10 Dashmount microSD card reader: Provides a dual Chart Card reader for use with NSO and Zeus MFD / MPU systems.	1073.10	1319.91
000-12743-001	 OP50 / ZC2 Suncover	68.60	84.38
000-12746-001	 OP50 / ZC2 Dial Knob with grub screw	201.83	248.25
000-12745-001	 OP50 / ZC2 Flush Mounting Bracket Kit	431.20	530.38
000-12744-001	 OP50 / ZC2 Dash Mounting Kit	68.60	84.38
000-12614-001	H5000 Displays - Edge Cover Set	39.20	48.22

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12615-001	 Missing Image H5000 Pilot Controller Edge Cover Set	39.20	48.22
000-14263-001	 RS20/V20 Mounting Bracket Knobs	78.40	96.43
000-14261-001	 RS20/V20 Mounting Bracket	161.70	198.89
000-14913-001	 V60 VHF Suncover	107.80	132.59
000-14922-001	 B&G V60 Remote Mountable Fist Mic. Can be connected to the front or rear of the radio, and optional extension cable allows the radio and mic to be mounted in separate locations.	377.30	464.08
000-14919-001	 RS40/V60 Bulkhead Fist Mic Mounting Clip	44.10	54.24
000-14917-001	 RS40/V60 VHF Mounting bracket with Knobs and Screws	132.30	162.73
000-14915-001	 RS40/V60 VHF Flush Mounting kit.:Includes teplate, Gasket, Bezels and screws	58.80	72.32
000-14925-001	 HS40/H60 VHF Wireless handset Inductive charging cradle	269.50	331.49
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	215.60	265.19
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	269.50	331.49
000-13613-001	 GPS-500 - GPS antenna for Navico AIS transceivers and VHF systems. 10 m (33 ft) cable with SMA connector.	730.10	898.02
000-13703-001	 Auto-Stby Button - Metal. For a physical Auto/Stby button in systems with NAC-1 and NAC-2 Autopilot Computers.	235.20	289.30
037-03195	 Missing Image FFD Elastomeric	137.20	168.76
037-03607	 Missing Image 20/20 Elastomeric	73.50	90.41
239-30-068	 Missing Image Display Mounting Gasket (FFD, 20/20 mk.1)	24.50	30.14
000-14822-001	 J1939 to Micro-C adaptor cable 30 cm (1ft)	147.00	180.81
000-14040-001	 Caterpillar J1939 Adapter Harness - For TRACK systems and IS42J instruments.	479.47	589.74
000-15475-001	WM-4 SIRIUS SAT WEATHER ETHERNET EXT 5M	254.80	313.40











Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13716-001	 Bracket Kit - Water Level or Antenna Mount	30.28	37.25

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-00129-001	 Video/Data Cable - Provides 2x Analog Composite Video Inputs (RCA Female) and a NMEA 0183 Interface.	137.20	168.76
BGH301035	 B&G SimNet cable 0.35m (RA-RA)	176.40	216.97
000-14488-001	 Spacer required if using the Heavy Duty Gimbal bracket kit (000-13547-001) to mount an NSO16 evo3 or ZEUS3-16 display.(not required for 19 and 24" displays)	252.30	310.33
000-14923-001	 5m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	215.60	265.19
000-14924-001	 10m Extension Cable for RS40, RS40-B, V60, V60B and Link-9 VHF Fist Mics, and H100/HS100 Handsets.	269.50	331.49
BGH220013	 20/20HV Mast Bracket - 3 way	1078.00	1325.94
BGH220014	 20/20HV Mast Bracket - 4 way	1519.00	1868.37
BGH220015	 20/20HV Mast Bracket - 5 way	1852.20	2278.21
BGH291017	 20/20HV Bezel (White)	298.90	367.65
BGH291018	 20/20HV Bezel (Red)	298.90	367.65
BGH291019	 20/20HV Bezel (Green)	298.90	367.65

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH281011	 40/40HV Bezel (black)	323.40	397.78

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH284014	 Missing Image 40/40HV Sun Cover	181.30	223.00
BGH241011	 Missing Image 30/30HV Bezel (black)	294.00	361.62
BGH244014	 Missing Image 30/30HV Sun Cover	176.40	216.97
BGH291001	 Missing Image 20/20HV Display only	5610.50	6900.92
BGH291011	 Missing Image 20/20HV Bezel (black)	220.50	271.22
BGH321011	 Missing Image 10/10HV Bezel (black)	132.30	162.73
BGH324014	 Missing Image 10/10HV Sun Cover	98.00	120.54
BGH231021	 Missing Image H3000 Analogue Bezel (Black)	137.20	168.76
BGH234017	 H3000 Sun Cover (Analogue)	88.20	108.49
BGH063001	 Missing Image HGSC Cable	1068.20	1313.89


















Processors

Main Products


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12899-001	USB PORT COVER,H5000 GRAPHIC DISPLAY	49.00	60.27
000-12893-001	SUN COVER,H5000 PILOT KEYPAD	88.20	108.49
000-12892-001	SUN COVER,H5000 DISPLAYS	98.00	120.54
000-12897-001	GROMMET PACK,H5000 MODULES	80.75	99.32
000-12896-001	GROMMET PACK,H5000 CPU	80.75	99.32
000-12895-001	CONNECTOR PACK (Green),H5000 PILOT CPU	318.50	391.76
000-12898-001	CONN PACK,H5000 EXPANSION MODULES	116.08	142.78
000-12894-001	CONN PACK,H5000 CPU	318.50	391.76





Sensors

Main Products















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15144-001	 Wind vane assembly spare for WS300/700 series wind sensors. Inc. mounting nut.	235.20	289.30
000-15143-001	 WS300/700 Support Moulding inc. O-Ring	83.30	102.46
000-15142-001	 Replacement wind angle bearing for the WS300/700 series wind sensors.	406.70	500.24
000-15140-001	 Wind Speed Cup spare for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	151.90	186.84
000-15141-001	 Replacement battery for WS320 wireless wind sensor.	107.80	132.59
000-15139-001	 Replacement PCB for WS700/310 series wind sensors.	1460.20	1796.05
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	450.80	554.48
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	98.00	120.54
000-14388-001	 The WS320 Wireless Interface: Spare Wireless Interface for the WS320 Wind Sensor system. Receives wireless signals from the WS320 and converts to NMEA 2000.	891.80	1096.91
000-14389-001	 WS700/310 Wired Interface. Converts NMEA 0183 wind data from the Masthead Unit to NMEA 2000®.	485.10	596.67
000-13715-001	 608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	931.00	1145.13
000-13714-001	 Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	2107.00	2591.61
275-00-031	 XTL Fin Speed/Depth Bronze Ext.	12985.00	15971.55
275-00-045	 XTL Fin Speed Stainless Std.	12005.00	14766.15
SEN-RUD-LFB	 Rudder sensor linear (blue T1/T2 drives)	2508.80	3085.82
BGH033004	 V-Mast Head Unit Cable Loom assembly (for 810 mm (32"))	637.00	783.51
SEN-RUD-LF2	 Rudder sensor linear (black T1/T2 drives)	2508.80	3085.82

Accessories

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10757-001	 20 m (66 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	470.40	578.59
















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-10758-001	 35 m (115 ft) NMEA2000 Wind vane cable (Micro-C male - Simnet)	651.70	801.59
178-0B-001	 213 Mast Cable, 24 m	1646.40	2025.07
178-0D-001	 213 Mast Cable, 36 m	2156.00	2651.88
178-0X-001	 213 Mast Cable, 50 m	2793.00	3435.39


















Spare Parts


















Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
213-10-038	 Replacement wind speed bearing for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	450.80	554.48
MHU-NUTS	 Replacement mounting nuts for wind vane and cups for all B&G MHUs (508, 608, 213, VMHU, WS300, WS700)	98.00	120.54
000-13715-001	 608 Wind Sensor spare PCB assembly. Compatible with 608 and 508 Wind Sensors	931.00	1145.13
000-13714-001	 Networked wind sensor for Triton2, Triton, IS42, IS40 and IS20 systems. Sensor only, does not include cable.	2107.00	2591.61
178-30-023	 213 Cable Nut	308.70	379.70
213-10-003	 213 Spar (Standard)	2352.00	2892.96
213-10-004	 MHU Angle Bearing	406.70	500.24
213-10-056	 MHU Vane	205.80	253.13
213-10-101	 213 Masthead Unit PCB	1759.10	2163.69
MHU-MLDGS	 MHU Mouldings	303.80	373.67
SEN-DEPTH-A2	 Depth Sensor NMEA only	1911.00	2350.53
SEN-DEPTH-H	 H3000 Depth Sensor only	784.00	964.32
SEN-PLUG-DPT	 Housing Plug (Depth)	240.10	295.32
000-10573-001	 Mast Bracket kit with rubber gasket and screws for the WS310/320, 608/508, and IS20 Wind Sensors.	323.01	397.30





Other

Main Products







Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-15942-001	 Autopilot ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5	828.10	1018.56
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	409.15	503.25
000-15944-001	 Autopilot fitting adaptor kit. Contains 3 x ORB-5 to 1/4" NPT adaptors	245.00	301.35
000-15949-001	 ORB hose fitting kit for MKII Pumps 1, 2, 3, 4 & 5, including SteadySteer	2788.10	3429.36
000-15858-001	 PUMP-X Motor Brushes - Autopilot pump brush kit for PUMP-1,2,3,4 & 5. 2Pcs.	318.50	391.76
000-12359-001	 WR10 BT-1 Base Station Only	1318.10	1621.26
000-12358-001	 WR10 Wireless Remote for Autopilot.	1024.10	1259.64
000-14806-001	 V3100 Power cable, 1.8 m (6ft)	156.80	192.86
000-14807-001	 V3100 NMEA 0183 Cable 1.8 m (6ft)	156.80	192.86
000-14968-001	 Navico 1710 VHF antenna, 2.5 m (8 ft) ultraglass, quickfit @ 6dB BLACK	431.20	530.38
000-14528-001	 Scanner Extension cable - 5m (16.5ft) for 3G, 4G and HALO (open array)	353.29	434.55
000-14495-001	V90S Blackbox VHF with AIS (receive only) Conforms to new EU Standard	3477.38	4277.18
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	318.50	391.76
000-14552-001	 Ethernet adapter cable, RJ45 F to 5 Pin male, 1.5 m (4.9 ft). Ships with water proof boot.	205.80	253.13
000-14548-001	 Power / Ethernet cable, 10 m (33 ft) for HALO dome radars and B&G Nemesis displays	583.10	717.21
000-14549-001	 Power / Ethernet cable, 20 m (65.5 ft) for HALO dome radars and B&G Nemesis displays	877.10	1078.83

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14550-001	 Power / Ethernet cable, 30 m (98.5 ft) for HALO dome radars and B&G Nemesis displays	1171.10	1440.45
000-14547-001	 Power / Ethernet cable, 5 m (16.5 ft) for HALO dome radars and B&G Nemesis displays	377.30	464.08
000-12514-001	 HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	323.40	397.78
AA010212	 Scanner connection cable - 20 m (66 ft) for 3G, 4G and HALO (open array)	877.10	1078.83
000-12515-001	 HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	200.90	247.11
000-11465-001	 HALO Antenna Only - 4ft	6349.58	7809.99
000-11466-001	 HALO Antenna Only - 6ft	8962.92	11024.39
000-11463-001	 HALO Open Array Pedestal only - For 3ft & 4ft Antennas	22764.58	28000.44
000-11467-001	 RI-12 Radar interface module for Halo Open Array Radar. Power supply and processor for the array.	2388.75	2938.16
000-11464-001	 HALO Antenna Only - 3ft	3654.58	4495.14
000-14798-001	 NAC-2 Rudder feedback cable: Used to connect resistive rudder feedback units to either NAC-1 or NAC-2. 3 Pin connector to 3 bare wires. 2 m (6.5 ft)	186.20	229.03
000-14352-001	SERVICE PACK FOR SIMNET TERMINATOR	61.07	75.11
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	132.30	162.73
000-14060-001	 LINK-6 Mounting Bracket	161.70	198.89
000-14064-001	 LINK-6 Mounting Bracket Knobs	78.40	96.43
000-14056-001	 V20 Suncover	100.89	124.09
000-14066-001	 VHF Interface - Type 6. For Simrad RS20/RS40, B&G V20/V60	431.20	530.38
000-14059-001	 RS20/V20 Flush Mount Kit	58.80	72.32





Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH301035	 B&G SimNet cable 0.35m (RA-RA)	176.40	216.97
24005910	 SimNet power cable without terminator 2 m (6.6 ft) -yellow tip	151.90	186.84
24005829	 SimNet cable 0.3 m (1 ft)	151.90	186.84
24005837	 SimNet cable 2 m (6.6 ft)	196.00	241.08
24005845	 SimNet cable 5 m (16 ft)	230.30	283.27
24005852	 SimNet cable 10 m (33 ft) note: for simNet backbone only	289.10	355.59
24005860	 SimNet 3 Prong Multi-joiner	142.10	174.78
24005886	 SimNet protection plug	24.50	30.14
24005894	 SimNet termination plug	63.70	78.35
24005902	 SimNet power cable with terminator 2 m (6.6 ft) -red tip	166.60	204.92
24006199	 Micro-C female to SimNet 1.0 m (3.2 ft) cable that connects a NMEA 2000® product to a SimNet backbone	171.50	210.95
24006298	 SimNet 7 Prong Multi-joiner	289.10	355.59
24006306	 SimNet bulkhead T-connector	318.50	391.76
24006413	 Micro-C female to SimNet 4 m (13 ft) cable that connects a NMEA 2000® product to a SimNet backbone	230.30	283.27
44172260	 SimNet joiner yellow without terminator	88.20	108.49
44172278	 SimNet joiner red with terminator	88.20	108.49
000-00020-001	 ST10 Simnet programing Toolkit	877.10	1078.83

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
SIMKIT-1	 SimNet Starter Kit-1	614.46	755.79
SIMKIT-2	 SimNet Starter Kit-2 with one AT10 NMEA 0183 interface	1024.10	1259.64
000-12265-001	 VMHU MAST CABLE 80M	4668.48	5742.22
000-12266-001	 213 MAST CABLE,80M	4668.48	5742.22

Accessories










Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-16055-001	 VHF antenna mount. Heavy-duty stainless steel fold-down antenna mount. With attached 7 m (23 ft) cable. Fastfit connector	409.15	503.25
000-14551-001	 Enables re-use of the existing BR24/3G/4G cable onboard when upgrading to a HALO Dome radar.	318.50	391.76
BGH301035	 B&G SimNet cable 0.35m (RA-RA)	176.40	216.97
AA000223	 Heavy-Duty Nylon VHF Antenna mount. Quick-Fit with 5m (16ft) cable	176.40	216.97
AA000224	 Stainless Steel VHF Antenna mount. Quick-Fit with 5m (16ft) cable	357.70	439.97
AA000400	 VHF extension cable 5 m (16 ft)	142.10	174.78

Spare Parts



Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-12514-001	 HALO Pedestal, Spare mounting kit. Includes -4 x Bolt, HEX, M12x35, 316 s/s: 4 x Bolt, HEX, M12x50, 316 s/s: -4 x Washer, Flat, M12x36x3, 316 s/s: -4 x Washer, Spring, M12, 316 s/s: -8 x Washer, Isolating M12x38 Nylon	323.40	397.78
000-12515-001	 HALO Antenna - Spare Mounting Kit. M8 Dome Nuts, M8 Spring Washers, M8x16x1.2 Flat Washers. 316 SS, 4pcs each.	200.90	247.11
BGH231021	 H3000 Analogue Bezel (Black)	137.20	168.76
BGH234017	 H3000 Sun Cover (Analogue)	88.20	108.49

Current


Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14463-001	NAC-1 & NAC-2 Spare Drive Cable - 2m	186.20	229.03
000-15642-001	 NRS-2 Marine VHF Radio with built in AIS Class B transceiver. Black box only	6561.10	8070.15
000-15657-001	 NRS-1/ NRS-2 Bulkhead WiFi Antenna Mount Cable - 6m - For mounting the WiFi antenna in more suitable location if reception from antenna on Blackbox is not adequate.	632.10	777.48
000-15653-001	 Cradle for HS100 & H100 VHF radio handsets	98.00	120.54
000-15656-001	 HS100/H100 Handset cable with bulkhead mount 20m (65.5 ft)	534.10	656.94
000-13960-001	 Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	406.70	500.24
000-13956-001	 RPU300 Motor - 24V Parvalux	3263.40	4013.98
000-11248-001	 HDMI monitor video cable 3 m (9.8 ft)	117.55	144.59
000-11249-001	 HDMI monitor video cable 10 m (33 ft)	274.84	338.05
000-15641-001	 NRS-1 Marine VHF Radio. Black box only	3670.10	4514.22

Accessories


Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-14268-001	 Waterproof 4-core cable joiner for NAC-1, 2 and 3 Autopilot installations. Convenient way to connect your computer to the drive unit and ensure a waterproof connection.	132.30	162.73
000-11727-001	 RS90/V90 20m (65 ft) Handset cable. Includes phoenix connector and bulkhead mount	438.58	539.46

Spare Parts

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-13960-001	 Brush replacements for RPU80, RPU160 and RPU300 pumps with Parvalux motors.	406.70	500.24



Full Version

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
BGH140001	 Deckman C-MAP USB	6512.10	8009.88
BGH140010	 Deckman Upgrade +1 version step	2327.50	2862.83

Service Parts

Main Products

Part Number	Description	RRP excl. (PLN)	RRP incl. (23.0%)
000-11040-001	 Adapts LSS-1 transducers to HDS Gen2 Touch units and to LSS-HD modules.	533.61	656.34
000-14503-001	LINKPRO SERVICE TOOL	1073.10	1319.91
151-10553-001	 VHF, FIST MIC ASSY, V20	244.95	301.29
151-10186-001	REPLACEMENT UNIT TRITON PILOT CNTRL	1504.00	1849.92